

RV Parts & Accessories 2018

R۷

PARTS

AND

6

RV Parts Guide www.sixrobblees.com









TABLE OF CONTENTS

RV Appliances	4
Lighting & Electrical	
Cleaners & Maintenance	
Hardware	
Steps & Handrails	
RV Covers & Vents	
LP Products	
Fresh Water	
Sewer & Sanitation	
Jacks & Levelers	
Suspension, Stabilization, Tie-Downs, Slide-Out Repair	
Towing	
Index	



ORDERING INFORMATION



Payment Terms

All invoices are due for payment by the 10th of the month, following the month in which the purchase was made. The billing cycle starts on the 26th of the month and continues through the 25th of the next month. If the account should become delinquent and remain unpaid on the 25th of the second month following purchase, a 2% service charge will be applied. Past due accounts may be placed on a cash basis at our option.

Pricing

Prices are consistent with current market conditions and are subject to change without notice.

Shipping

We are happy to ship any product ordered via UPS or common carrier LTL (pallet shipments). Just confirm with your sales representative how you would like your order delivered. In some cases, we may have free local delivery available (commercial addresses only). For a more complete description of our delivery options, please call your local warehouse.

Online Ordering

With an account, you'll be able to: check stock levels and pricing, place an order, check order status, and search account history and A/R balance.

Monthly Specials

We send out monthly flyers to your email with specials that you won't find anywhere else. Sign up for our monthly specials at www.sixrobblees.com.

Returns

No returns will be accepted without a return authorization number. A restocking fee may be levied on returned merchandise.

Disclaimer

Six Robblees' Inc. has made a diligent effort to illustrate and describe products in this catalog accurately; however, illustrations, photos, and descriptions are for the sole purpose of identification and do not express or imply a warranty that the products are merchantable, or fit for a particular purpose, or that the products will necessarily conform to the illustrations, photos or descriptions. Six Robblees' Inc. makes no warranty or affirmation of fact, express or implied. Six Robblees' Inc. is not responsible for inadvertent typographical errors or omissions. No part of this book may be reproduced or utilized in any form or by means, electronic or mechanical, including recording, photocopying or by any information storage and retrieval system without permission in writing by Six Robblees' Inc. The sole intent of this catalog is to aid Six Robblees' Inc. customers in the resale of trailer and light truck parts.

[©]2018 by Six Robblees' Inc.



Six Robblees' Inc., having been open for business since 1913, is excited to be celebrating its 103rd Anniversary. The following is a brief history of the first 102 years.

The company was originally started as J.A. Robblee & Co. in Tacoma, WA by three brothers; Jim a sheet metal worker, Bill a locksmith and Herb a bicycle repairman. Although repairing bicycle wheels brought in the majority of their business, by the end of the World War I their experience in tuning bike spokes had been transformed to racing car wheels for drivers of the local Indy car circuit. Over the next several years, other brothers joined the company and lent their expertise. By 1920, a second location was added in Seattle.

Founding brother, Jim passed away in 1930 and willed his interest to his six remaining brothers; Bill, Herb, Fred, Ted, Hank and Dick. The company was then renamed Six Robblees' Inc. The locksmithing operation was sold to some nephews in 1948 when Hank and Dick bought out their retiring brothers; Bill, Fred, Herb and Ted. Dick started Six Robblees' Inc. of Oregon in Portland in 1940 and worked there until selling to Hank's son, Dave in 1987. Hank opened a third location in Yakima in 1964.

Dave Robblee started in 1966 and through the National Wheel and Rim Association (NWRA) expanded the business into custom wheels, installer undercarriage auto parts and a complete line of tire shop supplies and equipment. He was active in signing Six Robblees' up as members of buying groups Heavy Duty America (HDA) and Ascot Tire Supply. In addition, he grew the company by adding 12 branches throughout Alaska, Montana, Oregon and Washington. Amongst some of the branch additions were the purchases of Union Rubber Company (Oakland, CA), Motor Wheel and Parts (Seattle, WA) Dee's Truck Parts (Wasilla, AK), Northwest Wheel (Great Falls, MT), Montana Wheel (Missoula, MT), WIM (Kennewick, WA) and True Wheel Inc. (Vancouver, WA).

The purchase of Motor Wheel and Parts of Seattle, WA and Bearing & Rim of Spokane, WA in 1992 thrust the company into the small trailer parts market and added a solid third market segment to the already thriving truck parts and tire shop supplies categories - all three centered around the wheel.

The new millennium opened with the retirement of Dave Robblee and the promotion of longtime sales & general manager, Tom Ogren, as president. He opened 4 branches, two of which were through the purchases of Tech Supply (Eugene, OR) and Gamo Truck Parts (Grants Pass, OR). Tom retired at the end of 2008 and handed the title of president to Andy Robblee (Dave's son). Andy has added 3 branches and expanded the company into Idaho and Wyoming through the purchase of Milo's Auto & Truck (Casper, WY) and Valley Brake & Truck Parts (Twin Falls, ID). In addition, he facilitated the purchase of two Anchorage, AK companies; Custom Truck Inc. and Mobile Trailer Supply.

Six Robblees' Inc. has grown from a small family business with 3 employees to a small family business with 22 branches in 8 states. Our product offering has expanded to include car, truck and trailer wheels as well as small trailer components, light truck accessories, tire shop supplies, equipment and heavy duty parts. We have seen tremendous growth and improvement in product offering and service; preserving the belief - "Customers deserve great service!" We hope you will join with us as we grow in the future.







Andy Robblee














RVAPPLIANCES


20LAR 7*L*X

REPLACES NXA641 SERIES IN THE SAME CUTOUT

- Capacity New state-of-the-art technology allows Norcold to increase storage space The benefits of a 7-cubic-foot refrigerator in a 6-foot enclosure!
- **Styling** Upgraded appearance with enhanced/modern styling
 - Taller door panels provide a more built-in look
 - Hidden liner for optimal appearance
 - Hidden hinges and recessed door handles for a more streamlined look



- Control Panel LX Series Controls feature LCD Display, adjustable thermostat and mode select
 - No more buttons/switches



Features include:

- Both freezer & fresh-food door panels are 1" taller than N6 panels.
- Adjustable thermostat puts the user in control.
- Easy to see and operate true eye-level Control Panel.
- Automatic frost limiting.
- Quality, integrity, reliability and durability built into each one.
- New MAGNAStrips[™] allow owners to use existing Door Panels.


sku	Description	Dimensions	Amp Draw		LP	Net Weight (lb.)
JKU	Description	Dimensions	120V/AC	12V/DC	Gas	Net Weight (ib.)
NA7LX.3F 🔺	3-WAY AC/LP/DC 2DR 7' CW KIT FAN; RH	Cutout H x W x D (in)	19.93	2.5		114*
NA7LX.3	3-WAY AC/LP/DC 2DR 7' CW KIT; LH or RH	52 ⁷ / ₈ x 23 ¹ / ₂ x 24 Upper Door Panel	19.93	2.5		113*
NA7LXF	2-WAY AC/LP 2DR 7' FAN; LH or RH	$H \times W$ (in) 15 ¹⁷ / ₃₂ x 21 ¹⁹ / ₃₂	1.36	2.5	Yes	113*
NA7LXIM	2-WAY AC/LP 2DR 7' W/ICEMAKER; RH	Lower Door Panel H x W (in)	2.6	4.18	1	118
NA7LX	2-WAY AC/LP 2DR 7'; LH or RH	$\frac{1}{32^{5/8} \times 21^{19/32}}$	0.93	2.5		112*

Door panel thickness 0.187" *Add 6 lbs. for optional Ice Maker. For wrapped-edge doors, add 11 lbs. to model N7LX. **Three-way power: 12V/DC, 120V/AC, and LP Gas. ▲ Includes Cold Weather Capability to 0° F. Specifications subject to change.




20LAR 8_{LX}

- Capacity New state-of-the-art technology allows Norcold to increase storage space to its already industry-leading capacity in the 8-cubic-foot class.
- **Styling** Upgraded appearance with enhanced/modern styling
- Taller door panels provide a more built-in look
- Hidden liner for optimal appearance
- Hidden hinges and recessed door handles for a more streamlined look



- Control Panel LX Series Controls feature LCD Display, adjustable thermostat and mode select
 - No more buttons/switches



Features include:

- Both freezer & fresh-food door panels are 1" taller than N8 panels.
- Adjustable thermostat puts the user in control.
- Easy to see and operate true eye-level Control Panel.
- Automatic frost limiting.
- Quality, integrity, reliability and durability built into each one.
- New MAGNAStrips[™] allow owners to use existing Door Panels

SKU	Description	Dimensions	Amp Draw		LP	Net Weight (lb.)	
SKO	Description	Dimensions	120V/AC	12V/DC	Gas	Net Weight (ID.)	
NA8LX.3 🔺	3-WAY AC/LP/DC 2DR RH 8' CW KIT; RH	Cutout H x W x D (in)	19.83	2.5		122*	
NA8LXF	2-WAY AC/LP 2DR LH 8' FAN; LH or RH	59 ⁷ / ₈ x 23 ¹ / ₂ x 24 Upper Door Panel	1.36	2.5		122*	
NA8LXIMF	2-WAY AC/LP 2DR 8' W/ICEMKR FAN; LH	H x W (in) 15 ¹⁷ / ₃₂ x 21 ¹⁹ / ₃₂	2.6	4.18	Yes	128	
NA8LXIM	2-WAY AC/LP 2DR 8' W/ICEMKR; LH or RH	Upper Door Panel H x W (in)	2.6	4.18		127	
NA8LX	2-WAY AC/LP 2DR 8'; LH or RH	39 ⁵ / ₈ x 21 ¹⁹ / ₃₂	0.93	2.5		121*	

*Add 6 lbs. for optional Ice Maker. For wrapped-edge doors, add 13 lbs. to model N8LX. **Three-way power: 12V/DC, 120V/AC, and LP Gas. ▲ Includes Cold Weather Capability to 0° F. Specifications subject to change.

SIX ROBBLEE



RVAPPLIANCES

REPLACES NXA841 SERIES


















LIGHTING/IELEGTRICAL

LIGHTING/ELECTRICAL

LIGHTING/ELECTRICAL





GP-PSK-7PIN

SOLAR FLEX

Conforms to the RV rooftop and eliminates any need for custom mounts. Ships with a digital solar controller and can be mounted with adhesive or screws for a secure install. Expand solar capabilities with an expansion kit.

SOLAR FLEX	AMPS	WATTS	CONTROLLER
GP-FLEX-500	28	5x 100	40 amp
GP-FLEX-200	11.2	2x 100	30 amp
GP-FLEX-100	5.6	100	30 amp
GP-FLEX-50	2.8	50	10 amp
GP-FLEX-30	1.7	30	10 amp
GP-FLEX-100E*	5.6	100	Not required
GP-FLEX 50E*	2.8	50	Not required





PWM SOLAR CONTROLLERS

Regulates and prevents the solar panel from overcharging batteries. Pulse width modulated (PWM) charging, 3 battery charging profiles, and improved 4-stage charging. 30 amp and 10 amp models included in most solar kits.

- · Easy to read backlit digital
- display Dual bank battery charging
- Inverter on/off control*

*30 amp controller only

- Heavy-duty terminals
- Built-in USB charge port

GP-PWM-30 GP-PWM-10-FM

SIX ROBBLEES

WEEKENDER ISW (170 watts)

170 watt, 8.9 amp (1x 170W module)

Go Power!

30 amp PWM digital controller

LIGHTING/ELECTRICAL

- 1500 watt industrial pure sine wave inverter
- Prewired 30 amp transfer switch

SOLAR ELITE (340 watts) PART#: SOLAR ELITE

- 340 watt, 17.8 amp (2x 170W modules)
- 30 amp PWM digital controller
- 2000 watt pure sine wave inverter charger (with built-in 100 amp battery charger and 50 amp transfer switch)



SOLAR EXTREME (510 watts) PART#: SOLAR EXTREME

- 510 watt, 26.7 amp (3x 170W modules)
- 30 amp PWM digital controller
- 3000 watt pure sine wave inverter charger (with built-in 125 amp battery charger and 50 amp transfer switch)

SOLAR KITS

The OVERLANDER and RETREAT keep batteries healthy and charged while providing freedom to run lights, water pumps, furnaces, and other DC appliances. Power output warranty: 25 years.

OVERLANDER 170W

170 watt, 8.9 amp solar module Easy-to-install 30 amp PWM digital controller



- 100 watt, 5.4 amp solar module
- Easy-to-install 30 amp PWM digital controller

EXPANSION KITS

Add more power to the OVERLANDER and RETREAT kits. Expansion kits include solar panel, mounting hardware, MC4 branch connectors, and solar cable.

EXPANSION KIT PART NO.	AMPS	WATTS
OVERLANDER-E	8.9	170
RETREAT-E	5.4	100

MOS POPULAR KIT

SOLAR ALL- ELECTRIC KITS



Eliminating the need for conventional battery charging, paired with an inverter/ charger, solar all-electric kits are great for systems with all electric residential fridaes.

SOLAR AE-6 SOLAR AE-4 1020 watts 680 watts Suggested x 4 to 8 + x 4 to 6

ALL ELECTRIC KIT PART NO.	WATTS	AMPS	CONTROLLER
SOLAR AE-6	1020	53.4	GP-MPPT-40 (x2)
SOLAR AE-4	680	35.6	GP-MPPT-40





LIGHTING/ELECTRICAL





These kits are perfect as single-use chargers or as an additional power source for any rooftop solar kit. Plug & Play connectivity ensures fast and easy set-up between the panels and the battery. Includes 12' UV cables and a durable carry case.

Kits include:







ACCESSORIES AND HARDWARE

ITEM	LENGTH (FT)	
MC4-OUTPUT-50	50	
MC4-OUTPUT-30	30	100
MC4-OUTPUT-15	15	
MC4-OUTPUT-10	10	
MC4-OUTPUT-3	3	
GP-MH-4-KB	N/A	
GP-CEP	N/A	•





Economical power solutions for running lights, appliances, and other re-sistive loads. The Go Power! Modified Sine Wave Inverters are reliable inverters that range from 225 to 5000 watts and come with a 1-year warrant

MODIFIED SINE WAVE INVERTERS	OUTPUT (watts)	SURGE (watts)	OUTLETS
GP-5000HD	5000	10000	4 (+HW)
GP-3000HD	3000	6000	4 (+HW)
GP-1750HD	1750	3500	3
GP-1000HD	1000	2000	2
GP-800HD	800	1600	2
GP-400HD	400	800	2
GP-225HD	225	450	2
GP-HD-R	N/A	N/A	N/A
		1	1

CUL)us on all ISW inverters! URE SINE WAVE OUTPUT SURGI OUTLETS NVFRTFRS (watts) (watts Hard wire 3P-ISW3000-12 3000 6000 GP-ISW2000-12 2000 3500 2 GFCI GP-ISW1500-12 1500 2650 2 GFCI 1750 2 GFCI GP-ISW1000-12 1000 2 GFCI SP-ISW700-12 700 1230 450 2 GFCI GP-SW300-12 300 150 260 SP-SW150-12 2

N/A

N/A

N/A

N/A

powering electronics with a 2-year warranty

P-ISW-R-12

P-SWR-A

Don't see the Go Power! inverter you had in mind? Contact your dealer for other available products.

Starleights **Omni Directional Bulb**

LIGHTING/IILIGURICAL

Specifications: 280 lumens, 3200 kelvin, 2.16 watts, 0.180 amps, Voltage Range: 9–14.5 volts. 60,000 hour bulb life (50 times the life of an 1156 bulb) LED replacement for chandeliers, sconces, taillights, turn signals, back up lights and more. Replaces 67, 93, 105, 199, 1003, 1073, 1093, 1095, 1139, 1141, 1143, 1156, 1159, 1195, 1293, 1295, 1383, 3497, 5007, 5008, 7506, 7527

016-1141-280 Omni-Directional LED Bulb

Starlaghts **LED Replacement** Bulb

Specifications: 170 lumens, 6500 kelvin, 1.92 watts, 0.16 amps, Voltage Range: 9-15 volts. 60,000 hour life expectancy. Replaces 93, 105, 199, 1003, 1073, 1093, 1095, 1139, 1141, 1143, 1156, 1159, 1195, 1293, 1295, 1383, 3497, 5007, 5008, 7506, 7527

016-1156-170 Single Contact Bayonet

Page 10

Startights Wedge LED Bulb

Specifications: 280 Lumens, 3200 kelvin, 2.16 watts, 0.180 amps, Voltage: 9-14.5 60,000 hour life.

Replaces 158, 161, 168, 192, 193, 194, 658, 901, 904, 906, 912, 915, 916, 917, 918, 920, 921, 922, 923, 3652

-11-11

016-921-280 921 LED Tower Bulb 280 LMS

Startights 921 Tower LED Bulb



016-781921 921 Tower LED Omni Directional Tower Fits Wedge/921 Light Fixtures



Startehts **Fluorescent LED Replacement Tube**

N/A

N/A

Interior | FD replacement E bulb for a 18" fluorescent fixture. Lasts 12 times longer than

the standard fluorescent

tube. State of the art Pulse Width Modulator (PWM) guarantees the same light output regardless of voltage fluctuations (11-16-volts). Easy 2 wire installation. FCC approved - will not interfere with radio/analog signals. 016-T818 18" Fluorescent Tube LED bulb



JC10 LED Bulb



016-02-JC10 JC-10 Halogen 12-volt RV Interior 1/cd



Starlaghts

Led Bulb

016-BL3003 Interior Double LED Dome Light


Startehts



lumens, 6500 kelvin 0.24 watts, 0.020 amps, Voltage Range: 9–15 volts. Lasts 150 TIMES



LONGER than a standard bulb (60,000 hour life expectancy). Energy Efficient- can run 14 Revolution Bulbs for every 1 standard 1036 bulb. Replaces 211-2, 212-2, 1036, 3423, 3425, 6411, 6413, 6418, 6423, 6429, 6451, 6461, 6475, 6486X



Bargman. **LED RV** Lights

42-84-410

42-84-412

42-84-414

Patent pending.





S/T/T Module (Red) Bulb Socket Plug Turn Module (Amber) Bulb Socket Plug **Backup Light Module (Red Reflex) Bulb** In 4-way, 6-way, and 7 way Socket Plug

C/TINCO **Battery Box**

Small: 11.33" x 7.84" x 9.9"; Large: 13.87" x 7.87" x 10.9".



55362 Small Battery Box



11-902 Guard 11-720P **End Only** foot clamps and stainless steel screws. Choose small for 11-723P 7-way Nylon Socket, Car End Only group size 24 batteries or large for group sizes 27, 30 and 31. Both boxes meet USCG CFR 183.420 and ABYC E-010.7 specifications. Inside dimensions with lid $(I \times w \times h)$

11-410P

11-608P

11-700P





LED Bulb. This basic version has expandable modular slots.

670-41

670-42

In 4-way, 6-way, and 7 way

The customer can upgrade the light with the following modules: motion activation; night light; dimmer dial; day/ night sensor; 250 or 300 LMS LED bulb

670-61 670-61SG 670-62 670-71SG

670-72

Optronics Flat Connectors



A20WB 4-way 20' Wishbone Harness A25WB 4-way 25' Wishbone Wiring Harness A35WB 4-way 35' Wishbone Harness 5-way 35' Wishbone Harness

Pollak **Round Connectors**

Cableguard



4-way Plug, Trailer End	
4-way Socket, Car End	
6-way Plug, No Cableguard	
6-way Plug w/ Cableguardd	
6-way Socket, Concealed Terminal	
7-way Standard Plug w/ Cable Guard, Trailer End Only	
7-way Split Pin, 2 Hole Mount Socket,	
Car End Only	
7-way Rubber Boot for Socket	







11-403P 4-way Connector Plug, Trailer End w/

11-409P 4-way Chrome Plug, Trailer End 4-way Chrome Socket, Car End 6-way Connector Socket, W/ Rubber Boot 7-way Standard Plug, Trailer End Only 7-way Weather Beater Plug w/ Cable

11-704P 7-way Nylon Plug, Trailer End Only 7-way Solid Pin, 2 Hole Mount Socket, Car

TEKONSHA **Flat Connectors**



118001	4-way 48" Car End Plug (w/ 4 Wire Taps)
118002	4-way 60" Car End Plug (w/ 4 Wire Taps)
118004	4-way 12" Trailer End Plug
118033	4-way 48" Trailer End Plug
118185	4-way 18" Car/Trailer End Loop (w/ 4 Wire Taps)
118044	4-way 48" Car/Trailer End Loop (w/ 4 Wire Taps)
118045	4-way 60" Car/Trailer End Loop (w/ 4 Wire Taps)
20112	4-Flat Connector Cover
118016	5-way 72" Car End Wiring Harness
118017	5-way 48" Trailer End Wiring Harness
118215	5-way72" Car & Trailer End Loop

Pollak **7-Way RV Connectors**

	Nº O
12-702	Metal Connector Plug, Trailer End Only
12-703	Metal Connector Socker, Car End Only
12-706	Black Plastic Plug, Trailer End Only
12-707	Black Plastic Socket, Car End Only
82-00-3315	7-Way Plug Cover w/ Lanyard

Bargman 7-Wav Molded Connectors



50-67-003	7-way Molded Trailer Cord w/8' cable
50-67-907	7-way Molded Trailer Cord w/4' cable
50-87-007	Straight Truck End (Super Sealed) w/ 7' Cable
50-97-407	Right Angle End w/ 7' Cable

20320	4-Flat Car End Adapter to 6-Way Round Pin
20321	4-Flat Car End Adapter to 7-Way Round Pin, Plastic
20322	4-Flat Car End Adapter to 7-Way Round Pin, Metal
20144	4-Flat to 4-Flat & 7-way Blade
118700	6-Way Round Pin to 4-Flat Adapter
118702	7-Way Flat Pin to 4-Flat Adapter, Display Pack
118709	7-Way Round to 4-Way Flat



TEKONSHA

Trailer Plug Adapters

15-30 Adapter Plug



• Space saving compact adapter plug Molded of durable PVC for long use A10-1530ARD Mighty Cord Round Adapter Plug,

15a Male To 30a Female, Bulk A10-1530ARDVP Mighty Cord Round Adapter Plug, 15a Male To 30a Female, Carded





Space saving compact adapter plug for use in adapting 15 AMP power for use with 30 AMP trailers. Molded of durable PVC for long use.

- * 15 AMP male x 30 AMP female adapter plug * Compact design
- * For temporary use

A10-1530A 15AM-30AF Adapter Plug, Bulk A10-1530AVP 15AM-30AF Adapter Plug, Carded

VALTERIA 30-15 Adapter



Space saving compact adapter plug for use in adapting 30 AMP power to 15 AMP power. Molded of durable PVC for long use.

A10-3015A 30AM-15AF Adapter Plug, Bulk A10-3015AVP 30AM-15AF Adapter Plug, Carded

VALTERIN® 30-50-AMP Adapter



Space saving compact adapter plug for use in adapting 30 AMP power for use with 50 AMP trailers. Molded of durable PVC for long use.

A10-3050A 30AM-50AF Adapter Plug, Bulk

50-30 AMP Adapter

VALTERRIN



Space saving compact adapter plug for use in adapting 50 AMP power for use with 30 am trailers. Molded of durable PVC for long use.

A10-5030A 50AM-30AF Adapter Plug, Bulk A10-5030AVP 50AM-30AF Adapter Plug, Carded

XALTERN Generator Adapter 30-AMP

Compact adapter plug for connecting 30 AMP generator power to 30 AMP RV power. 30 AMP 3 prong twist lock male connector. Heavy duty molded PVC construction

GEN30AM-RV30AF Adapter Plug, Bulk A10-G3030A A10-G3030AVP GEN30AM-RV30AF Adapter Plug,

Carded

SIX ROBBLEES INC.



This 12" dogbone style cord adapts 30 AMP power for use with 15 AMP RV, and has a finger grip male end for ease of use. Heavy duty cable, designed for outdoor use.

- * 30 AMP male to 15 AMP female dopbone adapter cord







VALTERN



This 12" dogbone style cord adapts 30 AMP power for use with 50 AMP RV, and has a finger grip male end for ease of use. Heavy duty cable, designed for outdoor use.

A10-3050F 50AM-30AF w/Handle, 12", Red, Bulk A10-3050FHVP 30AM-50AF w/Handle, 12", Red, Carded

VALTERI 30-50 Adapter This 12" dogbone style cord adapts 30 AMP



A10-3050FBK 50AM-30AF, 12", Bulk

This 12" dogbone style cord adapts 50 AMP

grip male end for ease of use. 50 AMP male

to 30 AMP female dogbone adapter cord. 12"

length. Heavy duty cable designed for outdoor

Carded

A10-5030FHVP 50AM-30AF w/Handle, 12", Red,

50AM-30AF w/Handle, 12", Red, Bulk

power for use with 30 AMP RV, and has a finger

50-30 AMP Adapter Cord

ATALTERN

use. 3 Wire, 10 Gauge.

A10-5030F

VALTERN 30-20 AMP Adapter

Generator Y-Adapter cords, 3' in length, adapt 20 AMP and 30 AMP generators to 15/20 AMP multiple outlets (x2). Twist lock receptacles with 3 and 4 prong ends for secure connection. Designed with heavy duty construction for all types of uses. A10-G30420Y GEN30AM 4P 20AF Y-Adapter, Bulk



* 3 wire, 10 gauge

* Heavy duty cable designed for outdoor use A10-1530BK 15AM-30AF, 12", Bulk



* Heavy duty cable designed for outdoor use

A10-1530 15AM-30AF, 12", Red, Bulk A10-1530HVP 15AM-30AF, 12", Red, Carded

ATALTERN 15-50 Adapter Cord

Dogbone style adapter cords constructed with heavy duty cable, designed for outdoor use.

ATALTERN

This 12" dogbone style

cord adapts 15 AMP power for use with 30

* 3 Wire, 10 Gauge

V/ITERN

Adapter

adapter cord

* 12" length

* 125V

AMP RV



A10-1550 15AM-50AF, 12", Bulk





Page 12



VALTERIA® 50-30 AMP Adapter



of use.

* 50 AMP male to 30 AMP female dopbone adapter cord

* 12" length


* 3 Wire, 10 Gauge

A10-5030FBK 50AM-30AF, 12", Bulk

VALTERRA®

30-20 AMP Adapter Generator Y-Adapter cords, 3' in length, adapt 20 AMP and 30 AMP generators to 15/20 AMP multiple outlets (x2).Twist lock 🐙 receptacles with 3 and 4 prong ends for for all types of uses.





LIGHTING/ELECTRICAL



- This 12" dogbone style cord adapts 50 AMP power for use with 30 AMP RV, and has a finger grip male end for ease
- * Heavy duty cable designed for outdoor use



A10-G20420Y GEN20AM 4P 20AF Y-Adapter, Bulk

Designed with heavy duty construction for all types of uses. A10-G3020Y GEN30AM 3P 20AF Y-Adapter, Bulk







Dogbone style adapters for connecting 30 AMP generator power to 30 AMP RV power. 30 AMP 3 prong and 4 prong twist lock connectors, 1' length. Constructed with heavy duty cable designed for outdoor use.

A10-G30330 GEN30AM 3P RV30AF Adapter Cord, 12", Bulk A10-G30330VP GEN30AM 3P RV30AF Adapter Cord, 12", Carded A10-G30350VP GEN30AM 3P RV50AF Adapter Cord, 12", Carded





Dogbone style adapters for connecting 30 AMP generator power to 30 AMP RV power. 30 AMP 3 prong and 4 prong twist lock connectors, 1'

length. Constructed with heavy duty cable designed for outdoor use.

A10-G30430	GEN30AM 4P RV30AFAdapter Cord, 12", Bulk
A10-G30430VP	GEN30AM 4P RV30AF Adapter Cord, 12", Carded
A10-G30450VP	GEN30AM 4P RV50AF Adapter Cord, 12", Carded







Generator extension cords provide additional cord length for longer hook ups. Twist lock design for secure



connection. Heavy duty construction for use with 20 AMP devices. 3 and 4 prong receptacle ends.

A10-G20253E GEN20A 3P Extension Cord, 25', Bulk A10-G20254E GEN20A 4P Extension Cord, 25', Bulk

LIGHTING/III JCURICAL

30a Extension Cord With Handle



This 30 AMP extension cord extends power up to 25' from the original source and has a finger grip male end for ease of use. * 125V

* 3 wire, 10 gauge

VALTERN

	-) -
A10-3010EH	30A Extension Cord w/Handle, 10', Red, Boxed
A10-3015EH	30A Extension Cord w/Handle, 15', Red, Boxed
A10-3025EH	30A Extension Cord w/Handle, 25', Red, Boxed
A10-3050EH	30A Extension Cord w/Handle, 50', Red, Boxed

VALTERN 30-AMP Extension Cord

This 30 AMP RV extension cord is available in 25' and 50' lengths to connect RV at campground or home. Constructed with heavy duty 10/3

cable for safe outdoor use - cETL listed.

A10-3025E 30A Extension Cord, 25', Bulk A10-3050E 30A Extension Cord, 50', Bulk

30-AMP LED Extension Cord This 30 AMP RV

extension cord with easy grip handles has clear molded ends that light up when

Page 14

ATALTERN



A10-3025EHLED 30A Extension Cord w/Handle & LED, 25', Bulk A10-3050EHLED 30A Extension Cord w/Handle & LED, 50', Bulk

VALTERI 30-AMP Power Cord



30 AMP heavy duty RV non-detachable power cord with molded male end and loose wires, constructed for safe outdoor use - cETL listed. Finger grip male plug for ease of use.

VALTERIN

Cord

Extension

Generator extension

cords provide additional

cord length for longer

prong receptacle ends.

30-AMP Generator

A10-3025END 30A Power Cord w/Handle, 25', Red, Boxed A10-3025ENDBK 30a Power Cord, 25', Bulk

Extension Cord 50 AMP



This 50 AMP RV extension cord with finger grip male end is available in 25' and 50' lengths to connect RV at campground or home. Constructed with heavy duty 10/3 cable for safe outdoor use - cETL listed.

A10-5010EH	50A Extension Cord w/Handle, 10', Red, Boxed
A10-5015EH	50A Extension Cord w/Handle, 15', Red, Boxed
A10-5025EH	50A Extension Cord w/Handle, 25', Red, Boxed
A10-5050EH	50A Extension Cord w/Handle, 50', Red, Boxed

50-AMP LED Extension

duty 6/3, 8/1 cable for safe outdoor use - cUL listed.

25', Bulk

50', Bulk

A10-5025EHLED 50A Extension Cord w/Handle & LED,

A10-5050EHLED 50A Extension Cord w/Handle & LED,



hook ups. Twist lock design for secure connection. Heavy

duty construction for use with 30 AMP devices. 3 and 4

A10-G30253E GEN30A 3P Extension Cord, 25', Bulk

A10-G30254E GEN30A 4P Extension Cord, 25', Bulk



30 AMP heavy duty RV detachable power cord with locking ring and molded ends, constructed for safe outdoor use cETL listed. Finger grip male plug for ease of use.

A10-3025ED 30A Detach Power Cord w/Handle, 25', Red Roxed



ATALTERN 30 AMP LED Power Cord

30 AMP heavy duty RV detachable power cord with locking ring and molded ends, constructed for safe outdoor use - cETL

WILTERN

AT/ILTERN

Cord

This 50 AMP RV extension

handles has clear molded

ends that light up when

powered. Available in

Constructed with heavy

25' and 50' lengths.

cord with easy grip

listed. Finger grip male plug for ease of use. A10-3025ED90 30A 90° LED Detach Power Cord w/ Handle, 25', Red, Boxed

A10-5025ED 50A Detach Power Cord w/Handle, 25', Red, Boxed **AVALTERN 50-AMP Power Cord** This 50 AMP extension cord



50-AMP Power Cord Set

50 AMP heavy duty RV detachable power cord with locking

ring and molded ends, constructed for safe outdoor use -

from the original source. * 125V * 3 wire, 10 gauge A10-5025E 50A Extension Cord, 25', Bulk

VALTERRA®

Power Cord

extends power up to 25'

50 AMP heavy duty RV non-detachable power cord with molded male end and loose wires, constructed for safe outdoor use - cETL listed.

-5025END	50A Power Cord w/Handle, 25', Red,
	Boxed
ENDENDER	50A Dowor Cord 25' Pulk

Parallel Multi-Conductor Wire

Images to the right

A10-


VALTERN

cETI listed.

VALTERIA

initia geo co	are right		
03212	Jacketed, blk/wht (100ft)	12/2 gauge	
03213	Jacketed, blk/wht (per ft)	12/2 gauge	Gray PVC
03217	Jacketed, blk,red (1000ft)	12/2 gauge	Jacket
03206	Jacketed, blk/wht (100ft)	14/2 gauge	
02902	Bonded, red/blk (per ft)	14/2 gauge	
03207	Jacketed, wht/blk (per ft)	14/2 gauge	Annealed Bunched
02905	Bonded, brn/yel/grn (per ft)	14/3 gauge	Copper Core
02906	Bonded, wht/brn/yel/grn (100ft)	14/4 gauge	
02908	Bonded, wht/brn/yel/grn (per ft)	14/4 gauge	
03202	Jacketed, blk/wht (per ft)	16/2 gauge	
02911	Bonded, red/blk (per ft)	16/2 gauge	
02914	Bonded, brn/yel/grn (per ft)	16/3 gauge	
02917	Bonded, wht/brn/yel/grn (per ft)	16/4 gauge	
04903	Jacketed Cable (500ft)	16/6 gauge	
04904	Jacketed Cable (100ft)	14/4 gauge	
04906	Jacketed Cable (100ft)	14/6 gauge	Bonded, Color-coded PVC Insulation
04908	Jacketed Cable (100ft)	14/7 gauge	
04915	Jacketed Cable (100ft)	14/4,10/2,12/1	
744A5	Jacketed, Articflex (per ft)	14/4 gauge	
764A5	Jacketed, Articflex (per ft)	14/6 gauge	
75422A5	Jacketed, Articflex (per ft)	14/5,12/2 gauge	
76210A5	Jacketed, Articflex (per ft)	12/6,10/1 gauge	
			5 6 D





Color-coded PVC Insulatio



LIGHTING/ELECTRICAL



35-742-P-WT Flush Mount, White 35-742-P-BR Flush Mount, Brown 35-742-P-BL Flush Mount, Black

Page 15

LIGHTING/IELECTRICAL



BASIC AUTOMATIC TRANSFER SWITCHES

Mechanical interlocking contactors.Time delay at power up. Transfers to generator power automatically when energized after a 30-second delay. 50A, FLA contactor. SPECIAL ORDER

40100 120/240V, 50A 41300 120V, 30A



VOLTAGE REGULATOR

Provides a stable regulated and reliable source of power. Easy to read LED status and fault indication panel. Helps prevent low voltage damage to appliances. Fully automatic, continuously monitors line voltage conditions. True bypass mode--input is equal to output voltage. Increases voltage to an acceptable level. 10% voltage increase. Boosts as low as 95 Volts. Optional mounting bracket for inside RV.

10175 120/240V, 50A 10176 120V. 30A 29649 Optional Mounting Bracket

SURGE GUARD® ELECTRICAL PROTECTION DEVICE COMPARISON

	30A Portable 44280	50A Portable 44290	30A Portable 44750	30A Portable 44260	50A Portable 44270	30A Portable with LDC 34830	30A Hardwire 35530	50A Portable with LCD 34850	50A Hardwire 35550	50A Hardwire 40420
Over/Under Voltage (Input)						•	•	•	•	•
Open Neutral Protection (Input)						•	•	•	•	٠
Open Ground Protection						•	٠	•	•	٠
Overheating Plug/Receptacle Protection	Indicates	Indicates				•		•		
Reverse Polarity Protection (Input)						•	٠	•	•	
Surge Failure Indication	٠	•		•	•	•	٠	•	•	
Mis-wired Pedestal Indication	٠	•		٠	•	•	٠	•	•	•
Ground Fault Protection			٠							
Time Delay at Power Up						128 Sec.	128 Sec.	128 Sec.	128 Sec.	135 Sec.
Remote LCD Display							Optional		Optional	٠
Built-In LCD Display						•		•		
Weather Resistant	•	•	•	•	•	•		•		
UL Listed							٠		•	•
Source Power Connection Diagnostics	٠	•		٠	•	•	٠	•	•	•
Lock Hasp Available			۲	•	•	•		•		
Electrical Rating	120V, 30A	120/240V, 50A	120V, 30A	120V, 30A	120/240V, 50A	120V, 30A	120V, 30A	120/240V, 50A	120/240V, 50A	120/240V, 50A
Surge Suppression (Joules)	2,100	4,200	510	2,100	4,200	2,450	2,450	3,850	3,850	3,850
Max Spike Current	6,500A	6,500A	1,250A	6,500A	6,500A	6,500A	6,500A	6,500A	6,500A	130,000A

*2017 Trademark of Southwire Company, LLC. Registered in the U.S.





Page 16







SURGE GUARD' AUTOMATIC **TRANSFER SWITCH**

Protects RV from the most damaging common electrical faults. Transfers to either shore power or generator automatically when energized. In the event both shore and generator powers are available, generator power will dominate after a 30 second delay. Includes 2,600 Joules of surge suppression (fuse protected), and protects against open neutral and reverse polarity. 50A,



SURGE GUARD[®] RVC **COMPATIBLE AUTOMATIC TRANSFER SWITCH**

Same great features as the Surge Guard* ATS plus total electrical protection from faulty park power. Provides added protection from low (<102V) and high (>132V) voltage, miswired pedestal, open ground, and high and low frequency. Oversize contactors 65A, FLA contactor rating. 3,350 Joules of surge nrotection

41260 120/240V 50A

FLA contactor.

construction

AFCM20020

40350 RVC Transfer Switch 40299 Optional Remote 40258 Optional 50' unication Cable



DIGITAL VOLTAGE MONITOR

Fully tests incoming power for: open ground, reverse polarity, and high/low voltage. Constantly monitors line RMS voltage and checks frequency. Small, rugged

For more information about these products and more, visit rvpower.southwire.com.





CLEANERS & MAINTENANCE

VALTERN Sniff-N-Stop

MAINTENANCE

ઍ

CLEANERS

No harmful or dangerous chemicals, long lasting protection saving you time and energy over traditional pest killing

baits and sprays. Includes two different products for specific uses. Contains 1 large pouch that you can hang or place in a large storage area. Also contains 6 small pouches that you can place in small interior storage areas. In addition, a spray product is included to stop ants from invading through every ground contact Lightly mist the RV interior at floor level and interior/exterior storage areas prior to placing unit in storage.

V23620 Sniff 'n' Stop® RV Kit

THETERD **Premium Bug Bust**

PREMIUM Bug Bust. Special cleaning agents easily remove tough, sun-baked bugs. Safe on gel-coat, fiberglass, decals & painted aluminum. Multi-purpose works on RV's, trucks, cars, & boats.

32613 Bug Remover 32-0z


THETERR **Foaming Awning** Cleaner

Special formulation safely removes tough leaf and mildew stains from fabric and vinvl awnings. Also effective on mold stains, sap, bird droppings, bugs and more. DfE Recognized for safer chemistry by the EPA!

32822 Ultra Foam Awning Cleaner

THETERRO Awning Cleaner

Specially formulated to remove mold stains, mildew stains, dirt, tree sap and grime on and under awnings. Protects against damaging effects of the sun's rays, weathering and salt.



32518	Awning Cleaner 32-Oz
96017	Awning Cleaner 64-0z
32519	Awning Cleaner 1-Gallon

7	Awning Cleaner 64-0z
9	Awning Cleaner 1-Gallon

THETERR **Black Streak** Remover Quickly and easily removes black streaks, bugs and

other tough soils. Safe on finishes, won't harm or fade decals. Easy-to-use, spray wipe formula!

32501 Black Streak & Bug Remover 32-0z Black Streak & Bug Remover 64-0z 96015 32511 Black Streak & Bug Remover 1-Gallon 32602 Black Streak & Bug Remover 55-Gallon



formulation on the surface longer, improving the way it removes black streaks, 📷 bugs and other tough soils. DfE Recognized for safer chemistry by the EPA!

THETERR **Premium RV Wheel** & Tire Cleaner

Unique 3-in-1: Cleans wheels, cleans tires and leaves a like-new shine. Active UV Blocker: Keeps your tires looking better longer. Portable 24 oz. Trigger Spray Bottle: Cleans one Class A, with some to spare. Dissolves road grime.

96253 Wheel & Tire Cleaner



trucks, cars & boats. UV blocker so surfaces look better longer. Contains the finest safe; no abrasive or greasy residues.

Protect & Shine 32-0z Protect & Shine 128-0z







Carnauba Wax. Spray and wipe. Petroleum free, rubber roof







THETERD

finishes, won't harm or fade decals. DfE Recognized for safer chemistry by the EPA!

32516 Wash & Wax 32-Oz 96014 Wash & Wax 64-Oz 32517 Wash & Wax 1-Gallon 32604 Wash & Wax 55-Gallon

THETERD Wash & Wax Toss-In

2-in-1 professional -strength formula. Dissolves quickly, produces high-foam action and removes soils. Wash & Wax Toss-Ins - 6/pk 96008


THETERR Premium

blocker so surfaces look better, longer Multi-purpose - works on RV's, trucks, cars, & boats

32522 RV Wax 32-Oz 32523 **RV Wax 1-Gallon**

THETERR **Rubber Roof Cleaner**

Deep cleans, conditions and protects in one quick, easy step! Non-petroleum formula that's tested safe! UV blocker so roof looks better longer. Removes oxidation, tree sap, bird droppings, & dirt buildup from rubber, fiberglass & aluminum roofs.





32512 96016 32513 **Conditioner 1-Gallon**



THETERR **RV** Multipurpose Stain Remover UltraFoam Multi-Purpose Stain Remover

removes tough stains. Perfect for use on awnings, rubber moldings, canvas, vinyl and other RV and marine surfaces. DfE Recognized for safer chemistry by the EPA!

32838 32-0z Multi-Purpose Stain Remover

THETERD Slide Out Lubricant

RV Slide Out Lubricant lubricates slide rails and gears. Stops squeaks and binding. Sprays upside down. Prevents rust. CFC Free.

32777 14-0z

THETERR **Slide Out Rubber Seal Conditioner**

RV Slide Out Rubber Seal Conditioner prevents fading, cracking and deterioration. Long-lasting UV protection. Cleans, conditions and shines. CFC Free. No wiping required.

32778 14-0z

Kwiklube Penetrating Fluid Changes from a penetrating fluid into a tough,

(():

protective grease in just minutes. Pervents rust and reduces wear

379176 11-0z. Aeroso

PROTECT Slide Out Protectant

Two products in one. Dry lubricant and rust corrosion inhibitor. Keeps RV slide-out mechanism operating like new, clean and rust-free,

16-0z. Aeroso 40003

PROTECT **Rubber Seal** Protectant Extend the useful life of all your rubber seals.

Anti-static, water repellent, protective film. Reduces excessive friction and wear.

40015 17-0z Aerosol

Protect-All

A polish, wax and treatment that cleans in minutes, with no rinsing conserves water. Works aluminum, glass, plastic and wood.

62006 6-Oz. Aerosol 13.5-0z. Aero 62015 62016 16-0z. Trigge 62032 32-0z. Trigger 62010 Gallon



Rubber Roof Cleaner

Remove the build-up of dirt, roof chalk and air-born pollutants with a sponge mop or soft bristle broom and a bucket of water

32-0z. Cleaner 67032 67128 Gallon

Black Streak Cleaner Extra heavy-duty and

super concentrated, it may be diluted for 100's of uses indoors and outdoors. Biodegradable removes grease, grime, oil, stains, bugs, mildew, soap scum, and more.

54032 Black Streak Cleaner, 32-0z. 54128



32755 32756





Contains the finest Carnauba Wax. UV



Rubber Roof Treatment

Tough, polymer coating provides a durable shield that gives your rubber roof a longer lasting, antistatic coating. 1 guart treats a clean 40' roof 2 or 3 times.



32-0z. Treatment 68032 68128 1-Gallon Treatment



on vinyl, rubber, paint, stainless steel, chrome, fiberglass,

sol		
r Spray		
r Spray		







Fiberglass Restoration

Restore color and lustre to dull fiberglass as well as polyurethane and enamel painted metal surfaces. This moderately abrasive one-step product cleans oxidation, wax build-up, stains and surface scratches, then polishes the surface to a brilliant shine greatly enhancing the appearance and value of the vehicle.



55032 Fiberglass Cleaner, 32 Oz. 55016 Fiberglass Cleaner, 16 Oz.



Ouickest, easiest way to wash the whole RV in just minutes. Protects while it cleans.



63032	32-0z.	
63010	1- Gallon	
63016	16-0z.	



Black Streak Cleaner, 1-Gallon



Reusable dehumidifiers for RV & Marine use. Absorbed water does not leak and just needs to be microwaved to recharge.

LV-RM450 Single Pack LV2-RM450 Double Pack



CLEANERS &

Sikaflex 505 Sikaflex-505 UV is a one-component silane terminated polymer (STP) sealant containing

no solvents or isocyanates with excellent UV and weathering resistance. Sikaflex-505 UV offers 60 minute tack free time with excellent adhesion to a wide variety of substrates with little or no surface treatment, has excellent tooling characteristics and non yellowing.

017-415763 STP Sealant

Sikaflex 221

This fast curing product provides permanent elastic adhesion to a number of surfaces with excellent cut and tear resistance. Designed to resist the shock and abuse encountered over countless road miles, Sikaflex -221 will maintain its strength and adhesion over the long haul. Sikaflex -221 is weather resistant, sandable, paintable and NSF approved for potable water and incidental food contact.

017-106449 Sikaflex 221 Colonial White 300 ML Cart 017-90891 Sikaflex 221 White 300 ML Cart 017-90892 Sikaflex 221 Alum Grav 300 ML Cart 017-90893 Sikaflex 221 Black 300 ML Cart



The original elastic bonding adhesive, Sikaflex-252 offers great adhesive strength coupled with elasticity. This combination bonds and seals at the same time, offers excellent gap filling capabilities and compensates for loose tolerances in the building process. Strong enough to sharply reduce or even completely eliminate traditional fastening systems such as welds, rivets, screw and bolts. Excellent Green Strength means reduced clamping time. Bonds to a wide variety of substrates. Some surface prep is generally recommended. Sandable, paintable and NSF approved for incidental food contact.

017-90915 Sikaflex 252 White 10.5 0Z Cart 017-90916 Sikaflex 252 Black 10.5 0Z Cart

Sikaflex 715 Sikaflex-715, is a crosslinking "chemical curing flexible, elastic, and durable roof sealant". This curing process

imparts a highly elastic internal strength not found in traditional RV roof sealant products. Sikaflex-715 will bond to a variety of roofing component substrates. Unlike other roofing sealants, Sikaflex-715 has very low VOC's and won't crack under the most extreme conditions! Traditional roof sealants have high shrink characteristics and crack when exposed to the environment. Sikaflex-715 provides peace of mind!

017-187690 Sikaflex 715 Roof Sealant 300 ML Cart

Sikasil GP

SikaSil silicone is an acetoxy-curing low modulus sealant used for general seam sealing in interior and exterior applications. It has excellent adhesion to metals, glass, plastics & fiberglass. SikaSil GP has excellent weather stability, is solvent free and is mold & mildew resistant. Elongation of 570%, 300 psi tensile strength, 25 minute tack time and a joint movement accommodation factor of +/-25%, Highly UV resistant.

017-189150 Sikasil Gp Clear Silicone 295 ML Cart 017-189151 Sikasil GP White Silicone

295 ML Cart

Sikasil N-Plus

Sikasil[®]-N Plus is a general purpose, neutral cure silicone sealant used for interior and exterior applications. Sikasil[®] N-Plus is highly UV resistant with excellent weather stability and is mold and mildew resistant. Offers excellent sealing joint flexibility for dynamic moving parts. Elongation of 430%, 300 psi tensile strength and 30 minute tack free time.

017-412406 Sikasil N Plus - Clear 295 M 017-412136 Sikasil N Plus - White 295 ML



Sika Multiseal Plus Tape

Sika MultiSeal Plus a new self-adhering, multi-purpose roofing repair tape that, combines an advanced copolymer mastic that exhibits aggressive adhesion with a flexible, non-release, tear proof, UV resistant TPO membrane to create a fast, easy to apply, permanent

watertight seal. It can be stretched, cut and folded around intricately shaped roofing accessories to create a to stop water penetration.

017-413828 Sika Multiseal Plus Tape 4" X 50' Roll - White Membrane

Cap Tape

Grey Mylar backed PVC Foam Tape w/ adhesive coating. Great for Truck Caps and other areas where a good seal against weather and dust is desried. Also great for quieting rattles and squeaks.

018-1400125B 1/4" X 1 1/2" X 30' - Black

Vinvl Foam Tape

Stripping products for use around windows, doors or anyplace where you are looking to guiet or prevent moisture, dirt and dust from entering.

018-143817 1/4" x 3/8" x 50' 018-381210 3/8" x 1/2" x 50'



Stripping products for use around windows, or doors. All products are individually packaged.

018-3161210 3/16" x 1/2" x 10' 018-3163810 3/16" x 3/8" x 10' 018-5163810 5/16" x 3/8" x 10'



DICOR ROOFING SYSTEMS

Dicor Roofing Systems assures a watertight roof that is easy to maintain and saves energy through its heat reflecting characteristics. It is highly puncture and tear resistant, has superior tensile strength and withstands damaging UV rays. The membrane resists uneven weathering, fading or chalkiness. All Dicor Roofing Systems us the same three installation components: bonding adhesive, butyl tape and lap sealant. These elements can be purchased separately or as a package in the Dicor Products Roof Installation Component Kit.

> DIFLEX II™ TPO ROOFING SYSTEM Softe Color DFII DFI DFI DFI DEI DFI DFII DFII DFI

test TPO available. No fleece. Compatible with all Dicor sealants, tapes and adhesives. or codes: W = Polar White, D = Dove (Bright White), T = Tan, G = Grey, V = Ivory.							
Polar White	Dove (Bright White)	Tan	Grey	lvory	Size		
II85W-21	DFII85D-21	DFII85T-21	DFII85G-21	DFII85V-21	8′6″ x 21′		
II85W-25	DFII85D-25	DFII85T-25	DFII85G-25	DFII85V-25	8′6″ x 25′		
II85W-30	DFII85D-30	DFII85T-30	DFII85G-30	DFII85V-30	8′6″ x 30′		
II85W-35	DFII85D-35	DFII85T-35	DFII85G-35	DFII85V-35	8′6″ x 35′		
II85W-40	DFII85D-40	DFII85T-40	DFII85G-40	DFII85V-40	8′6″ x 40′		
II95W-21	DFII95D-21	DFII95T-21	DFII95G-21	DFII95V-21	9′6″ x 21′		
II95W-25	DFII95D-25	DFII95T-25	DFII95G-25	DFII95V-25	9′6″ x 25′		
1195W-30	DFII95D-30	DFII95T-30	DFII95G-30	DFII95V-30	9′6″ x 30′		
1195W-35	DFII95D-35	DFII95T-35	DFII95G-35	DFII95V-35	9′6″ x 35′		
II95W-40	DFII95D-40	DFII95T-40	DFII95G-40	DFII95V-40	9′6″ x 40′		
II95W-45	DFII95D-45	DFII95T-45	DFII95G-45	DFII95V-45	9′6″ x 45′		



Quality Cap Tape and Weather

CLEANERS & MAINTENANCE

BRITETEK™ TPO ROOFING SYSTEM			
(May not be suita with 401CK Insta	able for all applications; use Ilation Kit)		
BTF85W-21	8′6″ x 21′		
BTF85W-25	8′6″ x 25′		
BTF85W-30	8′6″ x 30′		
BTF85W-35	8′6″ x 35′		
BTF95W-25	9′6″ x 25′		
BTF95W-30	9′6″ x 30′		
BTF95W-35	9′6″ x 35′		
BTF95W-40	9'6" x 40'		

EPDM RUB ER ROOFING SYSTEM

Now available in four colors: B = Brite-Ply (White), D = Dove (Bright White), T = Tan, G = Grey.

Brite-Ply (White)	Dove (Bright White)	Tan	Grey	Size
85B40-21	85D40-21	85T40-21	85G40-21	8′6″ x 21′
85B40-25	85D40-25	85T40-25	85G40-25	8′6″ x 25′
85B40-30	85D40-30	85T40-30	85G40-30	8′6″ x 30′
85B40-35	85D40-35	85T40-35	85G40-35	8′6″ x 35′
85B40-40	85D40-40	85T40-40	85G40-40	8′6″ x 40′
95B40-21	95D40-21	95T40-21	95G40-21	9′6″ x 21′
95B40-25	95D40-25	95T40-25	95G40-25	9′6″ x 25′
95B40-30	95D40-30	95T40-30	95G40-30	9′6″ x 30′
95B40-35	95D40-35	95T40-35	95G40-35	9′6″ x 35′
95B40-40	95D40-40	95T40-40	95G40-40	9′6″ x 40′
95B40-45	95D40-45	95T40-45	95G40-45	9′6″ x 45′

CLEANERS & MAINTENANCE

(dicor products

Here's whats new from Dicor



SLIDEOUT ROOFING SYSTEMS Dicor Slideout Roofing Systems are custom made to upgrade the roof on your RV slideout. They are sized to provide just the amount of roof you need to maintain a watertight slideout. Easy to maintain, they also save energy with heat reflective characteristics. Available in special lengths.

SLIDEOUT RO	DFING SYSTEM	
46B40-10	White	4′6″ x 10′
46B40-16	White	4′6″ x 16′
46D40-10	Dove (Bright White)	4′6″ x 10′
46D40-16	Dove (Bright White)	4′6″ x 16′
46T40-10	Tan	4′6″ x 10′
46T40-16	Tan	4′6″ x 16′
DFII46D-10	Dove (Bright White)	4′6″ x 10′
DFII46D-16	Dove (Bright White)	4′6″ x 16′
DFII46T-10	Tan	4′6″ x 10′
DFII46T-16	Tan	4′6″ x 16′
DFII46V-10	lvory	4′6″ x 10′
DFII46V-16	lvory	4′6″ x 16′



The only PVC roofing available that meets Dicor Products stringent performance standards. Easy to maintain, they also save energy with

	maintai			
DICOR PREMIUM PVC ROOFING SYSTEM				
Color: White				
TF95W-25	9′6″ x 25′			
TF95W-30	9′6″ x 30′			
TF95W-35	9′6″ x 35′			
TF95W-40	9′6″ x 40′			
TF95W-45	9′6″ x 45′			

heat reflective characteristics. They are highly puncture and tear resistant, have a superior tensile strength and withstand damaging UV rays. Compatible with Dicor Lap Sealant and Butyl Tape.



CORNER SEAL KIT

Providing everything you need to get the job done, the Corner Seal Kit includes two rolls of Corner Seal Tape; six tubes of a joint filling sealant to serve as a conventional putty and cap sealant; a putty knife to remove excess sealant; and a spray bottle for the cleanup process.

Corner Seal Kit		
CS-114Kit	1.25" x 50'	
CS-112Kit	1.50" x 50'	
CS-200Kit	2.00" x 50'	

SEAL-TITE CORNER SEAL

Seal-Tite[™] Corner Seal is a game changing production tape. The sealing side consists of a thick, pressure-sensitive elastomeric seal that sticks and conforms to any smooth or irregular surface,



including S-locks. The fleece side provides more superior caulk-cure adhesion than the typical smooth surface of RV exteriors. Corner Seal provides an instant and permanent seal underneath the caulk-and-molding system to provide a double barrier of leak protection.

Seal-Tite [™] Corner Seal	
CS114B-1	1.25" x 50'
CS112B-1	1.50" x 50'
CS200B-1	2.00" x 50'



METAL ROOF COATING SYSTEM

 Metal Roof Rust Inhibitive Primer halts the rusting process and creates a barrier to prevent rust from bleeding through. First remove all surface rust, dirt and debris with a wire brush. Rinse, let dry, then apply the Primer which is specifically formulated to reduce further corrosion of metal roofs, while enhancing the adhesion of the Dicor Elastomeric RV Roof Coating. HELPS CONTROL RUST • WATER CLEAN UP • EASY TO USE

B Coating Ready Cover Tape For use on metal RV roofing, Dicor Coating Ready Cover Tape is a fleece backed sealing tape for use on metal RV roofing seams prior to coating. Its aggressive grip provides immediate sealing on contact and cures completely in 24 hours. Must be followed with Dicor Elastomeric Coating.

C Elastomeric Metal RV Roof Coating For use on metal RV roofing (NOT RECOMMENDED FOR EPDM RUBBER, TPO ROOFING OR FIBERGLASS) Dicor Elastomeric RV Roof Coating protects and beautifies metal, aluminum, steel, and previously coated RV roofs. Dicor Elastomeric RV Roof Coating is formulated with 100% Acrylic Elastomeric resins to form a rubber-like coating that will expand and contract with the roof movement. Arctic White RV Elastomeric is brilliant white to provide a superior reflectivity, thereby lowering interior temperatures. Requires two coats for adequate protection at an application rate of 1 gallon per 200 sq. ft. per coat.

Α	RP-MRRIP-Q	1 qt	Metal Roof Rust Inhibitor Primer
В	RP-CRCT-4-1C	50 ft	Coating Ready Cover Tape
	RP-MRC-1	1 gal	Elastomeric Roof Coating: White

RV ROOF RENEW KIT

Make your roof look new again! Includes four gallons of Dicor Acrylic Roof Coating, two quarts of Dicor Cleaner/Activator, one 4" x 50'

roll Coating Ready Cover Tape, one metal pan, one 9" paint roller, two 9" roller covers, one roll 1" masking tape. Each kit comes with easy-to-follow instructions. Contents will cover a 30 ft. unit. Individual components can be purchased separately.

(JEW)	RP-RRK-30	Roof Renew Kit	White
TAN	RP-RRKT-30	Roof Renew Kit	Tan



dicor products the rv roofing experts

CLEAN & PROTECT

Dicor's roof care and maintenance products contain no harmful petroleum distillates, harsh abrasives or citric ingredients that can cause irreparable damage.

DEF RUBBER ROOF CLEANER Formulated specifically for RV rubber roofing, this biodegradable deep cleaning formula lifts dirt and grime, yet is gentle on the surface. Simply spray on, brush

with a bristle brush and rinse off.

D	RP-RC160C	16 oz	Cleaner Concenrate
E	RP-RC320S	32 oz	Trigger Spray
F	RP-RC-1GL	1 gal	Trigger Spray Refill

Ent



GH ROOF-GARD RUBBER ROOF UV PROTECTANT Helps prevent EPDM rubber oxidation caused by harsh UV rays. The mild, nonabrasive formula keeps surfaces cleaner

longer with no residue or oily build-up. Contains no silicone, waxes, glycerine or petroleum distillates. Simply spread evenly with a damp mop or cloth and let air dry. Will not harm rubber roofing.

G	RP-RG320S	32 oz	Trigger Spray
н	RP-RG-1GL	1 gal	Trigger Spray Refill



CLEANERS & MAINTENANCE

CLEANERS & MAINTENANCE

dicor products the rv roofing experts



RUBBER ROOF COATING SYSTEMS

Introducing our new color: Tan! Two part, commercial grade systems provides an excellent protective barrier for extending the life of EPDM. Part 2 now available in Standard or CoolCoat[™]. Saves over 25% in labor compared to similar systems. Quick drying time.

A Part 1: Cleaner/Activator cleans and prepares EPDM roofing for maximum adhesion of the Part 2 coating. Spray on and rinse off thoroughly. Coverage rate 125 sq. ft. per quart. Biodegradable.

SELECT YOUR COATING OPTION

 Part 2: Option 1, Acrylic Coating is an excellent protective barrier extending the life of your rubber roof membrane. Provides superior weatherability and UV resistance. Use with Dicor Rubber Roof Cleaner/Activator for proper adhesion. Requires two coats. Coverage rate of 1 gallon per 125 sg. ft. per coat.

● Part 2: Option 2, CoolCoat[™] Insulating Coating

has Ceramic MicroCells[™] to reduce heat transfer, known as heat flux, to the coach interior up to 29%. CoolCoat reflects and dissipates solar heat with tiny yet indestructible vacuum spheres to reduce A/C demand. Use with Dicor Rubber Roof Cleaner/Activator for proper adhesion.

• Part 2: Option 3, Signature Extended Life Coating Never coat your RV roof again! Our Signature XL is 100% silicone coating with an industry-first 20 year warranty. Permanently flexible, unaffected by UV rays, temperature extremes and withstands ponding water, Signature XL dries to the touch in one hour and is walkable in two. For EPDM

roofs only.

	RP-CRP-Q	1 qt	_
NEW	RP-CRC-1	1 gal	White
TAN	RP-CRCT-1	1 gal	Tan
	RP-IRC-1	1 gal	White
TAN	RP-IRCT-1	1 gal	Tan
	RP-SELRC-1	1 gal	White
TAN	RP-SELRCT-1	1 gal	Tan

RESTORE

NEW COLOR: TAN! Dicor Products proudly introduces a new member to its color family - tan!



FIBERGLASS ROOF COATING SYSTEM

• Part 1: Fiberglass Clean and Prep of Dicor Fiberglass RV Roof Coating to a fiberglass roof, it is essential to first prepare the surface using Dicor Fiberglass Clean & Prep. Dicor Fiberglass Clean & Prep is specifically formulated to remove all wax, oils, road grit and other contaminates on gel coat and to enhance the adhesion of the roof coating. FAST ACTING FORMULA + BIODEGRADABLE + EASY TO USE

 Part 2: Fiberglass RV Roof Coating This 100% acrylic resin coating forms a flexible layer over any fiberglass roof to protect and beautify. Dicor Fiberglass RV Roof Coating gives roofs a super bright white finish, which resists mildew and algae and reflects the sun's heat to help keep the interior cooler. Always use Dicor Fiberglass Clean & Prep and allow to dry before applying this coating product. Two coats are required. One gallon of Dicor Fiberglass RV Roof Coating will cover 350 sq. ft. per coat. PROTECTS ROOF • EASY TO APPLY • SOAP AND WATER CLEAN UP

	RP-FCP-1	1 gal	Fiberglass Clean & Prep	—
NEW	RP-FRC-1	1 gal	Fiberglass RV Roof Coating	White
TAN	RP-FRCT-1	1 gal	Fiberglass RV Roof Coating	Tan



"When a need arises, Dicor will do what it takes to serve our customers. We embrace continuous improvement on products to fit industry needs."

Endy

ROOF SYSTEM BONDING ADHESIVES

Water Based Acrylic Bonding Adhesive is environmentally friendly, provides excellent coverage and is easy to apply. Application rate of 160 sq. ft. per gal. Use on moisture absorbent substrates.

NOT for use on metal, fiberglass or membrane-to-membrane applications.

	901BA-1	1 gal	EDPM AND TPO ONLY
	917BA-5	5 gal	EDPM AND TPO ONLY
	935A-1	1 gal	PVC ONLY
w	935A-5	5 gal	PVC ONLY



dicor product



LAP SEALANT FOR MOST ROOFING APPLICATIONS

Helps create a watertight seal along a roof's edges, air vents, vent pipes and screw heads. Dicor Products Lap Sealant is a versatile sealant formulated for EPDM roofing but also compatible with most other roofing material, including Dicor DiFlex II™ and BriTEK™ TPO roofing. It offers excellent adhesion to aluminum, mortar, wood, vinyl, galvanized metal and concrete. Continuously seals and remains flexible. Color matched, our lap sealants are UV stabilized to prevent discoloration and deterioration and will not stain or discolor any material to which it is applied.



SELF-LEVELING (FOR HORIZONTAL SURFACES)

	Thomeon the contractor
501LSW	White
501LSD	Dove (Bright White)
501LST	Tan
501LSG	Grey
501LSV	lvory
501LSB	Black
502LSW	White
502LSD	Dove (Bright White)
SELF-LEVELING HAPS	S FREE (CONTAINS NO HAZARDOUS AIR POLLUTING SOLVENTS)
505LSW	White
505LSD	Dove (Bright White)
505LST	Tan
505LSG	Grey
505LSV	Ivory
NON-SAG (NOT SEL	ELEVELING)
551LSW	White
551LSD	Dove (Bright White)
551LST	Tan
551LSG	Grey
551LSV	lvory
551LSB	Black

CLEAR CAP SEALANT – HAPS FREE Excellent for sealing the perimeters of windows, entry doors, compartment doors and joints made of bare or repainted materials. UV and water resistant. Fast drying, easy gunning and paintable.

Clea

351CSCL-1



CLEANERS & MAINTENANCE

(dicor products) the rv roofing experts

REPAIR **EPDM RUBBER ROOF**

REPAIR MEMBRANE Repairs punctures, tears and breaks in EPDM rubber, TPO plastic, metal and fiberglass roofing. This easy to use peel-and-stick material is made of self-adhering EPDM rubber and conforms to most shapes and surfaces, yet remains flexible and strong.



533RM-6 6" x 25' Roll 533BM-12 12' x 25' Roll



DISEAL SEALING TAPE Now in Tan, DiSeal is a flexible weather resistant compound designed for sealing EPDM rubber, TPO, fiberglass, wood, plastic, steel or aluminum. Permanently seals most leaks immediately and fully cures within 24 hours.

NEW			
\leq	522TP0-4125-1C	4" x 12.5' Roll	White
NEW	522TP0-425-1C	4" x 25' Roll	White
	522TP0-450-1C	4'' x 50' Roll	White
	522TP0-66-1C	6″ x 6″ Patch	White
TAN	522TP0T-4125-1C	4" x 12.5' Roll	Tan
MEW	522TP0T-425-1C	4" x 25' Roll	Tan
NEW	522TP0T-450-1C	4" x 50' Roll	Tan
	522AF-450-1C	4" x 50' Roll	Foil
	522AF-66-1C	6″ x 6″ Patch	Foil

PATCHIT[™] ROOF REPAIR KIT

Easily repair punctures, tears, and breaks that can occur in RV and manufactured housing roofs. The kit includes a 9" x 10" peel-and-stick EPDM rubber patch and a tube of lap sealant. Quite versatile by design, it can be used to patch EPDM rubber, most TPO plastic, metal and fiberglass roofing.

402PR Patchit



NEW COLOR: TAN! Dicor Products proudly introduces a new member to its color family - tan!

REPLACE

dicor

RUBBER ROOF INSTALLATION COMPONENT KIT

Includes two gallons of water based bonding adhesive, 150' of butyl tape used to seal around all the accessories and molding, and six tubes of lap sealant. Each kit comes with easy-to-follow instructions.

401CK	Installation Kit	White (use with BriteTEK [™] roofing)
401CK-D	Installation Kit	Dove (Bright White)
401CK-T	Installation Kit	Tan
401CK-G	Installation Kit	Grey
401CK-V	Installation Kit	lvory

BUTYL TAPE

Ideal for sealing uniquely shaped joints. Installs quickly, without gaps. Apply along unusual patterns. Because the sealant is on a continuous roll, installer can work fast and be virtually assured that there no skips or runs in the seal. Priced each



PATCHI

SIX ROBBLEES

BT-1834-5 Butyl Tape, Box of 5







		HARDWARE	HA	RDWARE
,				X T E R OR OF
Hatch	Key Lock		Comp	
00e00	5/8" Lock		00305	artment Ke 5/8" Lock
00100	1-1/8" Lock		00305	5/8 LOCK 7/8" Lock (pictu
			00315	1-1/8" Lock (pictu
			00325	1-3/8" Lock
Thum	b Compartme	nt Lock	00555	I-J/O LUCK
00115	5/8" Lock (pictured)	3		
00125	7/8" Lock			
00135	1-1/8" Lock	200	Bagga	age Door Ca
00145	1-3/8" Lock	100	10224	Bullet, Blk
			10225	Square, Blk
Kovod	l Compartmer	st Lock	10234	Bullet, Wht
			10244	Bullet, Grey
00155	5/8" Lock	S MARINE	10245	Square, Steel
00165 00175	7/8" Lock 1-1/8" Lock	2009	10254	Bullet, Colonial
00175	1-3/8" Lock	1 1 100	10355	Square, Wht
00105	I J/O LOCK			
_	_		L	_
Comp	artment Door	[•] Finger Pull	Fold D)own Camp
00195	Stainless Steel, Package		10825	Latch & Catch, 7 (pictured)
			10835	Catch, Zinc
Wate	Heater Door	Latch	10845	Latch & Catch, V
00225	Metal Door Latch,		10855	Catch, White
00225	Metal Door Laten, Package	* TAAA	11845	Latch & Catch, I
	i achaye	A 1. 1. 1	11855	Catch, Blk



00245 Thick Wall, 2/Pkg





DOORS/HARDWARE















Hood Latch

10865 Chrome 10875 Rubber



Compartment Trigger Latch

10935	2" Latch, Blk	
	(pictured)	
10945	3" Latch, Metal	
11705	Flush Mount, Blk	
11715	Offset Mount, Meta	

Fold-Out Bunk Clamp

20775	White
20785	Zinc
20795	Extended, Zinc

Rubber Bumper Plug

4" w/ tabs 208-A 329-A 4-1/4" w/ tabs 358-A 4" w/out tabs

Rain Gutter Spouts

389PW-A Polar White 655-FLEX-PW-A Flexible. **Extended Wht** 655-BK-A Rigid, **Extended Blk** 749-PW-A 3" Extended, Wht

Plastic Thumb Lock

433BK-A Black

433PW-A Polar White

90° Angle Brackets

11695 Steel, 4/pkg

20165 9/16" Wht

Window Crank

20175

20185

20195

20205

20215

20225

20265

20275

20305

9/16" Black

13/16" Wht

13/16" Black

1" Plastic, Blk

1" Metal

1-3/4" Metal

Crank, Metal

1-3/8" Plastic, Blk

1-3/4" Plastic, Blk

Replacement vent



-









Page 27

HARDWARE



Window Knob

20335	1" White	
20345	1" Black	
20355	1/2" White	
20365	1/2" Black	

Kappet Screws w/ Covers

20415	White, 14/pkg	100
20425	Beige, 14/pkg (pictured)	200
20375	Cover Only, White	
20385	Cover Only, Black	
20395	Cover Only, Brown	

Window Latch 20435 Metal








Closet Door Bumper 20545 Beige



20565 Metal

Wardrobe Door Guide/Hanger Top Hanger, 20575 (pictured) 20585 Bottom Guide

Sliding/Pocket Adjustable **Door Guide** White 20595



Door Bumper 20625 White



Sliding Mirror Latch Clear 0665

Lock Pin 0705

Folding Shelf Bracket White 20725 Brown 20735

Table Leaf Support 20745 10" 2/pkg 20765

Folding Door Latch/Strike 81855 Plastic

Window Latch 81875 Large

Emergency Window Latch 81925 Plastic, 1 set





SIX ROBBLEES' INC.



White



Silver

100', Blk

10121





#02-29005

02-28915

02-28925

02-28935

02-28945

02-28955

02-28965

02-28975

02-28985

02-28995

02-29005

02-29015













Holder Socket







3-1/2", blk (pic-10324 tured) 10414 3-1/2", wht 6" Door Holder, blk 10434 10444 6" Door Holder, wht 10495 4" Metal 4" Stainless Steel 10515 **6**" Stainless Steel 10525



4", Stainless Steel

8⁴5

45° T-Style Door Holder 11755 Zinc 11765

Stainless Steel

Spring Loaded Door Holder 10335 2" Door Holder

Ultimate Door Holder 10465 4" 10475 6"

Fleetwood **Door Holder** 10615 4" Stainless Steel

Pivoting Door Holder 3-1/2" 180° Pivot 10645

TEL TE

Low Profile Bumper **Door Holder** 10665 Bumper

Door Bumpers 10695 Black White 10705

Ramp Bumper 10715 Black **Rubber Bumper** 11745 1", Black

Door Knob/ Latch Set 20495 Metal

Privacy Latch 20505 Brown (pictured) 20515 Gold

Screen	Door Lat
10765	Right Hand (
	tured)
10775	Left Hand
06-11865	Bi-Directiona
	Latch

Bullet Screen		
Door Latch		
10785	Black	



Screen Door Stop/Handle 12" White 11135

12" Black 11145 11155 12" Opaque

Screen Door Slider 12" White 11165 11175 12" Black 11185 12" Opaque 12" Flat, Clear 11195

Philips Style Screen Latch RHBlack (pictured) 11205 11215 LH Black



Page 28

HARDWARE






Colema	an Screen	
Door L		0.
10795	White	
10775	mille	
Lockin	g Camper	
Door L	atch	G-
10805	Silver (pictured)	
11675	Black	-
11685	White	
Lockin	g T-Handle	
10885	Chrome	
10985	Black	AL S
	g L-Handle	_/
10895	2-3/4" Inside Cam	
10925	(pictured) 2" Cam	- Car
10925		
Inside	Cam	
10915	Locking L-Handle	
10915	(pictured)	and the second s
10905	Inside L-Handle	
Assist	Handle	
482-A-2-A	Polar White	-
482-A-3-A	Black	
		0
	Assist Handl	e /
48315	White (pictured)	
48325	Black	
Stool A	ssist Handle	0
	020 Chrome Plated	
	111 Powder Coated,	3
	Wht (pictured)	
Full Ex	tension End C	ар
49615	3/4" x 3/4" x 3/8"	600
49625	3/4" x 1-3/8" x 1/2"	~~~
49635	3/4" x 1-7/8" x 3/8"	
Metal	Vinyl End Cap	
	1/4" x 1/4", 4/pkg	
49655	White	0
49665	Colonial White	
49675	Aluminum	

HARDWARE

Page 29

HARDWARE



			End Fit	tings
	_	2	EF-PS30	Gas Spr w/ Stee
			EF-PS122	.328" Ey tured)
	JR PRODU	JCTS	EF-PS130	Gas Spr w/ Snap
Snap	Kit			Clevis S
81575	Fabric-to-Fabric			
81585	Fabric-to-Wall		Gas Spi	-
	(Pictured)	Insert Fabric		Angled
				Flat (pi
T)		BR-10336	
	Button Assem			Angled
81595	4/pkg	9	BR-12552	-
			BR-12553	Angled
	Slind Wand		Gas Spi	ring
81605	12" Wand		-	-
Mini E	Blind Hold Dov	/n	GSNI-2125-	
81625	Metal Hole Style	-	GSNI-2200-	
81635	Post Style (pictured)		GSNI-2300-	
81645	Hook Style	V AV	GSNI-2300-	
	nookotyte	Called I	GSNI-2300-	
			GSNI-2300-	
	er Curtain Rin	g ()	GSNI-2300-	
81665	Metal)	GSNI-4033- GSNI-4900-	
		U	GSNI-4900-	
Shade	e Hold Down	0.0	GSNI-4900-	
81705			GSNI-5000-	
81735	Pleated Shade Day/Night Shade	一日 (和)	GSNI-5100-	
01/33	(pictured)		GSNI-5100-	
	(pictureu)		GSNI-5150-	
			GSNI-5150-	- 40 EX
Show	er Door Roller		GSNI-5150-	- <mark>60</mark> EX
81745	Universal, Wht	1.6	GSNI-5200-	
			GSNI-5200-	
End C	ten		GSNI-5200-	
End St			GSNI-5200-	
81835	Туре В		GSNI-5300-	
		0	GSNI-5300-	
Mini E	Slind Brackets		GSNI-5300- GSNI-5300-	
81915	Clear		GSNI-5300-	
01715	Cicui		GSNI-5300-	
			GSNI-6624	EX
Cord 1	lensioner		GSNI-6642	EX
81945	Plastic (pictured)		GSNI-6687	
81955	Plastic, Extended		GSNI-7145	EX
Ball S [•]	tud	4 4		1
				-
BS-1005	10 mm			RO

HARDWARE

Fitting pring et (pic-


Fitting n cap vel, 6mm



ounting Bracket











HARDWARE



HARDWARE



These mounts offer a full range of viewing options. The 18" double joint extension arm allows your TV to swing 180°, extend 18" from

the wall and to swivel 350°.



SWIVEL

200 x 200 VESA

35lb

TV10-S-35H 35lb

9.8"W x 8.5"H x 3.8"D

35lb

TV10-F-35H

9.8"W x 8.8"H x 2"D

TV1-006H

• Up to 100 x 100 VESA

TV1-025H



25lb



10.5"W x 8.9"H x 3.45"D (closed) or 18"D (open)

FLIP DOWN

Excellent for under-cabinet installation or reinforced ceilings. Flip down while viewing and flip up to store it out of the way.



• Swings up & out of the way Locks in for safe travel Swivel & tilt • Up to 24" TV • 100 x 100 VESA



6.5"W x 12.8"H x 8"D (down position)

Visit us online for our complete line of TV mounts. www.MORryde.com • 574.293.1581



HARDWARE

Page 33

STEPS & HANDRAILS



StepAbove™ — the industry's first self-contained, lightweight and ground-stable RV step system that brings secure footing every step of the way.

No more bouncing in and out of your RV.

- Lightweight
- Stable entry to and exit from your RV
- Stores securely right inside the door
- Unique twist handle to release the StepAbove[™] steps
- Adjustable feet to accommodate for uneven terrain
- 500 LB weight capacity
- Optional handrail

STEPABOVE FIT CHART

۵.	MFG#	STEP HEIGHT (IN)	DOOR WIDTH (IN)
2 STEP	STP-2-27-01H	25 - 29	26 - 28
Ţ	STP-3-27-02H	30 - 33.5	26 - 28
3 STEP	STP-3-30-03H	30 - 33.5	30 - 32
s v	STP-3-27-05H	34 - 36	26 - 28
1	STP-3-30-04H	34 - 36	30 - 32
⊾ [STP-4-27-05H	36.5 - 42	26 - 28
4 STEP	STP-4-30-03H	36.5 - 42	30
4	STP-4-32-04H	36.5 - 42	30 - 32
=	MFG#		
DRA	STP214-029H — 3	Step Handrail	
HANDRAIL	STP214-006H — 4	Step Handrail	
T			
R		LA	Get added stability



with the StepAbove optional handrail. Available for three and four step models

USA


















STEPS & HANDRAILS

STEPS & HANDRAILS





 Only RV step system with patented 7 inches of vertical precision elevation adjustment Direct bolt-on installation easily replaces your factory step system • Earth to RV: Brings step to ground level eliminating diving board effect (No more unsafe booster step)

· Landing gear guickly levels on uneven terrain

The 7.5-inch step riser height accommodates those with limited mobility

 The multi-link hinge design easily extends to accommodate tight space constraints · Step system accessories: Handrail, pet safety barriers and shoe cleaning attachment Made from 100% lightweight aircraft grade aluminum and stainless steel (rust free) - Self-illuminating steps glow in the dark for up to ten hours with only five minutes of light exposure - no batteries

Legendary Lifetime Warranty

Legacy step system: With the ability to add or remove steps, take the GlowStep Revolution with you when you trade in for your next RV





6 Rob-blees#

A8001

A8002

Price

Dimension A (in

N/A

27.5"

Description

27.5" Add-A-Step (For A8002-A8005)

27.5" Two Step GlowStep Revolution







Dimensio B (in)

N/A

18.5" to 24"

Adheres to PVC & TPO roofing, wood, metal & fiberglass. Part Number 170458119GS100035 Treadway 170457086GS100033 Treadway 170458119GR100032 Treadway AERO-WEAVE **Breathable Outdoor Mat**







Made of rust-resistant nickel-plated steel



STEPS & HANDRAILS

Page 36





RV STEP PADS

Peel & stick traction pads designed for RV steps. Easy to install and clean.

Deep embossed pattern provides additional traction and allows for easy water run off/ cleaning.

Made from heavy duty, UV resistant flexible PVC. 8" x 18" pads available in gray or black.

Made in USA

8" x 18"	Gray	5-Pack	
8" x 18"	Black	3-Pack	
12" x 20'	Gray	Roll	

Outrigger RV Step Rugs 4 Pack 2-0091

STEPS & HANDRAILS



OR/ryde



Kwikee

Designed to help the

step automatically

retract and extend

when coach door is

opened and closed

Kwikee

Kwikee 909520000 Motor

Replacement Kit For Pre-

IMGL/9510 Control Steps

909520000 Replacement Motor

Replacement Kit

909770000 Kwikee Conversion Kit

909510000 Step Control W/Override

Camper Trailer RV

Luikee

Upgrade your old style

Kwikee step motor and

control board with this

kit. Fits most 22, 23,

36, 38 and 40 series

Kwikee

Control Step

Step Control for steps after

2007 and newer for any

single or double step.

steps.

28A, 30, 32, 33, 34, 35

25 Series Motor

432678 Single Step w/ Tape 432682 Double Step w/ Tape 432687 Triple Step w/ Tape, 7" Rise Triple Step w/ Tape, 9" Rise 432690 432693 Quad Step w/ Tape, 8" Rise



Single Step, 28 Series, w/ mtr & switch 3747453 **Double Step, 32 Series** 372261



Makes your step treads visible in low light conditions, measures 6" x 21". 909342000 Glow Tread



358992 **Triple Step** 358991 Quad Step







905307000 White, 3/8-



Page 38



Switch Plunger

Kwikee











This switch is normally open, contacts open when button is out, closed when button is pushed in

905328000 Plunger Switch 905302000 Switch Plated Plunger

Luikee

Large Switch

The Kwikee Large Rectangle Door Switch Kit by Lippert Components is designed to secure the coach door when opened and closed.



905326000 Kwikee Large Rectangle Door Switch Kit







The Kwikee Cotter and Clevis Pin offers a low cost option for replacing worn or broken pins.

905205000Kwikee Cotter and Clevis Pin

Luikee

KwikLube







1 Case is 12 11oz. cans 379177 Kwikee Cotter and Clevis Pin



RV COVERS & VENTS



SIX ROBBLEES

Seat Cover 80-112-012401-00 RV Seat Cover Tan - 1 Sz - 2cs **RV Wheel Covers**

Classic wheel covers sized for a custom fit. Tire sizes are listed on the back of the packages so customers can determine sizing without measuring their tires. Fast and easy slip-on fit, folds up for easy storage. Rugged wipeclean vinyl with a soft, non-scratch backing, water-repellent and water-resistant. Two wheel covers included in each package.

76230	RV Wheel Covers Sno Whi 26.75" - 29"
76240	29" To 31-3/4"
76250	32" To 34-1/2"
76260	36" To 39"
76280	40" To 42"

AC Cover



Leave your vent open rain or shine. The Camco Vent Cover offers high-flow ventilation in an aerodynamic design. Removable louvers for easy cleaning. Mounts to existing 14"x14" roof vents. UV stabilized resin for years of rugged use Black 40443 40431 White White - 5pk 40433 40453 Smoke 40463 Champagne 40473

Coleman[®] Mach I - II - III - Mach 3 77410 Plus - Mach 15 - Roughneck & TSR 80-226-192301-00 Dometic Brisk Air II







Classic wheel covers sized for a custom fit. Elasticized back hem for a fast and adjustable fit. Rugged wipe-clean vinyl with a soft, non-scratch backing, water-repellent and water-resistant. Tire sizes are listed on the back of the packages so customers can determine sizing without measuring their tires. Comes in three colors; snow white, grey, and black.

75387	30" -
75347	26.7
80-073-041001-00	30" -
80-072-021001-00	26.7
80-218-042301-00	30" -
80-217-022301-00	26.7

CAIMICO **Roof Vent Cover**

Silver



Page 40

RV COVERS & VENTS

RV COVERS & VENTS

- 33" - Black 75" - 29.75" - Black - 33" - Grey 75" - 29.75" - Grey - 33" - White 75" - 29.75" - White









Class B Cover

Fifth Wheel Hitch Cover



Tear Drop Cover



Page 41

RV COVERS & VENTS

MATC

I

-

O

Č

λ

HIN

G

CNINICO

CAIMICO


A FULL LINE OF REPLACEMENT **VENT LIDS**

RV COVERS & VENTS













(starting with 2008)

Available in white, smoke and black.



Complete Vent Lid Kit



Camco's non-powered roof vents includes a white impact resistant dome, seamless one piece frame, manual crank dome lift, screen, interior garnish ring & galvanized steel roof flanges. Leak proof and weather tight. 40480 Vent Lid, 14"x14"

C/TIMICO **Old Elixir Vent Lid**



UV stabilized, fully assembled rust resistant galvanized mounting hardware. Standard 14" x 14"

40156 Vent Lid, Elixir pre '94, White Vent Lid, Elixir pre '94, Smoke 40165 40170 Vent Lid, Elixir pre '94, Black

CAIMICO **Old Elixir Vent Lid Poly Carb**



Unbreakable 14" x 14" vent lids are preassembled and include rust-resistant mounting hardware for guick, easy installation.

Vent Lid, Elixir pre '94, White (Polycarb) 40162 Vent Lid, Elixir pre '94, Black (Polycarb) 40172

CAMICO **Vent Installation** Kit w/ Butyl Tape

Comes with screws and butyl tape 25013 Installation Kit with Putty Tape



CAIMICO **Jensen Vent Lid**



UV stabilized, fully assembled rust resistant galvanized mounting hardware. Two models are available, impact resistant polypropylene and unbreakable polycarbonate. Standard 14" x 14".

40153 Vent Lid, Jensen Metal Base '94 up, White Vent Lid, Jensen Metal Base '94 up, Black 40173


CAMICO **Old Jensen Vent Lid**



UV stabilized, fully assembled rust resistant galvanized mounting hardware. Two models are available, impact resistant polypropylene and unbreakable polycarbonate. Standard 14" x 14"

40154 Vent Lid, Jensen pre '94 pin, White 40145 Vent Lid, Jensen pre '94 pin, Smoke 40174 Vent Lid, Jensen pre '94 pin, Black





Unbreakable 14" x 14" vent lids are preassembled and include rust-resistant mounting hardware for quick, easy installation

40160 Vent Lid, Jensen pre '94 pin, Black (Polycarb) 40175 Vent Lid, Jensen pre '94 pin, Black (Polycarb)



Comes with screws and grey putty tape 25003 Installation Kit with Putty Tape

Breeze in, bugs out.

Add versatility to your toy hauler. With our toy hauler screen, you can use that space in the back of your toy hauler for more than just hauling toys.

Leave the door open, the screen down and suddenly you have a comfortable room that gives more of the outdoor feeling

Features:

- Easy to Install
- Heavy Duty UV Protected Screen
- Unlimited Stopping Points

Product Number	Description
1409200PBK	CrossBreeze 92" PD RV Screen
1409600PBK	CrossBreeze 96" PD RV Screen
1409662PBK	CrossBreeze 965/8" PD RV Screen
1409775PBK	CrossBreeze 973/4" PD RV Screen
1409912PBK	CrossBreeze 991/8" PD RV Screen

C/TIMCO **Ventline Vent Lid**





Lid comes ready for a quick installation right on your RV. UV-stabilized to resist the sun's rays and is rust resistan. Dimensions: 14" W x 14" L. (1) Ventline Lid and Mounting

Vent Lid, Ventline '08 up, White 40176 Vent Lid, Ventline '08 up, Black

C/TIMCO **Old Ventline Vent Lid**





CAIMICO

40161

40178

UV stabilized, fully assembled rust resistant galvanized mounting hardware. Standard 14" x 14".

40155 Vent Lid, Ventline pre '08/Elixir '94 up, White 40146 Vent Lid, Ventline pre '08/Elixir '94 up, Smoke 40177 Vent Lid, Ventline pre '08/Elixir '94 up, Black



The Camco Vent

Hardware 40151



RV COVERS & VENTS

CROSSBREEZE



CAMICO

Old Ventline Vent Lid Poly Vent Insulator



Unbreakable 14" x 14" vent lids are preassembled for guick, easy installation. Replaces models as noted

> Vent Lid, Ventline pre '08/Elixir '94 up, Black (Polycarb) Vent Lid, Ventline pre '08/Elixir '94 up, Black (Polycarb)





Refrigerator Vent Cover





RV Vent Insulator with a full 3" of foam. Reflective surface blocks 100% of the sun's damaging rays.



Universal Vent Lid

Universal vent lid replaces Jensen, Ventline, Elixir and Ventadome vent lids. Made of durable impact and UV resistant polypropylene

- Rust-resistant mounting hardware included 16" x 15" x 3.5"
- A10-3375 16" X 15" X 3.5", White, Boxed A10-3375PB 16" X 15" X 3.5", White, Polybagged A10-3376 16" X 15" X 3.5", Smoke, Boxed A10-3376PB 16" X 15" X 3.5", Smoke, Polybagged

LP PRODUCTS

MEC

- 140KBTU/H

MEGR-230P

MEC

Excela-Flow Single Stage Regulator 1/4"FNPT x 3/8"FNPT

Single Stage Regulator - Pkg

Auto Change Regulator, Pkg.

Single Stage Regulator

Auto Change Regulator The automatic changeover regulator is your application for two cylinder systems. The changeover feature allows users the benefit of uninterrupted fuel flow to the LP-gas system. When the service cylinder empties, the regulator will start drawing from the reserve cvlinder.

MEGR-253P



excele-flow automatic changeover packaged.

MEGR-253HP Two-Stage High Capacity, Pkg.

MEC **Two Stage Regulator**



Compact 2 stage regulator HN excess flow POL inlet x 3/8" FNPT outlet - 90 vent.

MEGR-295P	2 Stage Regulator, Pkg.
MEGR-295HP	2 Stage Regulator 9:00 Vent HC





MEGR-291HP Two Stage Regulator - High Capacity, Packaged MEGR-291LP Two Stage Regulator - Low Capacity,

MEC Two Stage Regulator Side Vent

Packaged



Combines all the features of the 290 two-stage regular. When mounted horizontally, it's vent is pointed down; under a protective cover. It is approved for use on single vertical cylinders or horizontal tanks. Meets requirements for use on recreational vehicles.

MEGR-298P 2 Stage Regulator, Pkg.

MEC **High Pressure Regulator**

The MEGR-130 is a compact, high pressure, single stage, fixed regulator with 10 to 30 PSI - 1/4" FNPT inlet/outlet. The MEGR-130 can be used to regulate air as well as LP gas.





MEC Regulator Cover Regulator Cover 2 Stage For MEGR-

291 298 and 253 Series RV Parts

MEGR-862P **Two Stage Universal Regulator**

MEC **Regulator Mounting** Bracket



Clear zinc plate, 3.5 inch centerline MEC Universal L-Mount Regulator Mounting Bracket. L-shaped universal regulator mounting bracket.

MEGR-900P Z-Mount Universal Regulator Mounting Bracket **MEGR-RVBP Universal L-Mount Regulator Mount**ing Bracket

MEC **Type | Pigtail**

12" Pigtail Acme Nut X 1/4 | F, Type 1.

MER425-12P	12' Rv Type 1 Pigtail-Pkg
MER425-15P	15" ACME x 1/4" Flare, Pkg.
MER425-24P	Thermo Pigtail (1/4" Inverted Flare X QCC, 24" Length)
MER425-36P	1/4" Inverted Flare with Pigtail Acme Nut
MED 435 400	

MEC LP Pigtail W/1/4" MPT



15" pigtail. Type 1 ACME x male 1/4" threaded. Connects propane cylinder to regulator. Type 1 ACME end screws to the tank, male 1/4" threads screws into the regulator. Please note that some gas regulators require pigtails with 1/4" inverted flares so doublecheck yours before ordering.

MER426-15P 15" Pigtail x 1/4" MPT, Pkg. MER426-20P 20" Pigtail x 1/4" MPT, Pkg.

MEC **Stainless Steel Braided Pigtails**



Capacity: Standard QCC - 200,000 BTU/H. Excess Flow Safety Shut-Off. Female QCC, Type I connection x 1/4" inverted male flare. 100% Leak Tested. 350 PSIG Working Pressure

AER425SS-15P	15" Stainless Steal Braided RV Pigtail Hose - 1/4" Male Inverted Flare
NER425SS-24P	24" Stainless Steal Braided RV Pigtail Hose - 1/4" Male Inverted Flare
NER425SS-36P	36" Stainless Steal Braided RV Pigtail Hose - 1/4" Male Inverted Flare

MEC High Flow Type | Pigtail 400,000 BTU capacity 1/4" ID High pressure thermoplastic hose 1/4" Inv. Flare and 1/4 MPT connection offered

MER425H-12P 12" High Flow Type I LP Pigtail - Pkg 15" Lp Hose High Flow Female MER425H-15P MER425H-24P High Flow Thermoplastic Hose, 1/4" Hose ID - 24"

MEC **High Flow Stainless Steel Braided Pigtails**



For connecting propane cylinders to the propane regulator. Provides added protection to the hose.

MER425HSS-15P Stainless Steel Pigtail High Flow - 15" MER425HSS-24P Stainless Steel Pigtail High Flow - 24"

MEC **Stav-Longer Hose**

Thermoplastic Hose



1-20 female swivel connection, 1-20 male swivel connection, 1-20 male swivel connection

MER421-144P 144' Length - Packaged



48" LP Hose – 3/8" MNPT (Male National Pipe Thread) x 1/2" FFS (Female Flare Swivel) is rated up to 350 PSIG working pressure with a 400 lbs. pull test rating. MER611-36P 36" LP Hose - 3/8" MNPT x 1/2" FFS MER611-48P 48" LP Hose - 3/8" MNPT X 1/2" FFS



and CGA approved hose. Includes thermal protection. MER610-36P 36" RV Pigtail Hose -

MER610-48P 48" RV Pigtail Hose -



Marshall Excelsior MER613 Series Thermalplastic Hose Thermalplastic hose 3/8 inch Female Flare Swivel x 3/8 inch Female Flare Swivel, 36 inch long MER613-36P 3/8" x 3/8" Female Flare Swivel MER613-48P Hose 36' 3/8 FFS x 3/8 FFS

MEC **POL Pigtail**

400,000 BTU capacity. Rated up to 350 psi working pressure with a 400 pound pull test rating. Male soft nose POL, plastic hand wheel and 1-20 male swivel connections. MER407-60P 1/4' Id Hp Hose 60' Pkg

MEC Quick Disconnect **Hose Assembly**

MER14TCQD-72P HP Hose W/Cap MER14TCQD-144P Hp Hose 1/4 Id X 1/4 Mnpt 144"



Page 44

LP PRODUCTS



Has two ends and fully crimped brass ferrules. 36" in length with an inside diameter of 3/8". Flexible thermoplastic UL

> 3/8" MNPT X 3/8" FFS 3/8" MNPT X 3/8" FFS







Excess flow male hard hose POL 1/4" female inverted flare with check. Female POL 1" 20-Male, packaged

ME420P Stay-Longer Tee

MEC **Stay-Longer** Adapter



ME422P

Camping Elbow, QCC1 X Retro-Q X1-20m X 1/4" Inv. Flare, Pkg.

MEC **Propane Cylinder Adapter**



Excess Flow POL(Prest-O-Lite) x 1"-20 Male with Cap x F. POL x 1-5/16" M. Acme with Quick Closing Poppet - Elbow.

ME423P Flow-Longer Elbow Propane Adapter, Pkg.

Products **Bluetooth LP Tank Sensor**







Bluetooth Signal Updates Monitor Or Smart Device. Sensor Mounts To Bottom Of Tank. Tank Fuel Level Is Updated Every 5 Seconds. Sensor Communicates To Mobile Device or Monitor In Coach

024-1000 LP Tank Check Dual Sensor w/ Monitor Kit 024-1001 LP Tank Check Single Sensor Kit 024-1002 LP Tank Check Dual Sensor Kit 024-1003 15 Pack

FRESH WATER

VALTERN FRESH WATER

Hose Savers Prevents hose from kinking or pinching Works for RV's or homes



LEAD FREE A01-0020VP Hose Saver, 90°, Brass, Lead-Free, Carded



Lead-Free Water Regulators forms with federal

and state laws for drinking water fixtures Protects RV plumbing against high pressure Regulates incoming water

pressure to 40-50 psi Water Regulator, Brass,

A01-1120

Lead-Free, Bulk A01-1120VP Water Regulator, Brass, Lead-Free, Carded

AVALTERN

Lead-Free High **Flow Water Regulators** • Conforms with federal and state laws

for drinking water fixtures • Protects RV plumbing against high pressure

• 15% to 20% more flow

Water Regulator, High Flow, Brass, Lead-Free, Carded

VALTERI

A01-1122VP

Heated Hose

Heated fresh water supply hose provides smooth flowing drinking water in sub zero temperatures. The heating source is self-regulating, - no thermostat is required. Heavy duty zippered

insulation cuffs at each end are included for added freeze protection. Hose operates at 120VAC/90 Watts

W01-5315 Heated Water Hose, 1/2" X 15', Blue W01-5325 Heated Water Hose, 1/2" X 25', Blue W01-5350 Heated Water Hose, 1/2" X 50', Blue gripper



• 160 psi working pressure NSF listed materials

W01-5048 Drinking Water Hose, 1/2" x 4', White W01-5120 Drinking Water Hose, 1/2" x 10', White W01-5180 Drinking Water Hose, 1/2" x 15', White W01-5300 Drinking Water Hose, 1/2" x 25', White W01-5600 Drinking Water Hose, 1/2" x 50', White

VALTERN

Dust Plug & Strap

 Protects your fresh water system from dust and insects

A0170SVP Water Inlet Plug, 3/4", With Strap, White, Carded

PHOENIK

Quick Connect Valve Only

The Spray-Port is an auxiliary hook-up without storage. Small and simple, it measures only 4" deep and requires only a 2-3/4" round installation hole. Note: New Coil Hose (not included-sold separately) required to connect to this product. Or a Brass-Quick Connect Adapter (sold separately) is required to attach a garden hose to this product. PF147005 Quick Connect Valve, 2.75", White (SA-

PORT-BTW-RT)

PHOENIX **Spray Away Quick Connect** Hose High Quality 15, 3/8"

polyurethane coil hose for the Spray Port with Brass insert to fit Spray Port Quick Connector, 15 feet, lightweight, UV resistant

hoses, re-coils to just 12 inches. PF267003 Hose for Spray-Away, 15' Coiled (SA-HOSE-

15-ASYR)



PHOENIX **Hot/Cold Spray Port**

Hiah pressure/hiah volume water follow does a fast, thorough iob. Uses a 5-1/2" square installation hole and is only 5-3/4" deep.

Note: Coil Hose (not included-sold separately) required to connect to this products.

PF213246 Faucet w/ Quick Connect, 3-3/8", 2 Knob, Plastic, White (P1403M-55QCI) PF213247 Faucet w/ Quick Connect, 4", 2 Knob,

Plastic, White (P1404M-550Cl) PHOENIX

8" Kitchen Faucet



SINGLE LEVER Faucet W/Spray Features reliable washer less cartridges, chrome finishes, all-metal exteriors, brass under bodies, copper supply tubes and 1/2" IPS fittings.

PF211326 Kitchen Faucet, 8", 2 Knob, Plastic-Chrome

PHOENIX **8" Kitchen Faucet Lever** Handles



Two handle 8" faucet, 8" Down Spout

PF211327 Kitchen Faucet, 8", 2 Lever Teacup, Plastic, Chrome (P5033A-T44I) PF221301 Kitchen Faucet, 8", 2 Lever, 1/4 Turn,

Hi Arc Kitch Faucet



DuraPro underbody, plastic stem and bonnets, chrome lever handles. Phoenix 8 inch Kitchen Faucet. With high-arc spout. DuraPro underbody, plastic stem and bonnets, chrome lever handles.

PF211344 Kitchen Faucet, 8" Hi-Arc, 2 Lever Teacup, Plastic, Chrome (P5034A-T44I)

PHOENIK **Hi-Arc Kitchen Faucet**

Phoenix U S A High Arc Spout Deck Faucet features 8 inch centers high arc spout sleek contemporary styling.



PF221202 Kitchen Faucet, 8" Hi-Arc, 2 Lever, 1/4 Turn, Plastic, White (R5177-I) PF221302 Kitchen Faucet, 8" Hi-Arc, 2 Lever, 1/4 Turn, Plastic, Chrome (R5103-I) PF231302 Kitchen Faucet, 8" Hi-Arc Hybrid, 2 Lever, Chrome (RB5602-I) PF231321 Kitchen Faucet, 8" Hi-Arc Hybrid, 1 Lever, Ceramic Disc, Chrome (S2102-01-02I)

PHOENH **Pull-Out Kitchen Faucet**

A one piece molded underbody formed with plastic resin and powder metal composite. It has sturdy brass encased water connections and is LEAD FREE and EPA certified for up to 45% water savings.



4" Chrome Lavatory Faucet Teacup 4" Lavatory faucet

It is LEAD FREE and EPA

certified for up to 20%

water savings.

PF231341 Kitchen Faucet, 8" Pull Out Hybrid, 1 Lever, Ceramic Disc, Chrome (SP2104-01-02I)

PHOENH **Hybrid 8**" Kitchen Faucet

A one piece molded under body formed with plastic resin and powder metal composite. It has sturdy brass encased water connections and is LEAD FREE and EPA

certified for up to 45% water savings.

PHOENIK

Faucet

white finish.

4" lavatory faucet has

clear acrylic handles and

comes with chrome or

(SP2104-06-02I)

4" Chrome Lavatory

PF231441 Kitchen Faucet, 8" Pull Out Hybrid,

1 Lever, Ceramic Disc, Brushed Nickel

-

PF212307 Lavatory Faucet, 4", 2 Knob, Plastic,

Chrome (P4032A-I)



underbody. Chrome model

has clear handles, white model has white handles. PF222201 Bathroom Faucet, 4", 2 Lever, 1/4 Turn, Plastic, White (R4077-I) PF222301 Bathroom Faucet, 4", 2 Lever, 1/4 Turn, Plastic, Chrome (R4003-I) PF222501 Bathroom Faucet, 4", 2 Lever Teacup, 1/4 Turn, Plastic, Rubbed Bronze (R4084-I)

CIX ROBBLEES



with a plastic cimpression valve

PF212308 Lavatory Faucet, 4", 2 Lever Teacup, Plastic, Chrome (P4032A-T44I)

FRESH WATER



PF232301 Bathroom Faucet, 4" Hybrid Low-Arc, 2 Lever, 1/4 Turn, Chrome (RB4602-I) PF232323 Bathroom Faucet, 4" Single Lever, Tall, Ceramic Disc, Chrome (S1205-I) PF232401 Bathroom Faucet, 4" Low-Arc Hybrid, 2 Lever, 1/4 Turn, Brushed Nickel (RB4662-I) PF232421 Bathroom Faucet, 4", Tall, Single Lever, Ceramic Disc, Brushed Nickel (S1265-I)







PHOENIX

4" Hybrid Lavatory Faucet 4" Bathroom Faucet w/ Diverter

Valve

4" decorative Lav-A-Shower faucet with anti-syphon hook up for personal shower.

PF222241 Bathroom Diverter Faucet, 4", 2 Lever, 1/4 Turn, Plastic, White (R4477-I)

PHOENH

Shower Valve W/ Vacuum Breaker

4" decorative shower valve, with vacuum breaker for personal shower.



PF223241 Shower Valve w/ Vac Brkr. 4", 2 Lever, 1/4 Turn, Plastic, White (R0477-I)

PHOENH

2 Lever With D-Spud

4" decorative tub-shower diverted with anti-syphon hook up for personal shower.

PF223261 Tub Div Faucet w/ D-Spud, 4", 2 Lever, 1/4 Turn, Plastic, White (R4777-I)

H

PHOENIX

Shower Valve w/ Breaker

Two handle 4" shower valve. Vacuum breaker for attaching a hand held shower. Plastic underbody



PF223341 Shower Valve w/ Vac Brkr, 4", 2 Lever, 1/4 Turn, Plastic, Chrome (R0403-I)

PHOENH Tub Faucet with D-Spud



Two handle tub filler with diverter and D-Spud for attaching a hand held shower.

PF223361 Tub Div Faucet w/ D-Spud, 4", 2 Lever, 1/4 Turn, Plastic, Chrome (R4703-I)

FRESH WATER

PHOENIX Shower Valve w/ Breaker

Two handles with a two hole mount. 4" center, with knob handles and a white finish. Under body is plastic and the

valves are plastic compression and it has a 2" shank.

PF213244 Shower Valve w/ Vac Brkr, 4", 2 Knob, Plastic, White (P437MV-55I) PF213348 Chrome Finish Shower Valve w/ 'D-Spud



PHOENH 4" Shower Valve The 4" shower valve faucet includes clear acrylic handles, chrome finish, brass or DuraPro

underbody with D-spud for hand held shower. PF213350 4" Chrome Shower Valve

PF213351 Shower Valve, 4", Chrome PHOENER' Shower Diverter - White

Exterior Shower

Auxiliary exterior shower gives the convenience of outside hot and cold running water. Perfect for outdoor showering, washing tools and utensils, fish cleaning and hundreds of other outside clean-up jobs Features 59" reinforced hose, UV resistant case and security lock.

PF266201 Exterior Shower Box with 59" Vinyl Hose, 1/4 Turn, Plastic, White (377-I)



The biggest faucet innovation in decades is available from Phoenix Products. We pioneered the use of plastic in faucets. And now we're excited to introduce the next big leap in faucet technology.

Get The Lead Out - Hybrid Faucets From Phoenix Metal Toughness - Plastic Economy



SIX ROBBLEES INC.

New metal-plastic composite has the strength of brass and the corrosion resistance of economical plastic Drinking water never contacts metal Meets all State and Federal low lead and safe drinking water requirements WaterSense technology uses 20% less water than your old faucet without changing your water stream Single handle ceramic disc or two handle quarter turn washerless valves ADA compliant handles on all models







The ideal OEM replacement pump.







3.0 GPM 45 PSI 12 Volt DC

OEM replacement pump-

An Exact OEM drop-in replacement, the 3200 is a heavy duty 3 chamber positive displacement diaphragm pump. It is self-priming and can be run dry. Includes fittings and inlet strainer.

Liquid Temperature: Weight: 4.8 lbs(114 kg) 140°F(60°C)Max. Amps: 10 Max. Max Pressure: 45 PSI (31 bar) Flow Rate: 3.0 GPM / 12 LPM

Inlet/Outlet Ports: 1/2" NPT Male Leads: 18 AWG, 4-1/2" Long

3264-1C4-15A

 Quiet operation Low amp draw Easy connect fittings Industry standard mount patten - Build in check valve - Capable of being run dry

55REBEL - 52 GPM / 20 LPM Inlet/Outlet Ports: Remco Quick Attach - fittings included

53REBEL-JRV 54REBEL-JRV 55REBEL-JRV

Liquid Temperature:

Max Pressure: 60 PSI Shut-Off

53REBEL - 3,2 GPM / 12LPM

54REBEL - 4,0 GPM / 15 LPM

140°F(60°C) Max.

Amps: 13 Max.

Flow Rate:



Page 48

FRESH WATER



FLO Eliminates Pump Cycling

The Price-Performance Leader -

Engineered to withstand the most rigorous and punishing duty cycles, the REMCO™ Rebel[™] Series Pump is a top-line perfomer.

> Leads: 14 AWG, 12" Long Weight: 8 lbs (3.6 kg)

- No Cylcing
- -Outlet check valve prevents backflow
- High performance
 60PSI, 13 Amps Max
- Self-priming
- Capable of being run dry

3.4 to 5.3 GPM 65 PSI 12 Volt DC

mooth Digital Flow Control

With years of field proven reliability, it's patented variable speed technology and five chamber design, the REMCO™ PowerRV™ Aquajet™ has earned a reputation as the finest and most advanced RV water system pump on the market.

Liquid Temperature: 40°F (60°C) Max

Pumps

ERICA

Amps: 10 Max.

Max Pressure: 65 PSI

Flow Rate: AES-3,4GPM/13LPM ARV-53GPM/20LPM

Inlet/Outlet Ports: Remco Quick Attach - fittings included

55AQUAJET-AES 55AQUAJET-ARV Leads: 14 AWG, 12" Long Weight: 8 lbs (3.6 kg)

- Low Voltage Shut-off

- Self-priming
- Capable of being run dry

 Quietest pump on the market

SEWER&SANITATION

THETERD



Contemporary styling with comfortable seating height (ADA Compliant 18" for high; 12-1/2" for low). Powerful flush provides superior full-

AQUA-MAGIC® RESIDENCE

bowl coverage. Half stroke adds water; full stroke flushes. Residential-sized seat. Lightweight; easy to install. White or bone.

- 42169 High Profile, White
- 42170 Low Profile, White
- High Profile, Bone 42171
- Low Profile. Bone 42172

AQUA-MAGIC® V

Classic styling with taller seating height (17-2/5" for high; 12-9/10" for low). Easy pedal or hand flush. Half stroke adds water; full stroke flushes. Lightweight; easy to install. Parchment or white.

- 31668 High Profile, Parchment
- 31667 High Profile, White
- 31647 Low Profile, Parchment

31646 Low Profile, White

- 31676 High Profile, Parchment
- High Profile, White 31675
- 31658 Low Profile, Parchmen
- Low Profile. White 31657

- 31672 High Profile, Parchment 31671 High Profile, White
- 31651 Low Profile, Parchment
- Low Profile. White 31650

- 31680 High Profile, Parchment 31679 High Profile, White
- 31662 Low Profile, Parchmen
- 31661 Low Profile, White

The Sanitation Leader

Lightweight luxury - Thetford's

AQUA-MAGIC® Permanent Toilet Guide STYLE[™] II

Aqua-Magic^{*} Residence

Premium, lightweight toilet Residential-sized, modern style

Aqua-Magic* Style™ ▶ Homelike china bowl

Combines luxury and economy for a stylish upgrade. Comfort-height seat Style II - our lightest china bowl ever Style Plus – more ergonomic and stylish; anti-microbial seat

Aria™ ► ►

All-china, full, elongated residential-size bowl Classic – Foot flush; no electrical needed

Deluxe II – Pushbutton walk-away flush 🗲 Aqua-Maqic* V

The No. 1 Selling RV Toilet! Durable and economical, hand or foot flush

Bravura[®]

Robust, lightweight Pedal flush, sleek styling

All are Proven Performers and Value Leaders

AQUA-MAGIC® BRAVURA

Single-pedal flush. Easy to install Enhanced features include larger seat and bowl, deeper bowl, easy-off seat/cover pod for easy cleaning, and a significantly-improved flush. Mounting bolt pattern replaces any RV toilet.

High profile seat height is 17-1/8", low profile is 13-1/4".

- 31119 Low Profile, Parchment
- 31120 Low Profile. White
- High Profile, Parchment 31085
- 31084 High Profile, White
- 31121 Low Profile, Parchment
- 31122 Low Profile. White High Profile, Parchment 31101
- 31100 High Profile, White



lightest china-bowl toilet ever! Single-pedal flush. High profile seat height: 17-1/8", low: 13-1/4" 42063 Low Profile, Bone 42059 Low Profile, White High Profile, Bone 42062 42058 High Profile, White 42065 Low Profile, Bone Low Profile White 42061 42064 High Profile, Bone

AQUA-MAGIC[®] STYLE[™] PLUS

42060 High Profile, White

A truly beautiful china bowl replacement for almost any RV toilet on the road. Antimicrobial seat inhibits growth of odor-causing bacteria and mold! Powerful full bowl flush coverage. High profile seat height is 17-1/8", low is 13-1/4" 34430 High Profile, Bone 34429 High Profile, White 34442 High Profile, Black 34438 Low Profile, Bone

34433 Low Profile, White 34435 High Profile, Bone High Profile, White 34443 High Profile, Black 34439 Low Profile, Bone

TOILET RISER

Raises seat height 2-1/2" for greater comfort and convenience. Fits all existing toilet flanges. (Note: additional plumbing hook-up materials may be needed.) Fits all Thetford toilets except Aria toilets and most Seal and models 24818 Parchment 24967 White





THETERR



connection

359724

VALTERIA

• Super tough 26

mil TPE material

VALTERIN

Super tough 26 mil

TPE material for leak

down to -30°F

System



Clean, attractive styling. Pulsating flush provides superior wash down and uses just 1 quart per flush to save water. Easy installation

19764 Bone High White High 20-1/2" H x 12-3/4" W x 24-1/2" L Bone Low White Low 16-3/4" H x 12-3/4" W x 24-1/2" L



 Aerodynamically engineered and has no wind resistance • 5 1/2" diameter x 2 1/2" high

389380 Black 389381 White

MITERN EZ Coupler Bayonet Kits & Extensions



 Comes with factory installed bayonet fittings and rotating fittings. 18 mil vinyl cover with UV protectant.10' hose collapses to 25"

1	
D04-0113	EZ Coupler Extension Hose, 10', Boxed
D04-0115	EZ Coupler Deluxe Bayonet Sewer Hose
	Kit, 20', Boxed









360 Siphon RV Holding Tank Vent









SEWER & SANITATION





- Comes with CAM lock connector that ensures leak proof
- 5'6" compressed, 20' extended & holds shapeduring use Permanently connected nozzle
 - 20' Extension RV Sewer Hose Management

VALTERIA

Waste Master Sewer Hose Dominator Sewer Hose **Kits and Extensions**



Rotating fittings prevent hose from twisting and pulling away from valve and sewer connection

- · Holds its shape after installation
- Protection from leaks UV stabilized poly construction
- Collapses for easy storage (from 15' to 57")

D04-0250 Dominator Sewer Hose Kit, 15', Boxed D04-0275 Dominator Sewer Hose Kit, 20', Boxed

AT/ALTERN



for leak protection with spring back crush feature. UV and puncture resistant, rotating fittings prevent kinks, and it

D04-0450 Viper Sewer Hose Kit, 15', Boxed D04-0475 Viper Sewer Hose Kit, 20', Boxed







protection with spring back crush feature. UV and puncture resistant, rotating fittings prevent kinks, and it stays flexible

D04-0410 Viper Extension Hose, 10', Boxed

EZ Flush Heavy Duty with Sizing Rings



EZ Flush RV drain hose with sizing rings &15 mil vinyl cover

D04-0012	EZ Flush Heavy Duty Drain Hose, 10', Bronze, Boxed
D04-0040	EZ Flush Heavy Duty Drain Hose, 20', Bronze, Boxed



Quick Drain Standard with Adapter



D04-0120PB Quick Drain Hose, Standard, 10', With Straight Hose Adapter, Blue, Bagged

SEWER&SANITATION





Proprietary TPE technology makes TITAN® the Iongest lasting, most leak-resistant sewer hose available. Includes 15' TPE hose with pre-attached ExtendGrip™ fittings, Revolve® universal sewer adapter with handle and 2 end caps. 17853, 15' Titan Sewer Kit

TITAN® 20' PREMIUM SEWER KIT



Two 10' premium hoses, Revolve® sewer adapter and 4 end caps. Proprietary TPE technology makes TITAN® the longest lasting, most leak-resistant sewer hose available. Pre-attached ExtendGrip® fitting. Use one hose when close to dump port. Combine both hoses for full 20' length.

17902, 20' Titan Sewer Kit

TITAN® 10' SEWER HOSE



Use alone or to extend the Titan[™] Sewer Kit. 17854, 10' Titan Sewer Hose

REVOLVE® UNIVERSAL SEWER ADAPTER with HANDLE

Stepped to fit and secure into virtually every dump port. Handle keeps user clean. 17879, Revolve Universal Sewer Fitti



END CAPS Multi-use, caps any Titan[®] opening for convenience & cleanliness. 17880, End Caps (2)

SEALS Fits Titan[®]'s Universal Sewer Adapter and ExtendGrip® Fitting. 17881, Seals (2)

SIX ROBBLEES INC.









Slunky Hose Support, 25', Boxed

VALTERI

S2500

Rotating Wye

- Joins two outlet hoses to one sewer hose line
- Used when unit has two separate tank valves
- Rotating bayonet ends ensure
- that hose lays flat • 4 durable hooks

F02-2030 Rotating Wye, 3", Bulk

XALTERN

Valve and Hose Adapter Adapts drain hose to valve

system with four bayonet attachments for a leak proof seal. Twist right onto your RV sewer hose

F02-3101 EZ Coupler Valve Adapter, Red, Carded

V/LTERN

Coupler Connects two hoses together by simply threading on



F02-3102 EZ Coupler, Red, Carded

VALTERN Bayonet Fitting

VALTERRA®

90° Elbow

Multi-tiered sewer

sewer outlets for

fitting press fits into

fast and easy set up.

Two piece design allows

tank. Drip Cap included

Create an extension hose with two EZ Coupler parts (F02-3101 and F02-3108) that connect with a guick

VALTERRA EZ Coupler 90

• Universal threaded sewer fitting with a standard bayonet end • 6 different types of sewer connections with a gas tight fit Quick twist attachment • Threads are 3", 3-1/2", and 4"

Carded









F02-3103 EZ Coupler Universal Sewer Adapter, Red, Carded



valve F02-4100 RV Hydroflush 45°

ATALTERN

Clear Hose Adapters

 Clear so you know when your tank is clean. Easy bayonet attachment. No need to remove or re-attach drain hose for use with current drain hose fittings. 45° design reduces stress on sewer hose





F02-3108 EZ Coupler Bayonet Fitting, Red, Carded













F02-3112 EZ Coupler 90° Bayonet Sewer Fitting, Red,


Slip hub 3". T1005 3" Hub



T1020 Waste Valve Cap, 3", Black, Bulk T1020-1 Waste Valve Cap, 3", 3/4" GHT with Cap, Black

SEWER&SANITATION





Horst Miracle Probes, For Black Water Tanks, Bulk **Aqua Soft Tissue** Aqua-= Toilet

(12 Cs.). Soft, white tissue

2-PLY Soft, Pure and Snowy Wh

Aqua-Soft 2 Ply Toilet Tissue - Pack of 4

THETEORO







100-Single Pack

pack pouch. Powerful

odor control & superior

96080

SMART TOTE² 2-WHEEL MODELS



THETERR **Aqua-Kem Garden Mist**

Optional 90°

elbow nozzle.

2-Wheel Options:

Optional tow strap

THETF

THETERD Aqua-Kem, **Powder Fresh**

holding tank deodorant now comes in 2 new fragrances! Both come in 32 oz. liauid.

6568	Bottle, Powde
2835	55 Gallon



Page 54

SEWER & SANIITATION



Features:



Retainer strap holds sewer hose in place for easy storage.



Improved venting speeds emptying. AutoStop™ Level Gauge prevents messy overfilling

Premium 2-Wheel tanks offer larger capacities and a sewer hose always stays attached for faster, more sanitary use. Includes sewer hose cap for storage. 12 Gallon* 2-wheel, No Hose or AutoStop™ Level Gauge

- 18 Gallon 2-wheel Model







r Fresh Scent - 32-Oz.



Concentrated granular holding tank deodorant Dri-Kem. Provides long-lasting odor control via easy-touse, non-dusting granules. Dri-Kem is fast acting and biodegradable. Comes in convenient water tight packs. 12/case.



20720	2-0z, 8-Pack
24025	100 pk

SEWER & SANITATION



Excels in the areas RVers want most: odor control and waste digestion

TISSUE DIGESTER



19 oz. Dissolves tissue and prevents build-up and messy clogs. Non-staining formula is safe for all waste treatment systems.

TOILET SEAL LUBRICANT AND CONDITIONER



36663 24 oz. Non-petroleum, siliconebased formula penetrates and coats seal for smooth operation. Extends toilet seal life and helps prevent sticking. Safe on toilets and holding tank seals. Use before storage and throughout the year for preventive maintenance.

GREY WATER ODOR CONTROL

15842 24 oz. Eliminates grey water odors. Prevents grease build-up and won't damage seals. Non-staining, 100% biodegradable formula with pleasant floral scent.



Prevents sticky valves, restores smooth operation, and coats plumbing lines for consistent tank out-

flow. 100% biodegradable.



24 oz. 3-8 oz.

Non-formaldehyde holding tank deodorant controls odors for up to 6 months in empty totes and RV holding tanks during storage. Lubricates seals. Compatible with anti-freeze solutions.

LEVEL GAUGE CLEANER

STORAGE DEODORANTS

32901

32900

24545 19 oz. Restores operation to both grey and black water tanks. Repairs level sensors that fail due to tissue and sludge build-up. Dissolves waste, tissue and soap scum. Safe for all waste treatment systems.

Redesigned with Easy-to-Pull Technology!
ASTE VALVES
1 ^{1/2} " HxS Valve W/48" Cable
1 ^{1/2} " HxS Valve W/72" Cable
11/2" HxS Valve W/96" Cable
3" HxS Valve W/48" Cable
3" HxS Valve W/72" Cable

3" HxS Valve W/60" Cable

3" HxS Valve W/72" Cable



66N4AB60GM

66N4AB96GM

VALVE KIT		
39241	1-1/2" Valve - Carded	
39240	3" Valve - Carded	
39225	11/2" Nuts, Bolts, Seals - Carded	
39227	3" Nuts, Bolts, Seals - Carded	



WASTE VALVE ASSEMBLIES		
66ND15AAR	3" x 1 ^{1/2} " Dual Tee Valve	
66ND13AAR	3" x 1 ^{1/2} " Dual Valve	











FLANGE ADAPTERS

66V13	3" H X Flange Adapter
66V1515	1-1/2" H X Flange Adapter
66V13B	3" Bayonet X Flange Adapter
66V13MT	3" MPT
66V135	3" Spigot
66V1515S	1-1/2" S X Flange Adapter





VALVE KII	
66V93H3B	45 Degree Hose Adapter
39012	45 Degree Hose Adapter - Carded
66V293H3B	Straight Adapter
39013	Straight Adapter - Carded



BAYONET CAP

66V20A3B 39014

3" Bayonet Cap W/Strap 3" Cap - Carded





REPLACEMENT HANDLE

66IHANDLE 39011

Black Valve Handle Handled - Carded

SEWER & SANITATION



632150	11/4″
632151	11/2″
632152	2″
632153	3″
632131	3.3 - 11/2″
632130	3.3 - 2″

7

TEE - HUB x HUB



632301	11/2″
632303	3″



052051	I
632892	2″
632893	3″



632871	1 ^{1/2} "
632872	2″
632873	3″




633703	3
	MALE ADAPTER SPT X HUB

633701	1 1/2″
633703	3″

45° EL	30W - HUB x HUB
632500	11/4″
632501	1 ^{1/2} "
632502	2″
632503	3″
	22 ^{1/2} ° ELBOW HUB x HUB
(22554	11/2//


632551	1 ^{1/2} " 2"
632552	3"
052555	5



632403	3″
	DOUBLE ELBOW HUB x HUB

632400 632401

632261	1 ^{1/2} "
632263	3″



632275	1 1/4″
632276	11/2″
632278	3″





632452	2″
632453	3″



	90° VENT ELBOW HUB x HUB
632200	1 1/4″
632201	1 ^{1/2} "
632202	2″
632203	3″
	90° ELBOW HUB x HUB

632250	1 1/4″
632251	1 1/2″
632252	2″
632253	3″

COUPLING

HUB x HUB



633000	1 ^{1/4} ″
633001	1 ^{1/2} "
633002	2″
633003	3″
633022	2 x 1 ^{1/2} "
633023	3 x 1 ^{1/2} "



632750	1 ^{1/2} x 1 ^{1/4} "
632752	2 x 1 ^{1/2} "
632762	3 - 1 ^{1/2}
632754	3 - 2

61C4510	1 ^{1/4} ″
61C5010	1 ^{1/2} "
61C5510	2″
61C6510	3″

F	P Trap HUB x HUB

633211N	1 ^{1/2} "
633211E	1 1/4//

Trailer Tech
Leveling Scissor Jack Kit
A start and a start a
0000

Electric Tongue Jack



5000lb load capcity. Adjustable from 4" to 24" vertical. Bearing set on crank side for longer jack life. Universal bolton or weld-on application. Rust resistant black coating

TJSC-24K Jacks (2) w/ Handle & Bolts (8), Boxed



Leveling Scissor Jack





2500lb capcity per jack. Adjustable from 4" to 24" vertical. HANDLE SOLD SEPERATELY.

Leveling Scissor Jack, Bulk (non-boxed) TJSC-24



TJSC-24-HDL Jack Handle

RAM **Power Tongue Jack**



3500lb Capacity, 18" lift. 643589 Smart Jack

3500lb load capacity. 25-1/8" lift. Comes in black and white.

EJ-3520BBX 3500-Lb PT Jack - black EJ-3520WBX 3500-Lb PT Jack - white







285318 Electric Trailer Jack w/ Footplate- black





- Prevents tires from rolling and sliding
- Grooved surface for better grip
- Nylon cord to easily remove the chock when finished
- A10-0908 Wheel Chock, Red, Bulk



24" Scissor Jack (2) w/ Handle



- Multi-use leveler, jack stand and tongue wheel support
- Attached easy to grip handle acts as a transition to the next step for a smooth ramp
- Convenient self- fastening strap for storage

A10-0916	Stackers, 4pk, Boxed
A10-0918	Stackers, 10pk, Boxed
A10-0920	Stackers, 10pk With Bag, Boxed



Wheel Stop

 Attached handle interlocks with stackers • Rugged tread design, stops RV at the top of the stack







SUSPENSION, STABILIZATION, TIEDOWNS, SLIDE-OUTREPAIR

SUSPENSION, STABILIZATION, TIEDOWNS, SLIDE-OUT REPAIR

SUSPENSION, STABILIZATION, TIEDOWNS, SLIDE-OUT REPAIR

IT'S ANYTHING BUT RECREATION FOR THE VEHICLE DOING THE TOWING.

Firestone Ride-Rite Air Springs give you the added support your vehicle needs for hauling.





Open chamber design allows for maximum stroke

Four layers of commercial vehicle grade rubber cords

Heavy-duty OEM certified, corrosion resistant steel bead plates that are made in the USA

find your RideRite.com

TOP SELLING RIDE-RITE" KITS	-	
Model	Year	Air Leveling Rear Kit
Chevrolet/GMC Pickup Trucks		
Silverado, Sierra 1500 (2WD, 4WD)	07-16	2430
GMC 1500, 2500 (2WD, 4WD)	88-98	2025
Silverado, Sierra 2500, 3500 HD (2WD, 4WD)	11-15	2598
Silverado, Sierra 2500, 3500 (2WD, 4WD)	01-10	2550
GMC 2500 (2WD, 4WD) with rear drum brakes	99-00	2025
GMC 3500 (2WD, 4WD)	88-00	2025
Dodge/Ram Pickup Trucks		
Ram 1500 (2WD, 4WD)	88-98	2025
Ram 1500 Mega Cab (2WD, 4WD)	06-08	2299
Ram 1500 (2WD, 4WD)	02-08	2286
Ram 2500 (4wd only)	14-15	2598
Ram 2500 (2WD, 4WD)	03-13	2299
Ram 3500 (2WD only)	14-15	2579
Ram 3500 (4WD only)	13-15	2560
Ram 3500 (2WD, 4WD)	03-12	2299
Dodge D+W 100,1500, 2500	69-01	2071*





** 6" tire to frame minimum clearance ** 6" tire to frame minimum clearance

Firestone

RIDE-RITE[™] EXTREME **DUTY AIR SPRINGS**

- 150 PSI operating pressure
- Grade 8 fasteners
- Levels up to 7500 lbs.*
- Installed in under 1.5hrs
- Superior corrosion resistant coating
- In-hitch compatible
- High alloy steel brackets
- Commercial grade rubber
- No drill

RED AIR SPRING KITS Air Leveling Rear Kit Year Make/Model Chevrolet/GMC Pickup Trucks 11-17 2702 Silverado, Sierra 2500HD (2WD, 4WD 01-10 2700 Silverado, Sierra 2500HD (2WD, 4WD 2702 Silverado, Sierra 3500HD (2WD, 4WD) 11-17 Silverado, Sierra 3500HD (2WD, 4WD) 01-10 2700 Ford Pickup Trucks F250 (2WD, 4WD 2703 11-16 F350 (2WD, 4WD) 11-16 2703 11-13 F450 (2WD, 4WD 2703 Ram Pickup Trucks Ram 2500 (2WD, 4WD) 14-17 2706 03-13 2701 Ram 2500 (2WD, 4WD) 13-17 2705 Ram 3500 (4WD only) Ram 3500 (2WD, 4WD) 03-12 2701

* Do not exceed the vehicle's recommended Gross Vehicle Weight Rating (GVWR)



ON BOARD AIR FOR YOUR AIR SPRINGS



FIND YOUR FIT

Enhance your air springs with our line of convenient air control systems. With a kit

for nearly all vehicles, all you have to do is find your fit to have air onboard and at your fingertips.

Light Duty Standard Duty



-



SUSPENSION, STABILIZATION, TIEDOWNS, SLIDE-OUT REPAIR



SUSPENSION, STABILIZATION, TIEDOWNS, SLIDE-OUT REPAIR

Page 63

SUSPENSION, STABILIZATION, TIEDOWNS, SLIDE-OUTREPAIR



X-FACTOR CROSSMEMBER

- Designed to greatly reduce frame stress
- Provides added lateral strength
- Uses high-strength low-alloy steel
- Adjustable to fit different frame widths
- Easy installation

Page 64

No welding necessary

XFACTOR PERFORMANCE

CRC	DSSMEMBERS*
Part Number	Description
RE21-004	Crossmember for MORryde LRE, RE & TRE suspensions
UO21-003	Crossmembers for SRE, CRE, stock & other equalizers

* Only one crossmember per kit. Additional crossmembers are available for purchase



SUSPENSION, STABILIZATION, TIEDOWNS, SLIDE-OUT REPAIR



YEAR	MAKE/MODEL	MFG#	6 ROBBS#	MFG#	6 ROBBS#
UNIVERSAL		LOWER O	/ERLOAD	UPPER OV	ERLOAD
Universal	Truck/SUV/Van/RV/Commercial, etc	A7311 (2,4)	TCWA7311	A7202 (3)	TCWA7200
FORD					
10-17	F150	A7310 (1,4)	TCWA7310	-	-
2017	F250/350	A7311 (2,4,5)	TCWA7311	A7200 (3)	TCWA7200
DODGE					
13-17	3500	A7311 (2,4,8)	TCWA7311	A7200 (3,8)	TCWA7200
CHEVROLET/GMC					
All	Canyon/Colorado/S10/Sonoma	A7311 (2,4)	TCWA7311	-	-
15-17	1500 trucks	A7310 (1,4,7)	TCWA7310	-	-
16-17	3500 trucks	A7310 (1,4)	TCWA7310	A7202 (3)	TCWA7202
88-17	2500 trucks	A7310 (1,4)	TCWA7310	-	-
2017	1500 trucks (5.5ft & 6.5 ft bed ONLY)	A7310 (1,2)	TCWA7310	-	-
ΤΟΥΟΤΑ					
All	Tacoma	A7311 (2,4)	TCWA7311	-	-

For footnotes and 1980-2018 fitments visit torklift.com






TORKLIFT

NTERNATIONAL

SUSPENSION, STABILIZATION, TIEDOWNS, SLIDE-OUT REPAIR





SUSPENSION, STABILIZATION, TIEDOWNS, SLIDE-OUT REPAIR

dicor products

The brand more OEMs trust than all others combined. Versa Liners[®] • Airgard Inflation Systems Fastliners • Wheelcovers

VERSA LINER

With over 1 million sets in service, the Versa Liner[®] from Dicor is the choice of more motorhome manufacturers than all other brands combined. No need to remove lug nuts or use jacks, a complete set can be installed in about five minutes. The Versa Liner[®] is made of tough 304L stainless steel with permanently attached simulated lug nuts, designed for years of durable service. Highly polished and maintenance-free, Versa Liner[®] will not rust, corrode, flake or peel. Rolled edges for tire and handling safety. The Versa Liner[®] attaches securely with a road proven design that stays on even in the roughest conditions. Limited 5-year warranty. Other Versa Liner[®] are available to fit wheels not listed. For details visit **www.dicorproducts.com**.

FORD			
DICOR NO.	SIZE	YEAR	LUGS SPECIAL
V160F2	16"	'92 to '97-1/2	8 Lug, 8 Hand Hole (28618, 29317*)
V160F7	16"	'97-1/2 to 3/'07	8 Lug, 8 Hand Hole (28618,29317, 29315*)
V160F0	16"	'84-1/2 to '98	8 Lug, 4 Hand Hole (28333, 28511*)
V160F8	16"	'99 to '02	8 Lug, 4 Hand Hole (29223*)
V160F8M**	16"	'03 to '04	8 Lug, 4 Hand Hole (29348*)
V160SD	16"	'88 to '98, Super Duty	10 Lug, 4 Hand Hole (28375, 28513, 28671*)
V170F5	17" x 6-1/2"	'05 to Current, Super Duty	8 Lug, 4 Hand Hole (29837*)
V195F96	19-1/2" x 6"	'99 to '02, Super Duty	8 Lug, 5 Hand Hole (29186*)
V195F96M**	19-1/2" x 6"	'03 to '04, Super Duty	8 Lug, 5 Hand Hole (29186*)
V195F66M**	17" x 6"	'06 to Current, Super Duty	10 Lug, 5 Hand Hole (29883, 29884, 29839*)
V195F9	19-1/2" x 6-3/4"	'99 to '02, Super Duty	8 Lug, 5 Hand Hole (29236*)
V195F9M**	19-1/2" x 6-3/4"	'03 to '04, Super Duty	8 Lug, 5 Hand Hole (29236*)
V195F6M**	19-1/2" x 6-3/4"	'06 to Current, Super Duty	10 Lug, 5 Hand Hole (29875, 29879, 29836*)
V22553	22-1/2"	'06 to Current	8 Lug, 8 Hand Hole (29028*) Chevrolet/GMC

* Accuride Wheel Numbers are given in brackets. Numbers are stamped on the wheel for easy identification. Other Versa Liners available by special order to fit wheel numbers not listed.

** Metric fine thread Jam Nut





ERSA LINER® STAINLESS WHEEL SIMULATORS

FREIGHT LIN	NER/OSHKOSH/SPA	RTAN/JOHN DEERE	& HD WHEELS
DICOR NO.	SIZE	YEAR	LUGS SPECIAL
V195J0	19-1/2"	'79 to Current	6 Lug, 6 Hand Hole (28179*) Also use on Dodge M600
V1950S	19-1/2"	'92 to Current	6 Lug, 2 Hand Hole (28853*)
V19582	19-1/2"	'98 to Current	8 Lug, 4 Hand Hole (28680, 28612, 28532*)
V22506	22-1/2" x 6-3/4"	'92 to Current	6 Lug, 6 Hand Hole (28157*)
V22501	22-1/2" x 7-1/2"	'97 to Current	10 Lug, 5 Hand Hole (29001*)
V22587	22-1/2" x 8-1/4"	'99 to Current	10 Lug, 5 Hand Hole (28487* and Maxion W0003684)
V22553	22-1/2"	'07 to Current	8 Lug, 8 Hand Hole (29028*)

FREIGHT LINER/OSHKOSH/SPARTAN/JOHN DEERE & HD WHEELS				
DICOR NO.	SIZE	YEAR	LUGS SPECIAL	
V160G4	16" x 16-1/2"	'73 to '02	8 Lug, 4 Hand Hole (28177, 28374, 28603, 28623, 27993, 27995*)	
V195P5	19"	'77 to Current P32	10 Lug, 5 Hand Hole (27775*)	
V22569	22-1/2" x 6-3/4"	'99 to Current	8 Lug, 4 Hand Hole (28869* and Maxion W0002403)	
V22587	22-1/2" x 8-1/4"	'99 to Current	10 Lug, 5 Hand Hole (28487* and Maxion W0003684)	
V22501	22-1/2" x 7-1/2"	'97 to Current	10 Lug, 5 Hand Hole (29001*)	

SUSPENSION, STABILIZATION, TIEDOWNS, SLIDE-OUTREPAIR

SUSPENSION, STABILIZATION, TIEDOWNS, SLIDE-OUT REPAIR



STAINLESS STEEL WHEEL COVERS Enhances the appearance of any vehicle. The durability of 304L stainless steel virtually eliminates rust or staining and provides long lasting, maintenance free performance. Features a road proven attachment system. Used by more RV manufacturers than all other brands. Installation is guick and easy. Includes attachment hardware. Will not fit Budd wheels or split rims. *4/box. **1/box (cover only).

STAINLESS ST	EEL WH	EaEL COVERS	
DICOR NO.	SIZE	MODEL/YEAR	LUGS SPECIAL
SHFM16*	16"	Single or Dual Wheel (including '92 Ford)	8 Lug
SHFM65*	16-1/2"	Single or Dual Mounted Wheels	8 Lug
SHSD16*	16"	Universal (including Ford Super Duty)	10 Lug
SHAG95*	19-1/2"	Chevy, GMC, P-30	10 Lug
SHG795*	19-1/2"	'97 to Current Single Wheel Cover (Chevy, GMC, P-30)	10 Lug
SHFM16-COV**	16"	Singel Wheel Cover	
SHFM65-COV**	16-1/2"	Single Wheel Cover	
SHAG95-COV**	19-1/2"	Wheel Cover (Front and Rear Brackets Sold Separately)	
SHAG95-CAP**	19-1/2"	Wheel Cover Center Cap	



VERSA-LOK® ABS HUB COVERS

Update your trailer's appearance with the best retention system ABS Hub Covers on the market today! The Versa-Lok[®] patented locking system, locks onto the wheel with a simple twist, allowing easy access to your trailer wheel hubs with out prying them off. No tools necessary for installation or removal. Priced each

VERSA-LOK	OVERS	
DICOR NO.	SIZE	LUGS SPECIAL
TAC545-CC	4-1/2"	5 Lug, Chrome
TAC655-CC	5-1/2"	6 Lug, Chrome
TAC865-CB	6-1/2"	8 Lug, Chrome



FASTLINER SERIES SIMULATORS

Great looking stainless steel simulators combine Dicor's retention system with the attractive styling of a liner. One-piece construction features permanently attached stainless steel lug nut covers - no loose parts, no assembly and no lug nut removal. Superior contoured styling features protective rolled edges for added strength and handling safety. Will not fit Budd wheels or split rims. 5-year limited warranty.

FL SERIES			
DICOR NO.	SIZE	MODEL YEAR	LUGS SPECIAL
FL60-59	16"	'07 to Current, E-350/E- 450 std. Universal	8 Lug
FL62	16"	'92 - 03/'07 E-350/E-450 (Accuride# 28618)	8 Lug, 8 Hand Hole
FL65	16-1/2"	Std. Standard Universal Ford, Chevy and Dodge	8 Lug
SHSF1608	16"	'08 to '11 Sprinter	
SHSF1612	16"	March '12 to Current	
	DICOR NO. FL60-59 FL62 FL65 SHSF1608	DICOR NO. SIZE FL60-59 16" FL62 16" FL65 16-1/2" SHSF1608 16"	DICOR NO. SIZE MODEL YEAR FL60-59 16" '07 to Current, E-350/E-450 std. Universal FL62 16" '92 - 03/07 E-350/E-450 (Accuride# 28618) FL65 16-1/2" Std. Standard Universal Ford, Chevy and Dodge SHSF1608

FLS SERIES					
DICOR NO.	SIZE	MODEL	LUGS SPECIA		
FLS50	15″	Fits Most 15" Truck, Van and Trailer Single Wheels	6 Lug		
FLS60	16″	Fits Most 16"Truck, Van and Trailer Single Wheels	8 Lug		

WHEEL COVER PARTS DICOR NO. SHAU95-CAP Center Cap for 19-1/2" Wheel Covers SHAU-LNC Simulated Lug Nuts



JAM NUT Use on the Versa Liner® sta simulators. Stainless steel. DICOB NO. DESCRIPTION V160SD-JNT 13/16" Single Jam Nut



SIX ROBBLEES

Stainless stee DICOR NO. DESCRIPTION V160F7-EJN 9/16" fits Ford Wheel Simulators 5/8" fits Chevy, GMC, or Workhorse Wheel V195F9-EJN 14mm fits Ford Super Duty Wheel Simulato

LUG NUT COVER Use on Versa Liner® stainless steel wheel simulators. Stainless steel. Priced each DICOR NO. DESCRIPTION V160F0-LNC 1-1/16" Versa Liner® Single Lug Nut Cove









dicor products

INFLATION SET

VHS SERIES **INFLATION SYSTEM** The only 4-hose air system designed exclusively for Dicor's Versa Liner[®] Wheel Simulators. The Versa Liner® Hose System allows easy access to both inner and outer dual wheels for inflating tires or checking pressure. Flexible braided stainless steel protects a hydraulic hose that won't kink and form weak spots like rubber will. Hose sets mount easily to valve stems using stainless steel mounting brackets included. No drilling, pop-rivets or special tools required. Fits every time with no adjustment necessary.

VHS SERIES INFLATION SYSTEM DICOR NO.

DESCRIPTION DESCRIPTION 16" to 16-1/2" GM Universal & 19-1/2" Chevy, 8 Lug. Also fits: 16", 19-1/2" & 22-1/2" Jam Nut Wheel Simulators VHS-N3GC

UNIVERSAL INFLATION SYSTEMS

dicor products

the components rvs are born with!

Allows access to both inner and outer dual wheels for inflating tires or checking pressure. Fits most wheel simulators and wheel covers. Universal inflation systems include UHS.

UHS SERIES (NOT PICTURED)

THE UHS series contains two 125° Outer Dual Valve Extenders (AG-125) and two Inner Dual Valve Extenders (LS-734N) with stabilizers Hydraulic hoses have stainless steel braid - heat treated to provide strength, flexibility and extra protection. Fits most wheel simulators and includes stabilizer brackets to keep hoses centered in hand holes for easy access. Set can be used for inner and outer dual wheels

UNIVERSAL SERIES INFLATION SYSTEM			
DICOR NO.	DESCRIPTION		
UHS-4C	Universal Dual Wheel Inflation Set		



VALVE EXTENDERS

Makes hard-to-reach inner dual valve stems easily accessible for proper tire inflation. A stabilizer bracket snaps into a hand hole to keep the extender centered for easy access.

LS SERIES

The LS series combines the strength and flexibility of a long-lasting hydraulic hose with the extra protection of heat treated stainless steel braid. The exclusive live stem inner core technology utilizes a floating valve



stem that is activated only when air is added or removed from the tire Hose fits every time. Installation requires no special adjustments and provides increased protection against tire deflation should the valve extender be damaged. For inner duals only. 2/pack

LS SERIES INF	S SERIES INFLATION SYSTEMS		
DICOR NO.	DESCRIPTION		
LS-534N- 12FC	16", '92 to Current Ford E-350, 8 Hand Hole. Also fits: 16", 16-1/2" & 19-1/2", Most 22-1/2"		
LS-734N-2FC	19-1/2", '99 to Current Ford		



SOLID VALVE EXTENDERS

Solid nickel plated brass valve extenders are angled to allow easier access to front tire valve stems

on most vehicles. Can be used on plain wheels or with most stainless steel simulators. 2/card.

	_							
SOLID VALVE EXTENDERS								
		OR NO.		RIPTION				
	AG	-45C	45"	45" Front Tire				
	AG	-125C	125	" Outer D	ual			
		NOTAN	NG					
	HYDRAULIC Hose	REINFORCED NYLON HOSE	BRAIDED STAINLESS Steel Covering	LIVE STEM TECHNOLOGY	SET OF 4	SET OF 2	APPLICATION	
HOSE SETS								
VHS Series	•		•		•		Versa-Liner	
UHS Series	•		•		•		Universal	
VALVE EXTENDERS								
LS Series	•		•	•		•	Universal	
SOLID VALVE EXTENDERS								
AG45						•	Universal	
AG125						•	Universal	

Page 69

SUSPENSION, STABILIZATION, TIEDOWNS, SLIDE-OUTREPAIR

SUSPENSION, STABILIZATION, TIEDOWNS, SLIDE-OUT REPAIR In Wall Motor Mid torque w/brake **In-Wall Motor**

Motor 42mm in wall

with Brake

42 mm Mid Torque In Wall Slide Motor

.343 D-Cut 364262

Motor Klauber C800 Motor - 1/6 HP used in assemblies 161453, 1917771, 272379, 300625, 300626, 299969

Current version of Schwintek motor

Gearbox

Schwintek In-Wall Slide Motor-Round

236575

& 113407.

138445 Electric Stabilizer Jack 1/6 Hp Motor





HARNESS; IN-WALL - 20 FT 229755 Schwintek Controller To Motor Harness; 20'

Schwintek Controller To Motor Harness; 238991 25'

Schwintek Controller To Motor Harness: 229756

(LG) IPPERT



The In-Wall Slide Out System has revolutionized the RV industry. All motors and mechanics are located in the slide walls and the

patented aircraft-quality worm rail provides smooth and efficient slide room movement. 320500 J-38 Roller; In-Wall Slide-Out







Rev C-2 211852 Schwintek In-Wall Slide Controller







2 x 2 slide-out gear pack, For use on LCI above-floor or through-frame slide-out. Gear pack does not include roll pin assembly.

281331 2 X 2 Slide-Out Standard Gear Pack

Gear Pack



Need a replacement gear pack for your LCI Through-Frame or Above-Floor Slide-Out? For use on LCI Above-Floor or Through-Frame Slide-Out. No assembly required PLEASE NOTE: 15 tooth gear is included with your order. If you have an 18 tooth gear (Part Number: 122739) you will need to purchase that separately.

324869 Gear Packs for Slide-Out Mechanisms

Trombetta Solenoid

The Polarity Reversing Solenoid is primarily used on hydraulic leveling and slide-out units. Comes in silver. For reversing polarity of permanent magnet DC motors. No assembly required 118246 Polarity Reversing Solenoid


Standard Trombetta Solenoid



Polarity Reversing Solenoid by Trombetta for Hydraulic Power Units

136046 Polarity Reversing Solenoid

SUSPENSION, STABILIZATION, TIEDOWNS, SLIDE-OUT REPAIR







281625 9/16" ID, 11/16" OD - 1-3/4" French Double Axle, 14 Pk 2796851




Kit comes complete with Never-Fail bushings, shackle links, bolts and nuts for a tandem/double axle configuration

281285 Double Axle



For landing gear with over 58" between them, to eliminate unwanted chassis movement. Bolt on, permanent mounted kit. Comes with stabilizing tubes and mounting gear.



Strongarm Jack Stabilizer



Replaces standard snap-up chains in existing hitch systems for easier/safer towing experience. Works with every weight distribution hitch system excepr E-qual-izer

335852 JT Strongarm Jack Stabilizer 58"

TRAILER HITCHES

Fifth Wheel Hitches	3-75
Gooseneck Hitches	5-77
Hitches and Ball Mounts	5-97

Fifth Wheel Hitches	33-85
Weight Distributing	38-89

Zema

Fifth Wheel Hitches	79-80
Fifth Wheel Accessories.	31-82

THE ORIGINAL Equil-i-zu.

Weight Distributing	86-87
Ball Mounts	96-97

() Hayes

Sway Control	2
Brake Controls and Harnesses9	3

REESE

	Fifth Wheel Hitches
,	Weight Distributing


TEKONSHA

1

Brake Controls	. 91
Superhitch	. 94
💓 by Demco	
Braking Systems Kits	100
ADMASTER	
Tow Bars and Accessories	105















TOWING

- The **Patriot 18K Slider**[™] is our rail mounted hitch now available with 12 inches of slide for maneuvering a short-bed truck.
- 18,000 LB. GTW 4,500 LB. VTW
- Fits standard mounting rails
- Cam-operated, machined jaws
- Polyurethane bushings for a smooth, rattle-free tow
- Height Adjustment 17"-19"

ITEM DESCRIPTION

RVK3270

Patriot 18K Slider 5th Wheel Hitch

The <u>Patriot 18K</u>^m is our rail mounted hitch with a one piece base design for easier installation and a higher tow rating.

- 18,000 LB. GTW 4,500 LB. VTW
- Fits standard mounting rails
- Cam-operated, machined jaws
- Polyurethane bushings for a smooth, rattle-free tow Height Adjustment 16"-19"
- ITEM DESCRIPTION
- RVK3255

5 Patriot 18K 5th Wheel Hitch

The <u>Patriot 16K</u>[™] is our rail mounted hitch. Designed as a less expensive, lighter-weigh alternative to the Companion, with many of the same great features. 16,000 LB. CTW - 4,000 LB. VTW

- Fits standard mounting rails
- Cam-operated, machined jaws
- Polyurethane bushings for a smooth, rattle-free tow
- Height Adjustment 16"-19"

ITEM DESCRIPTION

RVK3200

Patriot 16K 5th Wheel Hitch



COMPANION® FOR FORD, GM & RAM PUCKS

PUCKS

The Companion for Ford Pucks, Companion for Ram Pucks, and **Companion for Chevrolet/GMC Pucks** have all the benefits that customers love about our Companion, but it's designed to work with the factory hitch platform. It uses the same cushioned coupler head as the original Companion, with cam operated jaws that eliminate binding. And it's removable, with no rails left in the bed when you're not towing.

20,000 LB. GTW - 5,000 LB. VTW - Ford Companion Hitches 20,000 LB. GTW - 5,000 LB. VTW - GM Companion Hitches 20,000 LB. GTW - 5,000 LB. VTW - Ram Companion Slider 25,000 LB. GTW - 6,250 LB. VTW - Ram Companion Fits the factory hitch platform Cam-operated, machined jaws Polyurethane bushings for a smooth, rattle-free tow Height Adjustment 16 3/4" - 18 3/4" - Ford Companion and Chevrolet/GMC Companion Height Adjustment 17"-19" - Ram Companion

PART #	DESCRIPTION
RVK3300	Companion 5th Wheel Hitch - Fits Ford Puck System
RVK3370	Companion Slider 5th Wheel Hitch - Fits Ford Puck System
RVK3600	Companion 5th Wheel Hitch - Fits Ram Puck System
RVK3670	Companion Slider 5th Wheel Hitch - Fits Ram Puck System
RVK3700	Companion 5th Wheel Hitch - Fits Chevrolet/GMC Puck System
RVK3770	Companion Slider 5th Wheel Hitch - Fits Chevrolet/GMC Puck System



COMPANION® NO RAILS COMPANION







TOWING



The **<u>Companion</u>**[™] adored by RVers, was designed to address the issue of sloppiness in hitches. The result is a quiet, cushioned ride that is free of jerking. And it's removable. Free up your truck bed when you're not towing.

20,000 LB. GTW - 5,000 LB. VTW

Utilizes B&W's under bed mounting system

Cam-operated, machined jaws

Polyurethane bushings for a smooth, rattle-free tow

Height Adjustment 16 1/4"-18 1/4"

Flatbed version rated at 22,000 LB. GTW, no height adjustment

ITEM RVK3500

DESCRIPTION

Companion 5th Wheel Hitch

RVK3050

Companion Flatbed 5th Wheel Hitch

The **<u>Companion Slider</u>**[™] has all the benefits that customers love about our Companion, but adds the additional turning clearance you might need with a short-bed truck. It has an automatic latch in both directions and 12" of rearward travel. It uses the same cushioned coupler as the original Companion, with cam operated jaws that eliminate binding. And it's removable, with no rails left in the bed when you're not towing.

20,000 LB. GTW - 5,000 LB. VTW

Utilizes B&W's under bed mounting system

Cam-operated, machined jaws

Polyurethane bushings for a smooth, rattle-free tow Height Adjustment 17"-19"

ITEM

DESCRIPTION

RVK3405

Companion Slider 5th Wheel RV Hitch

TOWING



TURNOVERBALL® THE #1 SELLING GOOSENECK IN AMERICA.



We designed the first Turnoverball gooseneck hitch for hardworking people like you. We understood that you need a level truck bed when you're not towing for all your other projects. It just seemed obvious that the greasy ball should be stored in the same place it's used, in the truckbed.

Maybe that's why we are the #1 gooseneck hitch sold in America ...We understand your truck.









Turnoverball® Gooseneck Hitch Fit List

	PART NUMBER	TRUCK YEAR, MAKE, AND MODE
J	GNRK1016	2016-2018 Chevrolet & GMC 2500 & 35
	GNRK1012	2011-2015 Chevrolet & GMC 2500 & 35
	GNRK1057	2007-2018 Chevrolet & GMC 1500 Sho
Σ	GNRK1007	2007-2018 Chevrolet & GMC 1500 Lon
	GNRK1067	2001-2010 Chevrolet & GMC 2500 Hea 2007-2010 Chevrolet & GMC 3500 Tru
õ	GNRK1062	2001-2007 Chevrolet & GMC 3500 Tru
HEVROLE	GNRK1059	1999-2007 Chevrolet & GMC 1500 & 2
CHE	GNRK1050	1988-1998 Chevrolet & GMC 1500, 250 1999-2000 Chevrolet & GMC 2500 & 3
	GNRK1000	1988-1998 Chevrolet & GMC 1500, 250 1999-2000 Chevrolet & GMC 2500 & 3
	GNRK1400	1973-1987 Chevrolet & GMC 1500, 250
	GNRK1117	2017 Ford F250 & F350 4-Wheel Drive 2017 Ford F450 4-Wheel Drive Super D
	GNRK1116	2017 Ford F250 & F350 2-Wheel Drive
	GNRKIIII	2011-2016 Ford F250 & F350 Super Du 2011-2016 F450 with Factory Installed
	GNRK1115	2015-2018 Ford F150 Gas Engine Truck
R L	GNRK1104	2004-2014 Ford F150 Trucks
P	GNRK1108	1999-2010 Ford F250 & F350 Trucks 2008-2010 F450 with Factory Installed
	GNRK1197	1997-2003 Ford F150 & Light Duty F25
	GNRK1100	1980-1998 Ford F250 & F350 Without
	GNRK1110	1980-1998 Ford F250 & F350 With Ove
	GNRK1150	1980-1996 Ford F150 Trucks
	GNRK1384	2014-2018 Ram 2500 Trucks
	GNRK1314	2013-2018 Ram 3500 Trucks
	GNRK1309	2009-2018 Dodge/Ram 1500 Trucks *Only GNXA4685 and RVK3500 with s
DODGE RAM	GNRK1313	2013 Ram 2500 Diesel Trucks 2010-2012 Ram 2500 & 3500 Diesel Tr 2003-2009 Dodge 2500 & 3500 Gas o
	GNRK1308	2013 Ram 2500 Gas Engine Trucks 2013 Ram 2500 Mega-Cab Trucks 2010-2012 Ram 2500 & 3500 Gas Engi 2006-2012 Dodge/Ram 1500, 2500, &
	GNRK1316	2002-2008 Dodge 1500 Trucks (Excep
	GNRK1394	1994-2002 Dodge 2500 & 3500 Trucks 1994-2001 Dodge 1500 Trucks
	GNRK1300	1973-1993 Dodge 1500, 2500 & 3500 T



TOWING

B TRAILER HITCHES

EL

- 3500 Heavy Duty Trucks
- 500 Heavy Duty Trucks
- ort Bed Trucks with Boxed Frame
- ng Bed Trucks with Boxed Frame
- eavy Duty Trucks rucks (With 1 bed cross member over the axle)
- rucks (With 2 bed cross members over the axle)
- 2500 Light Duty Trucks (Tube Frame changing to C-Channel before axle)
- 00 & 3500 Short Bed Trucks 3500 Short Bed Trucks (Full C-Channel Frame)
- 00 & 3500 Short Bed Trucks 3500 Heavy-Duty Long Bed Trucks (Full C-Channel Frame)
- 00, & 3500 Trucks (Requires Drilling)
- e Super Duty Trucks r Duty Trucks with factory installed bed
- e Super Duty Trucks
- uty Trucks d Bed
- cks
- ed Bed
- 50 Trucks, & 2004 Heritage Edition
- t Overload Springs
- verload Springs (Requires Drilling 2 Holes)
- special post work with this hitch
- Trucks or Diesel Trucks
- gine Trucks & 3500 Mega-Cab Trucks
- ept Mega-Cab)
- 5
- Trucks (Requires Drilling)



- quick-locking system • Wider 9" (vs. 6") king pin funnel on stamped rounded head for easier connection
- Strong, high capacity forged single jaw design
- Increased king pin/jaw contact design
- Self-latching jaw & king pin indicator assures positive connection
- Wider footprint for increased stability
- · Lockable extended length handle (lock sold separately)
- 4° side-to-side pivot
- Contemporary 21st century appearance
- Includes 90° wiring harness 50-97-410
- Pre-assembled Installs easily

Installing a slider with a fifth wheel hitch, especially in a short bed or extended cab short bed pickup truck, allows additional turning clearance and reduces opportuni ties for truck/trailer damage.


MFG. PART	MODEL	PIN WEIGHT CAPACITY (LBS.)	CAPACITY (LBS.)
30142	Elite™ Series	4,500	18,000
30144	Elite™ Series w/Slider	4,500	18,000
30143	Elite™ Series	6,250	25,000
30871	Elite™ Series	6,625	26,500
30156	Rail Kit Mounting Adapter for use with Ford OEM & Elite™ Series Under-Bed Rail Kits		
30154	Service Kit Adapter Foot for Signature Series™ Fifth Wheel & Gooseneck is Required when used on Elite™ Series & OEM Rail Kits		
58419			
30149			
50-97-410	90° 7-Way Complete Connector Kit with 9 ft. Cable		

©2017 Horizon Global MKG2769









- B. Wrap around jaw with locking bar for a smoother, safer and more secure ride
- C. 22 1/2 INCHES of travel to help get in and out of those tight spots
- pin-box from hitting bed rails or Tonneau-cover rails
 - A. No locking plate required for standard pin boxes to activate slide mechanism
 - B. Wrap around jaw with locking bar for a smoother, safer and more secure ride
 - gear technology D. Up to 14" of travel to help get in and out of those tight spots

Follow this

QR code to

hitches

more info on our Autolside

Additional Autoslide Information:

• Fits industry standard rails

18K or 21K AUTOSLIDE

- Low profile design
- Lighter weight & Easy access
- 3 mounting systems to fit your needs.
- 3 vertical height adjustments
- 5 year warranty





TOWING

TOWING

uired	for	standard	pin
mec	han	ism	

D. Up to 2 3/4" side-to-side travel to keep your

C. Slides utilizing rack and pinion

PART DESCRIPTION	Part #
13K Above Mount Industry Standard Bed Rails Included	8550039
13K Above Bed Mount Bed Rails NOT Included	8550040
13K Under Bed Mount (UMS)	8550041

PART DESCRIPTION	Part #
18K Above Bed Mount	
Industry Standard Bed Rails Included	8550023
18K Above Bed Mount	
Bed Rails NOT Included	8550034
18K Under Bed Mount (UMS) 14-0527	8550022
18K Under Bed Mount (UMS)	
Ford Prep Package	8550024
21K Above Bed Mount	
Industry Standard Bed Rails Included	8550036
21K Above Bed Mount	
Bed Rails NOT Included	8550035
21K Under Bed Mount (UMS) 14-0778	8550037
21K Under Bed Mount (UMS)	
Ford Prep Package	8550038

Locking Plates

For use with Autoslide in conjunction with a pin-box listed below



PART DESCRIPTION	Part #
Trailair Tri Glide	6095
Trailair Rota Flex	6171
MOR/Ryde Pin-box	6025
5 th Airborn Standard Pin-box	6026
5 th Airborn Extended Pin-box	6062
Demco Glide Ride Pin-box	6036



REC features a geometric, lightweight, two piece design. No additional adapter plates or cables needed to install on a king pin

- Fits ANY Standard 2-5/16" Gooseneck Ball Mount (Goose Neck Ball Mount must be rated at least 21K.)
- Industry standard ISR applications
- Latch handle built in No Additional levers or rods needed to hook or unhook
- Lighter weight, two piece design for easy install and removal
- Wrap around jaw with lock bar for stronger, more secure, safer towing experience
- Dual articulation head for easy hookup and release on uneven terrain
- 3 height adjustments 15-1/2" to 18"
- 21,000 towing capacity
- Made in the USA

PART DESCRIPTION	PART #
ISR Mount (rails not included)	8550043
ISR Mount (rails not included)	8550044
2 ⁵ / ₁₆ Goose Ball Mount	8550045

Follow this QR code to view a video of our Recon hitch



Temco





SL Series Double Pivot Slider Bed rails included. Frame mounting brackets must be ordered separately 16K – 8550029 21K - 8550030

- Wrap around jaw with locking bar for a smoother, safer and more secure ride.
 - Long/Short Box Application 16K & 21K towing capacities • Double pivot head with polyurethane bumpers
- · Four vertical height adjustments • Upgrade kits available to change with your towing needs
- 5 Year Warranty





SL Series Flat Deck Bed rails included. Frame mounting brackets must be ordered separately 21K - 8550042 • Double pivot head w/polyurethane bumpers • Wrap around jaw with locking bar for a smoother, safer and more secure ride. Long/Short Box Application • 21,000 lb Towing Capacity • 5 Year Warranty



5th Wheel Wiring Harness 8555001 - 7' 8555002 - 10'

Universal 5th wheel wire harness routes 7-way socket into truck bed for easy electrical hook up of a 5th wheel or gooseneck trailer. Maintains 7-way connector at rear of vehicle. Fits all current model pickups. Available in 7' or 10' lengths

PART DESCRIPTION Ultra Slide Upgrade Premier Series Ultra Upgrade Kit





TOWING

DEMCO 5TH WHEEL UPGRADES/ACCESSORIES

PART



Gooseneck Adaptors Bed rails and Frame mounting brackets must be ordered separately Long Box Application • 25,000 lb Towing Capacity

• Removes easily by pulling four pins

• 2 5/16" ball

PART DESCRIPTION

SL Series 25K Goo

Premier/Ultra Seri

25K Gooseneck

UMS Gooseneck

• Powder coated for long lasting, durable finish

PART #
5992
5996
5988

5th Wheel Upgrade Kits Upgrade to a 21K hitch with this kit

PART DESCRIPTION	Part #
Upgrade the 8550008, 8550009 or 8550029 to 21K towing capacity for stationary hitch	5991
Upgrade the 8550025 to 21K towing capacity for Premier Series stationary hitch	6051
Upgrade the 8550007 to $21 \mathrm{K}$ towing capacity for Ultra Slide	6000
Upgrade the 8550019 or 8550026 to 21K towing capacity for Premier Series Ultra Slide	6052



Ultra Slide Upgrade Kits Upgrade to a manual slide hitch with this kit

	PART #
Kit	6011
Slide	6055

Bed Rail Kits DESCRIPTION PART #		:	•	:	- star	:		:	
	_	:	۰.	:		:	۰.	.:	
DESCRIPTION PART #	_		Ве	ed	Ra	il	Kit	ts	
	DESCRI	PTI	ON						PART #

SL Series Bed Rail Kit	6012
Ultra Series Bed Rail Kit	6014
Premier Series Bed Rail Kit Fits industry standard hitches	6071

5th Wheel Cover – 14844 Vinyl cover to protect the head from the elements when not using hitch



OE ADAPTERS

B&W-6140 Converts the B&W ball mount to a 21K ISR rail system. Adjustable for bed liners



*Not for use with automatic sliding hitches

5th Wheel OE Prep Brackets Industry standard rail system for factory installed 5th wheel hitch packages



Dodge Prep Truck Bracket 25K-6099 Ford Prep Truck Bracket 25K-6175 Chevy/GMC Prep Truck Bracket 21K, 6 1/2'-6194 Chevy/GMC Prep Truck Bracket 21K-6206 Nissan Prep Truck Bracket 21K – 6200

> For additional images, go to demco-products.com



Page 81

Temco

TOWING

Contact Demco at 1-800-543-3626 if your installation bracket kit is not listed **DEMCO 5TH WHEEL FRAME MOUNTING BRACKET KITS**

VEHICLE	YEAR	UMS-SERIES UNDER BED MOUNT	PREMIER SERIES	SL-SERIES
FORD				
F150 (5 ½, 6 ½ & 8' Boxes)	2015-2017	N/A	8552028	8553015
F150 (5 ¹ / ₂ ', 6 ¹ / ₂ ' & 8' Boxes)	2004-2014	8551001	8552003 or 8552004	8553002
F150 (6 ¹ / ₂ ' & 8' Boxes)	1997-2003	N/A	8552009	8553004
F150 (6 ¹ / ₂ ' & 8' Boxes)	1989-1996	N/A	8552005	8553005
F250/350 "Super Duty" (6 1/2' & 8' Boxes)	2017	8551009	8552031	8553017
F250/350 "Super Duty" ($6^{1/2}$ & 8' Boxes)	2011-2016	8551000	8552000	8553000
F250/350 "Super Duty"	2005-2010	8551000	8552001 or 8552002	8553001
F250/350 "Super Duty" (6 1/2' & 8' Boxes)	1999-2004	8551000	8552006	8553003
F250 "Heavy Duty" (6 ¹ / ₂ ' & 8' Boxes)	1997-1998	N/A	8552005	8553003
F250 "Light Duty" (6 ¹ / ₂ ' & 8' Boxes)	1997-2003	N/A	8552009	8553004
F250 (6 ¹ / ₂ ' & 8' Boxes)	1989-1996	N/A	8552005	8553005
F350 (6 ¹ / ₂ ' & 8' Boxes)	1992-1998	N/A	8552005	8553003
F450 "Super Duty"	2011-2016	8551000	8552000	8553000
F450 "Super Duty"	2008-2010	8551000	8552001 or 8552002	8553001
F450/550 "Chassis Cab"	2000-2010	N/A	8552005	Not recommended
F Series (6 ¹ / ₂ ' & 8' Boxes)	1973-1988	N/A	8552005	8553003
Ranger (6 ¹ / ₂ 'Boxes)	2000 & earlier	N/A N/A	N/A	8553006
CHEVROLET/GMC	2000 & callier	11/11	11/11	000000
Silverado & Sierra 1500 (5 1/2 [°] , 6 ¹ /2 [°] & 8 [°] Bed) Regular, Double, and Crew Cab	2014-2017	8551008	8552027	8553014
Silverado & Sierra 1500 (5 172, 6 ½ & 6 Bed) Regutas, Double, and Crew Cab	2007-2013	8551008	8552009 or 8552013	8553004
Silverado & Sierra 1500 (6 ½ and 8 Box) (tube frame) Silverado & Sierra 1500 (5 ½ Box)	2007-2013	8551005	8552009 or 8552013 8552009 or 8552013	8553004
Silverado & Sierra 1500 (5 ½ 50x) Silverado & Sierra 1500 (6 ½ & 8' Boxes)	1999-2007	8551008	8552009 or 8552015	8553004
Silverado/Sierra 1500 HD (6 ½ & 8 Boxes)	2001-2007	8551004		8553004
N F		8551004	8552009 8552009	8553004
Silverado/Sierra 1500 (5 ½² Box) Silverado/Sierra 1500 (8 Box)	2004-2006	N/A	8552009	8553009
× /	1988-1998			
Silverado/Sierra 1500 (6 ½ Box)	1988-1998	N/A	8552009	8553009
Silverado/Sierra 2500 & 3500 HD (6 ½ box only)	2011-2017	8551002	8552011	8553007
Silverado/Sierra 2500 & 3500 HD (8' box only)	2011-2017	8551003	8552011	8553007
Silverado/Sierra 2500 & 3500 HD (6 ¹ / ₂ [*] & 8 [*] Boxes) (Includes New Body Style)	2001-2010	8551004	8552009 or 8552012	8553004
Silverado & Sierra 2500 (6 ½ & 8' Boxes)	1999-2007	8551004	8552009	8553004
Silverado/Sierra 2500 (8' Box)	1988-1998	N/A	8552009	8553009
Silverado/Sierra 2500 (6 1/2' Box)	1988-1998	N/A	8552009	8553009
Silverado/Sierra 3500 (6 ½ and 8' Box)	1988-2001	N/A	8552009	8553009
Chevrolet/GMC Pickups (6 1/2' & 8' Boxes)	1987 & earlier	N/A	8552014	Not recommended
Chevrolet/GMC S-10 (6 ¹ / ₂ ' Box)	1987 & earlier	N/A	N/A	8553003
DODGE				
Ram 1500 (5 1/2', 6 1/2' & 8' Boxes) No Air Suspension Includes Diesel	2009-2017	N/A	8552030	8553010
Ram 1500 (4x2 & 4x4)(6 1/2' & 8' Boxes)(Includes Mega Cab)	2002-2008	8551005	8552015 or 8552016	8553004
Ram 1500	1994-2001	N/A	8552009	8553003
Ram 2500 (4x2 & 4x4)(6 ¹ /2 [*] & 8' Boxes) (Includes Mega Cab) (Includes Auto Level Rear Air Suspension)	2014-2017	N/A	8552025	8553016
Ram 2500 (4x2 & 4x4)(6 ¹ / ₂ ' & 8' Boxes) (Includes Mega Cab)	2013	8551005	8552015 or 8552023	8553004
Ram 2500 (4x2 & 4x4)(6 ¹ / ₂ ' & 8' Boxes) (Includes Mega Cab)	2003-2012	8551005	8552015 or 8552016	8553004
Ram 2500 (6 1/2' & 8' Boxes)	1994-2002	N/A	8552009	8553003
Ram 3500 (4x2 & 4x4)(6 1/2' & 8' Boxes) (Includes Mega Cab)	2013-2017	8551006*	8552026	8553013*
Ram 3500 (4x4 only)(6 1/2' & 8' Boxes) (Includes Mega Cab)	2003-2012	8551005	8552015 or 8552016	8553004
Ram 3500 (4x2 only)(6 ¹ / ₂ ' & 8' Boxes) (Includes Mega Cab)	2003-2012	8551005	8552017	8553004
Ram 3500 (6 1/2' & 8' Boxes)	1994-2002	N/A	8552009	8553003
Ram (6 1/2' & 8' Boxes)	1993 & earlier	N/A	8552009	8553003
Dakota (6 1/2' Box)	2005	N/A	8552019	8553003
Dakota (6 1/2' Box)	2003-2004	N/A	8552005	8553003
Dakota	2002 & earlier	N/A	8552009	8553003
ΤΟΥΟΤΑ				
Tundra (5 1/2', 6 1/2' & 8' Boxes)	2007-2016	N/A	8552020	N/A
Tundra (6 1/2' & 8' Boxes)	2001-2006	N/A	8552009	Not recommended
Tacoma	2001 & Earlier	N/A	N/A	8553012
T100	2000 & Earlier	N/A	8552009	8553012
NISSAN				
	2004-2015	N/A	8552021	N/A



OEM PUCK SYSTEM 5TH WHEEL ROLLER PRODUCTS 24ĸ GTW

The 5th wheel roller products below are for short-bed trucks with the OEM puck system. The Ford option has a built-in roller unit and is designed to accept a CURT 5th wheel head. The Ram and GM options are designed to accept a CURT 5th wheel roller.

Product Details

Ford roller system

- Adapts any CURT 5th wheel head unit to fit the Ford puck system
- Features integrated roller to provide added clearance for short-bed trucks

Chevrolet / GMC & Ram roller adapters

- Adapts any CURT 5th wheel roller to fit the OEM puck system
- Requires a 5th wheel roller unit to mount the 5th wheel hitch



Part#	Make	GTW	Description	Notes	Finish
16020	Ford	Up to 24,000 lbs.	OEM roller system (roller built in)	Hitch head sold separately	Carbide
16022	Ram	Up to 24,000 lbs.	OEM roller adapter legs	Hitch head and roller sold separately	Carbide
16023 NEW	Chevrolet / GMC	Up to 20,000 lbs.	OEM roller adapter legs	Hitch head and roller sold separately	Carbide





TOWING

All roller products

- Quarter-turn anchors allow for quick installation and removal
- Anchors can be adjusted to eliminate chucking between the roller and under-bed platform
- Meets proposed SAE J2638 testing standards
- Protected by a durable carbide powder coat finish
- Capacity limited to lowest-rated towing component







UNIVERSAL UNDER-BED BRACKETS & INDUSTRY-STANDARD BASE RAILS

- Intended for vehicle applications not covered by CURT custom brackets
- Compatible with CURT and most competitive 5th wheel hitches, rollers and gooseneck adapters
- All universal brackets require drilling to be installed



Part#	Multi-Pack#	Finish	Description	Includes	
5th Who	eel Brackets and	d Base Rails			
16150		Gloss black	Two 5th wheel base rails, four-bolt	Brackets and hardware	
16100		Gloss black	Two 5th wheel base rails, 10-bolt	Brackets and hardware (16101)	00000000000
16200		Carbide	Two 5th wheel base rails, 10-bolt	Brackets and hardware (16101)	000000000000000000000000000000000000000
5th Who	eel Base Rails O	nly			
16104		Gloss black	Two 5th wheel base rails, 10-bolt		1611
16204		Carbide	Two 5th wheel base rails, 10-bolt		
Replace	ement Parts				TTTT
16101		Zinc-plated	Installation brackets and hardware		16103 8 TTTT
16111		Zinc-plated	Replacement installation hardware kit		(10 sets
16103	16103010	Zinc-plated	Replacement bracket bolts, needed when installing new brackets	16103 - eight bolts 16103010 - 10 sets of eight bolts	

OEM PUCK SYSTEM 5TH WHEEL LEGS

- Legs allow CURT 5th wheel hitches to fit the OEM puck system
- Quarter-turn anchors allow for quick installation and removal
- Anchors can be adjusted to eliminate chucking between the legs and under-bed platform





Part#	Fits	GTW / Vertical Load	Warranty
16017	Ford	Up to 24,000 lbs.	Limited lifetime
16021	Ram	Up to 25,000 lbs.	Limited lifetime
16025	Chevrolet / GMC	Up to 25,000 lbs.	Limited lifetime
16026	Nissan Titan XD	Up to 20,000 lbs.	Limited lifetime









A-SERIES 5TH WHEEL HITCH OPTIONS



Part#	Description	GTW / Vertical Load	Height	
Long-Bed Optic	DINS			
16120	A16 5th wheel hitch	16,000 / 4,000 lbs.	13" - 17"	
16121	A16 5th wheel hitch (16120) with base rails (16200)	16,000 / 4,000 lbs.	13" - 17"	
16063	A16 head (16520) with GM puck system legs (16025)	16,000 / 4,000 lbs.	13" - 17"	
16033	A16 head (16520) with Ford puck system legs (16017)	16,000 / 4,000 lbs.	13" - 17"	
16073	A16 head (16520) with Nissan Titan XD puck system legs (16026)	16,000 / 4,000 lbs.	13" - 17"	
16043	A16 head (16520) with Ram puck system legs (16021)	16,000 / 4,000 lbs.	14" - 18"	
16140	A20 5th wheel hitch	20,000 / 5,000 lbs.	13" - 17"	
16141	A20 5th wheel hitch (16140) with base rails (16200)	20,000 / 5,000 lbs.	13" - 17"	
16064	A20 head (16540) with GM puck system legs (16025)	20,000 / 5,000 lbs.	13" - 17"	
16034	A20 head (16540) with Ford puck system legs (16017)	20,000 / 5,000 lbs.	13" - 17"	
16074	A20 head (16540) with Nissan Titan XD puck system legs (16026)	20,000 / 5,000 lbs.	13" - 17"	
16044	A20 head (16540) with Ram puck system legs (16021)	20,000 / 5,000 lbs.	14" - 18"	
16180	A25 5th wheel hitch	25,000 / 6,250 lbs.	13" - 17"	
16181	A25 5th wheel hitch (16180) with base rails (16200)	25,000 / 6,250 lbs.	13" - 17"	
16066	A25 head (16580) with GM puck system legs (16025)	25,000 / 6,250 lbs.	13" - 17"	
16046	A25 head (16580) with Ram puck system legs (16021)	25,000 / 6,250 lbs.	14" - 18"	
Short-Bed Opti	ons			
16521	A16 head (16520) with R16 roller (16560)	16,000 / 4,000 lbs.	17 1/2" - 21 1/2"	
16621	A16 head with R16 roller (16521) and base rails (16200)	16,000 / 4,000 lbs.	17 1/2" - 21 1/2"	
16668 NEW	A16 head with R16 roller (16521) & GM puck system roller adapter (16023)	16,000 / 4,000 lbs.	19" - 23"	
16675 NEW	A16 head (16520) & Ford puck system roller (16020)	16,000 / 4,000 lbs.	17 1/2" - 21 1/2"	
16685 NEW	A16 head with R16 roller (16521) & Ram puck system roller adapter (16022)	16,000 / 4,000 lbs.	19" - 23"	
16541	A20 head (16540) with R20 roller (16550)	20,000 / 5,000 lbs.	17 1/2" - 21 1/2"	
16641	A20 head with R20 roller (16541) and base rails (16200)	20,000 / 5,000 lbs.	17 1/2" - 21 1/2"	
16669 NEW	A20 head with R20 roller (16541) & GM puck system roller adapter (16023)	20,000 / 5,000 lbs.	19" - 23"	
16676 NEW	A20 head (16540) & Ford puck system roller (16020)	20,000 / 5,000 lbs.	17 1/2" - 21 1/2"	
16686 NEW	A20 head with R20 roller (16541) & Ram puck system roller adapter (16022)	20,000 / 5,000 lbs.	19" - 23"	
Individual Com	ponents			
16520	A16 head only	16,000 / 4,000 lbs.		
16920	A16 replacement leg kit and hardware			
16540	A20 head only	20,000 / 5,000 lbs.		
16906	A20 replacement leg kit and hardware			
16580	A25 head only	25,000 / 6,250 lbs.		
16907	A25 replacement leg kit and hardware			
16902	Replacement rail pins & clips			



TOWING



A25 - 25K



Faster, Easier Sway Control

The **C**2[™] hitch features a unique rigid bracket system with built-in sway control, for safer, hassle-free towing. You can get on the road faster and enjoy your drive, without having to worry about extra add-ons to connect and remove for backing or making tight turns.



		1L		
	.			
	e2 Trunnio	on Hitches		
	Mfg #	Description		
	92-00-0450	450/4,500 lb.		
	92-00-0600	600/6,000 lb.		
	92-00-0800	800/8,000 lb.		
	92-00-1000	1,000/10,000 lb.		
	92-00-1033		No shank model	
	92-00-1200	1,200/12,000 lb.		
NEW	92-00-1065	1,000/10,000 lb.	Hitch ball installed	
	e2 Round	Bar Hitches	Þ	
	Mfa #	Description		
	Mfg #	Description		
	94-00-0600	600/6,000 lb.		
	94-00-0600 94-00-0800	600/6,000 lb. 800/8,000 lb.	1	
	94-00-0600 94-00-0800 94-00-1000	600/6,000 lb. 800/8,000 lb. 1,000/10,000 lb		
	94-00-0600 94-00-0800 94-00-1000 94-00-1033	600/6,000 lb. 800/8,000 lb. 1,000/10,000 lk 1,000/10,000 lk). No shank model	
	94-00-0600 94-00-0800 94-00-1000	600/6,000 lb. 800/8,000 lb. 1,000/10,000 lk 1,000/10,000 lk		
	94-00-0600 94-00-0800 94-00-1000 94-00-1033 94-00-1061	600/6,000 lb. 800/8,000 lb. 1,000/10,000 lk 1,000/10,000 lk). No shank model	
	94-00-0600 94-00-0800 94-00-1000 94-00-1033 94-00-1061	600/6,000 lb. 800/8,000 lb. 1,000/10,000 lk 1,000/10,000 lk). No shank model	
	94-00-0600 94-00-0800 94-00-1000 94-00-1033 94-00-1061	600/6,000 lb. 800/8,000 lb. 1,000/10,000 lk 1,000/10,000 lk	D. No shank model D. Hitch ball installed Trunnion .5" drop x 6" rise x 12" adj.	
	94-00-0600 94-00-0800 94-00-1000 94-00-1033 94-00-1061 C2 Specia Mfg #	600/6,000 lb. 800/8,000 lb. 1,000/10,000 lk 1,000/10,000 lk	D. No shank model D. Hitch ball installed Trunnion .5" drop x 6"	

Fastway C2 - Faster, Easier™



92-02-4315

rise x 12" ad

rise x 12" adj

For over **70 years** we've been keeping families safe



The best protection for your journey.™





TOWING

with the best performing sway control hitch on the market.



MFG #	Description
90-00-1069	1,000/10,000 lb.
STA	NDARD MODELS
MFG #	Description
90-00-0400	400/4,000 lb.
90-00-0600	600/6,000 lb.
90-00-1000	1,000/10,000 lb.
90-00-1200	1,200/12,000 lb.
00.00.1400	4 400/44 0000 11

NO SHANK MODELS

MFG #	Description						
90-00-0401	400/4,000 lb.						
90-00-0601	600/6,000 lb.						
90-00-1001	1,000/10,000lb.						
90-00-1201	1,200/12,000 lb.						
90-00-1401	1,400/14,000 lb.						

2"ADJUSTABLE SHANKS

MFG #	Description
90-02-4100	3" Drop/7" Rise x 12"
90-02-4200	4" Drop/8" Rise x 12"
90-02-4300	6" Drop/10" Rise x 12"
90-02-4400	9" Drop/13" Rise x 12"
90-02-4500	3" Drop/7" Rise x 18"
90-02-4600	4" Drop/8" Rise x 18"

2"ADJUSTABLE 4K SHANKS

MFG #	Description
90-02-4140	3" Drop/7" Rise x 12"
90-02-4240	4" Drop/8" Rise x 12"
90-02-4340	6" Drop/10" Rise x 12"

2¹/₂"ADJUSTABLE SHANKS

MFG #	Description
90-02-4700	3" Drop/7" Rise x 12"
90-02-4800	4" Drop/8" Rise x 12"
90-02-4900	6" Drop/10" Rise x 12"

EQUAL-I-ZER HITCH BALLS

MFG #	Description
91-00-6080	2″8k
91-00-6100	2-5/16" 10k
91-00-6120	2-5/16″12k
91-00-6140	2-5/16″ 14k

REPLACEMENT PARTS

MFG #	Description
95-01-9390	Spare Pin Pack
95-01-6000	Snap-up Lever
95-01-9395	Double Spare Pin Pack
95-01-9400	Socket Pin and Clip
95-01-9430	Snap L-pin (2 pack)
95-01-9475	Hitch Pin and Clip
95-01-9415	Set of Socket Pins w/Thumb Clips



READERS'

CHOICE

AWARD

WINNER 2012 - 2016

GOLD



TOWING

Page 87

TRUTRACK[™] WEIGHT 2 **DISTRIBUTION SYSTEMS** INCH

The CURT TruTrack[™] weight distribution system is one of the most advanced weight distribution hitches in the industry. It combines precise weight distribution with integrated sway control to deliver the smoothest, safest ride possible. By integrating both features, the TruTrack™ eliminates the need to purchase a separate sway control unit.

Features & Benefits

- Actively controls trailer sway and levels both the vehicle and trailer
- Uses spring & cam system with hardened components, instead of metal friction
- Adjustable brackets provide fixed support unlike spring bar chain models
- Weight capacities available up to 15,000 lbs.
- 12" adjustable shank fits 2" receiver tube openings
- 2 1/2" replacement shank available
- Highly durable carbide powder coat finish

True integrated sway control

The spring & cam system and fixed support brackets offer true four-point sway control and weight distribution.



Quiet operation

Each TruTrack[™] hitch is equipped with grease zerk fittings for continuous lubrication and a quiet ride.







Long-lasting construction

The hardened spring & cam components and cast head are less subject to wear than competitor models.



Easy, versatile setup

The TruTrack[™] has two neutral bar settings and adjustable castle nuts to accommodate different trailer sizes.





Pkg#	GTW	тw	Bars	Description
17499 NEW	5,000 - 8,000 lbs.	500 - 800 lbs.	35 9/16"	WD system only
17500	8,000 - 10,000 lbs.	800 - 1,000 lbs.	35 9/16"	WD system (17500) and pre-torqued 2 5/16" trailer ball (40006)
17501	10,000 - 15,000 lbs.	1,000 - 1,500 lbs.	35 9/16"	WD system (17501) and pre-torqued 2 5/16" trailer ball (40030)



MV ROUND BAR WD HITCHES & KITS INCH

- Up to 14,000 lbs. GTW / 1,400 lbs. TW
- Weight ratings are limited to vehicle manufacturer's stated capacities
- Grease zerk fitting provides easy, continuous lubrication
- Equipped with round, forged steel spring bars for reliable strength
- Heavy-duty, fabricated head can be adjusted for precise leveling
- Features built-in sway control attachment tabs
- 12" adjustable shank fits 2" receiver tube openings
- 2 1/2" WD replacement shank available
- Snap-up brackets and lift handle allow for easy leveraging of spring bars
- Highly durable carbide powder coat finish

Bulk#	Pkg#	GTW	тw	Bars	Description
MV Rou	nd Bar W	eight Distribution Kits			
	17062	8,000 - 10,000 lbs.	800 - 1,000 lbs.	31 3/16"	WD hitch (17052), sway control (17200), pre-torqued 2 5/16" trailer ball (40006) and chains pre-assembled to spring bars
	17065	10,000 - 14,000 lbs.	1,000 - 1,400 lbs.	31 3/16"	WD hitch (17057), sway control (17200), pre-torqued 2 5/16" trailer ball (40030) and chains pre-assembled to spring bars
MV Rou	nd Bar Wo	eight Distribution Hitcl	hes		
	17050	5,000 - 6,000 lbs.	500 - 600 lbs.	31 3/16"	Round bar weight distribution hitch
	17051	6,000 - 8,000 lbs.	600 - 800 lbs.	31 3/16"	Round bar weight distribution hitch
	17052	8,000 - 10,000 lbs.	800 - 1,000 lbs.	31 3/16"	Round bar weight distribution hitch
	17057	10,000 - 14,000 lbs.	1,000 - 1,400 lbs.	31 3/16"	Round bar weight distribution hitch
MV Rou	nd Bar Re	placement Parts			
17071		5,000 - 6,000 lbs.	500 - 600 lbs.	31 3/16"	Replacement spring bar with pre-assembled chain
17072		6,000 - 8,000 lbs.	600 - 800 lbs.	31 3/16"	Replacement spring bar with pre-assembled chain
17073		8,000 - 10,000 lbs.	800 - 1,000 lbs.	31 3/16"	Replacement spring bar with pre-assembled chain
17074		10,000 - 14,000 lbs.	1,000 - 1,400 lbs.	31 3/16"	Replacement spring bar with pre-assembled chain
17075		14,000 lbs.	1,400 lbs.		Replacement head
17008					Replacement hookup bracket (single)
17112					Replacement lift handle
17076					Replacement bolt kit
17100		Shanks do not have individual ratings			Replacement shank (additional shanks available)

Sway Control Kit

17203 Includes sway control unit, trailer-mounted attachment ball & bolt, hitch mounted attachment ball, weld-on tab to adapt for left-hand use or for use without weight distribution hitch, mount reinforcement plate and attachment clips



TOWING

DNIMOT






REESE OVER 60 YEARS OF INNOVATION, ROAD-TESTED BY AMERICA

WEIGHT DISTRIBUTION HITCH BARS

- Sold separately from the weight distributing hitch kits, hitch bars offer a full range of style and adjust-ability
- Long hitch bars provide the extra length for bumper clearance
- · Hitch bars can be used with round bar, trunnion bar or high-performance weight distributing systems
- Designed for use in the rise or drop position





PART NO.	HITCH BAR SIZE	CAPACITY LBS. (TW)	(A) HEIGHT	(B) LENGTH	(C) RISE	(D) DROP	CAST / WELDED
63911	2"	1,200	6-1/4"	7-3/4"	4-1/4"	6-1/4"	Cast
3214	2"	1,400	6-1/4"	11-3/4"	4-1/4"	6-1/4"	Welded
3215	2"	1,400	6-1/4"	8-3/4"	8-3/4"	10-3/4"	Welded
3344	2"	1,400	5"	8-3/4"	NA	13-1/4"	Welded
54970	2"	1,500 (1,000)	6-1/4"	9-1/4" (10-1/4")	4-1/4"	6-1/4"	Cast
63971	2"	1,500	7-1/2"	9-3/4"	NA	10"	Cast
54998	2"	1,600	7-1/2"	9-1/4"	4-7/8"	6-7/8"	Cast
54977	2-1/2"	1,700	15"	11-1/2"	7-3/4""	10-1/4"	Cast
54976	2-1/2"	1,700	6-1/4"	11-1/2"	5-1/4"	1-1/4"	Cast

©2017 Horizon Global MKG2812





SMART BRAKING WITH PROPORTIONAL TECHNOLOGY

Unlike timed brake controls that deliver the same power under all braking conditions, Tekonsha Brake Controls use Proportional Technology that senses the type of braking event, and applies appropriate power to the trailer brakes.



Eliminate Hardwiring All Tekonsha brake controls include adapter for OE Wire Harnesses. Simply "Plug & Play!"

TRAILER BRAKE CONTR 01S**INNOVATIVE TRAILER BRAKING SOLUTIONS**

Tekonsha[®] is the industry leader and innovator in electric trailer brake controls and breakaway systems. No matter what you are towing, Tekonsha can help you stop it.





TOWING

EKONSHA[®]

P3[®]

VOYAGER®

©2017 Horizon Global MKG2767









Hayes offers quality brake controllers for every towing need.

Syncronizer[®] |81725|

The New Syncronizer® requires. no leveling and is preprogrammed to modulate and control power from the tow vehicle to the trailer brakes

Pre-set brake power setting Quik-Connect® feature Easy installation For 2 or 4 electric brakes hree-year warranty

Energize III+

| 81742B | The New Energize III+® model uses sensors that automatically monitor and measure tow vehicle deceleration to provide smooth, proportional trailer braking.

Now with 2, 4, or 6 electric brakes - Full 12-volt, manual output Quik-Connect® feature 3 axis accelerometer Includes VHB tape for easy installation simply peel and stick (no screw-in needed) Five-year warranty

G2®Brake Boss 81792BB

The Hayes G2® Brake Boss trailer brake controller features an audible signal alert for connection continuity - a market-exclusive feature that makes for safer braking

Audible signal alert - Three-axis accelerometer Power boost feature - Quik-Receiver® compatible

Manual emergency braking control High-resolution liquid crystal display For 2, 4, 6, and 8 electric brakes Limited lifetime warranty

G2 Brake Boss

Air Actuated

|100400C| The air actuated electric trailer brake controller provides smooth brake actuation and can be converted from a negative to

Air Actuated a positive ground system.

electrical brakes 18-amp output Automatic or manual braking operation Indicator light shows braking intensity For 2,4, or 6 electric trailer brakes One-year limited warranty

Now for 2,4,6 or 8



Learn more about Hayes brake controllers at www.hayesbc.com



TOWING

DNIMOT

When your safety depends on it

The Blackbird®

|81726|

Big power in the palm of your hand The Blackbird® is the ultimate in time-based trailer braking. The integrated Quik-Connect® plug works with ALL HayesQuik-Connect® harnesses

- Slim, compact 3"x3" housing
- Solid state dependability
- No leveling required
- Diagnostic error codes

Endeavor®

1817701

The Endeavor® senses the deceleration rate of the tow vehicle during braking and sends a proportional amount of Endeavor ® power to the brakes.

Genesis®

81790

The Genesis® features a three-axis accelerometer that levels automatically and senses the rate of deceleration.

Genisis[®]

Digital display Power boost feature Quik-Receiver® compatible For 2, 4, 6, and 8 electric brakes Lifetime warranty

Quik-Receiver®& Ouik-Connect® Harness

817938

Installations are fast and easy with a Hayes Quik-Connect[®] Quik Conr OEM Wiring Harness, Simply snap together. No splicing required.

And the Hayes Quik Receiver® works with most Hayes controllers and installs with no tool required

GI	a yun-vumoot namo.
	81780HBC GM 03-'06
	81781HBC GM 99-'02
٦.	81782HBC Dodge/Chrys. 96-12
₽.	81783HBC Ford 94-'16
-	81784HBC Ford HD 05-'07
ect ®	81785HBC Toyota 02-'16
	81786HBC Nissan 04-'16
	81787HBC Honda 05-'16
	81788HBC Ford HD08-'16
	81789HBC Hayes Universal
12	81794HBC Ford F150 09-'16
2	81795HBC Dodge RAM 1500 10-'12/'15-'16
-	81796HBC Dodge Dur./Jeep Cher.11-'16
	81797HBC Dodge RAM 1500 13-'14
	81798HBC Chev. Silv./GM Sierra 14-'16
	81799HBC Toyota Tundra 15-'16
	81729 Tekonsha - Hayes Adapter
IS	81730 Hopkins - Hayes Adapter



The Blackbird

- No interference with electrical systems
- For electric or electric-over-hydraulic For 2, 4, and 6 electric brakes
- Limited lifetime warranty

Digital display Adjustable tum-on voltage, max output Quik-Receiver® compatible

- For 2, 4, 6, and 8 electric brakes
- Lifetime warranty

Page 93

TOWING



HEAVY-DUTY BALL MOUNTS

HIGH GLOSS POWDER COAT FINISH



Part #	Drop	Shank
BMHD30010	2" Drop	2" x 6" Shank
BMHD30011	2" Drop	2" x 8" Shank
BMHD30012	4" Drop	2" x 6" Shank
BMHD30013	4" Drop	2" x 8" Shank
BMHD30014	6" Drop	2" x 6" Shank
BMHD30210	2" Drop	2.5" x 6" Shank
BMHD30212	4" Drop	2.5" x 6" Shank
BMHD30214	6" Drop	2.5" x 6" Shank



TRIPLE TOW BALL MOUNT HIGH GLOSS POWDER COAT FINISH



SIX ROBBLEE

TOWING

HEAVY-DUTY PINTLE PLATE





Part #	Hole	Position	Shank
PMHD14001	6 Hole,	2 Position,	2" x 9" Shank
PMHD14002	8 Hole,	3 Position,	2" x 9" Shank
PMHD14003	8 Hole,	3 Position,	2" x 11" Shank
PMHD14004	14 Hole,	6 Position,	2" x 13" Shank
PMHD14005	14 Hole,	6 Position,	2" x 15" Shank
PMHD14202	8 Hole,	3 Position,	2.5" x 9" Shank





Three piece no-drill design means quick and easy installation. Shipped in a box to ensure hardware and instructions are included.



Heavy-Duty Receiver Hitch Fit List



	Part Number	PICKUP TRUCK YEAR, MAKE AND MODEL	TRAILER HITCHES
	HDRH25600	2011-2018 Chevrolet/GMC 2500 & 3500 Heavy Duty Long Bed Trucks with factor	y bumper
0	HDRH25601	2011-2018 Chevrolet/GMC 2500 & 3500 Heavy Duty Short Bed Trucks with factor	ry bumper
Σ	HDRH25189	2001-2010 Chevrolet/GMC 2500 & 3500 Heavy Duty Long Bed Trucks with factor	ry bumper
5	HDRH25187	2001-2010 Chevrolet/GMC 2500 & 3500 Heavy Duty Long Bed Trucks with 10" st	ep bumper
ų	HDRH25182	2001-2010 Chevrolet/GMC 2500 Heavy Duty Short Bed Trucks with factory bum	per
HEVROLEI	HDRH25217	2008-2013 Chevrolet/GMC 1500 Light Duty Trucks with factory bumper 1999-2007 Chevrolet/GMC 1500 & 2500 Light Duty Trucks with factory bumper	
	HDRH25122	1988-2009 Chevrolet/GMC Cab & Chassis 34" Frame (Without Dual Tanks) (5 1/2" 1973-1987 Chevrolet/GMC 1500, 2500, & 3500 Long Bed Trucks with factory burn	
ر	HDRH25198	1988-2009 Chevrolet/GMC Cab & Chassis 34" Frame (8" Drop) 1973-1987 Chevrolet/GMC 1500, 2500, & 3500 Long Bed Trucks with 10" step bun	nper
	HDRH25124	1998-2000 Chevrolet/GMC 1500, 2500, & 3500 Trucks Old Body Style with factor	ry bumper
	HDRH25602	2017 Ford F250 & F350 Trucks with factory bumper	
	HDRH25401	2011-2016 Ford F250 & F350 Trucks with factory bumper	
	HDRH25230	1999-2010 Ford F250 & F350 Trucks with factory bumper 2008-2010 Ford F450 with factory installed bed and bumper	
	HDRH25198	1999-2012 Ford Cab & Chassis 34" Frame (8" Drop) 1967-1998 Ford F250 & F350 with 10" step bumper 1967-1996 Ford F150 with 10" step bumper	
	HDRH25122	1999-2010 Ford Cab & Chassis 34" Frame (5 1/2" Drop) 1967-1998 Ford F250 & F350 Trucks with factory bumper 1967-1996 Ford F150 with factory bumper	
	HDRH24400	1997-2003 Ford F150 with factory bumper (Rated at 12,000 lbs)	
	HDRH25500	2014-2018 Ram 2500 & 3500 Short Bed Trucks with factory bumper	
	HDRH25501	2014-2018 Ram 2500 & 3500 Long Bed Trucks with factory bumper	
	HDRH25211	2003-2013 Dodge/Ram 2500 & 3500 Trucks with factory bumper 2003-2008 Dodge 1500 Trucks with factory bumper	
	HDRH25132	1994-2002 Dodge 2500 & 3500 Trucks with factory bumper 1994-2001 Dodge 1500 Trucks with factory bumper	
	HDRH25122	1972-1993 Dodge 1500, 2500, & 3500 Trucks with factory bumper	
	HDRH25198	1972-1993 Dodge 1500, 2500, & 3500 Trucks with 10" step bumper	

						A REAL STREET AND A REAL STREET					
HITCH BALLS	Part #	Ball Diameter	Shank Diameter	Shank Length	Max Load	Rise	Threads Per Inch	Finish			
PECIALTY AND HEAT TREATED	HB94001	2-5/16"	. 1"	2-1/2"	12K	No Rise	14	Heat Treated			
	HB94002	2-5/16"	1-1/4"	2-1/2"	24K	1"	12	Heat Treated			
	HB94003	2-5/16"	1-1/4"	3-1/4"	24K	1"	12	Heat Treated			
	HB94004	2-5/16"	1-1/4"	2-1/2"	30K	No Rise	12	Heat Treated			
	HB94005	2-5/16"	1-1/2"	2-3/4"	30K	1"	12	Heat Treated			
	HB94006	2-5/16"	1-1/2"	2-3/4"	30K	2"	12	Heat Treated			
× III 4	HB94007	2-5/16"	1-3/8"	2-3/4"	30K	1".	12	Heat Treated			
	HB94008	3"	2"	3-1/4"	30K	No Rise	12	Heat Treated			
	HB94009	2-5/16"	2"	3-1/2"	30K	No Rise	4.5	Heat Treated			
	HB94011	2-5/16"	2-3/16"	4"	30K	No Rise	n/a	Heat Treated			





TOW & STOW[®] Receiver Hitch

The Tow & Stow is adjustable in height and has multiple ball sizes. By pulling two pins the hitch can be stowed out of the way. • 21,000 LB. GTW - 2,100 LB. VTW when using the 3" Tow & Stow • 14,500 LB. GTW - 1,450 LB. VTW when using the 2.5" Tow & Stow • 10,000 LB. GTW - 1,000 LB. VTW when using the 2" Tow & Stow

	Part Number	Drop	Rise	Ball Size			Part Number	Drop	Rise	Ball Size
Δ	TS10033B	3"	3 1/2"	2 5/16" x 2"			TS10033C	3"	3 1/2"	2 5/16" x 2"
ATEI	TS10035B	3"	3 1/2"	1 7/8" x 2"		ш	TS10047C	3"	3 1/2"	1 7/8" x 2" x 2 5/16"
Ó	TS10047B	3"	3 1/2"	1 7/8" x 2" x 2 5/16"		δ	TS10037C	5″	5 1/2"	2 5/16" x 2"
Ŭ	TS10037B	5″	5 1/2"	2 5/16" x 2"		CHROM	TS10048C	5″	5 1/2"	1 7/8" x 2" x 2 5/16"
DE	TS10038B	5″	5 1/2"	1 7/8" x 2"	I	ΰ	TS10040C	7″	7 1/2"	2 5/16" x 2"
POWD	TS10048B	5″	5 1/2"	1 7/8" x 2" x 2 5/16"			TS10049C	7″	7 1/2"	1 7/8" x 2" x 2 5/16"
	TS10040B	7"	7 1/2"	2 5/16" x 2"		ш	TS20037C	5″	4 1/2"	2 5/16" x 2"
ACK	TS10049B	7"	7 1/2"	1 7/8" x 2" x 2 5/16"	i.	OME	TS20048C	5″	4 1/2"	1 7/8" x 2" x 2 5/16"
B	TS10043B	9"	9 1/2"	2 5/16" x 2"		CHR0	TS20040C	7″	7 1/2"	2 5/16" x 2"
	TS10050B	9"	9 1/2"	1 7/8" x 2" x 2 5/16"			TS20049C	7"	7 1/2"	1 7/8" x 2" x 2 5/16"
¥	TS20037B	5″	4 1/2"	2 5/16" x 2"		Y	TS10033BB	3"	3 1/2"	2 5/16" x 2"
SHANK	TS20048B	5″	4 1/2"	1 7/8" x 2" x 2 5/16"		ξ	TS10047BB	3"	3 1/2"	1 7/8" x 2" x 2 5/16"
S 2	TS20040B	7"	7 1/2"	2 5/16" x 2"		BROWNING	TS10037BB	5"	5 1/2"	2 5/16" x 2"
2.5	TS20049B	7"	7 1/2"	1 7/8" x 2" x 2 5/16"		B	TS10048BB	5″	5 1/2"	1 7/8" x 2" x 2 5/16"
¥	TS30037B	5″	4 1/2"	2 5/16" x 2"		ш	TS10055	8 1/2"	4 1/2"	2" Shank with 2" Ball
SHANK	TS30048B	5″	4 1/2"	1 7/8" x 2" x 2 5/16"			TS10056	8 1/2"	4 1/2"	2" Shank with 2 5/16" Ball
	TS30040B	7"	7 1/2"	2 5/16" x 2"		PINTL	TS20055	8 1/2"	4 1/2"	2.5" Shank with 2" Ball
ś	TS30049B	7"	7 1/2"	1 7/8" x 2" x 2 5/16"			TS20056	8 1/2"	4 1/2"	2.5" Shank with 2 5/16" Ball



S

TOWING

TOWING



Flash[™] ball mounts are the toughest, best-looking aluminum ball mounts you can buy.



ALBM

The ALBM's integrated locking system saves you time and hassle with lightning quick adjustments and maximum theft protection.

Mfg #	Description
DT-ALBM6400	(4"/5" drop/rise) 2" shank
DT-ALBM6600	(6"/7" drop/rise) 2" shank
DT-ALBM6800	(8"/9" drop/rise) 2" shank
DT-ALBM7000	(10"/11" drop/rise) 2" shank

Also available in 21/2" shank models



STBM

Shhhh. You'll never know how quiet a ball mount can be until you use a Fastway® STBM. It completely eliminates rattle and its sleek design and hand polished finish will definitely turn heads.

Mfg #	Description
DT-STBM6400	(4"/5" drop/rise) 2" shank
DT-STBM6600	(6"/7" drop/rise) 2" shank
DT-STBM6800	(8"/9" drop/rise) 2" shank
DT-STBM7000	(10"/11" drop/rise) 2" shank

Also available in 21/2" shank models.



ESERIES Lightning guick adjustments

and stunning good looks will make your buddies jealous every time you use your new E series[™] ball mount.

Mfg # Description 42-00-2400 (4"/5" drop/rise) 42-00-2600 (6"/7" drop/rise) 42-00-2800 (8"/9" drop/rise) 42-00-2900 (10"/11" drop/rise)



| ~ || *=*| ', ^v/H E SERIES HD

Designed to fit your 2-1/2" receiver and built to tow your heaviest loads. No other ball mount on the market is stronger, built better, or looks as gorgeous as the NEW Flash E series HD.

Rated to tow a maximum of 1,800 lbs. tongue weight and 18,000 lbs. trailer wei

Mfg #	Description
42-00-2625	(6"/6" drop/rise)
42-00-2825	(8"/8" drop/rise)
42-00-2925	(10"/10" drop/rise)

Fastway Flash - Faster, Easier."



ALBM, STBM, and E series ball mounts are rated to tow a max. 1,000 lbs. tongue wt. /10,000 lbs. trailer wt.



Peace of Mind





Fastway Locks - Faster, Easier™







The Fastway[®] Fortress[™] universal coupler lock fits more trailer couplers than any other lock on the market and will keep your trailer secure, providing peace of mind.









AIR FORCE ONE

- Proportional
- · Only air brake to meet DOT and chassis regulations
- Fits every car and motorhome *
- No pulleys, catches, or springs
- Breakaway integrated
- Industry leading 5 year warranty

* Requires Air Brakes on Motorhome

STAY-IN-PLAY DUO

- Dual-signal progressive activation
- Fits every car and motorhome
- No pulleys, catches, or springs
- Breakaway integrated
- Industry leading 5 year warranty

DELTA FORCE

- · Dual-signal proportional
- Flexball actuator mount
- Wireless coachlink
- Set-It-Once Pedal Clamp
- 75% smaller than competitor models
- Breakaway integrated
- Industry leading 5 year warranty

WIRELESS COACHLINK TM

- · Plugs into coach power port
- Instant visual feedback that brakes are applied
- Transmits signal from towed-vehicle
- · Positive "Brakes on" light

Page 100

• Audible tone indication lets you know your SMI system is working flawlessly



99955 Wireless Radio Set

100% PROPORTIONAL BRAKING, 100% HASSLE FREE US Patent 7.699.406

For Air Brake **Motorhomes**

- 99243 Air Force One Braking System
- 99213 Air Force One, Second Car Kit*



UNIVERSAL FOR ALL BRAKING SYSTEMS





non-binding tow bar U.S. patent numbers 6,619,686, 6,957,824, 7,029,021 and 7,461,855



alloy tow bar incorporating a jaw-dropping design with embedded LED lights. It includes internally-routed safety cables and power cord, an attractive black matte finish and solid stainless steel inner arms.

direct-connect baseplates which incorporate the strength of the crossbar into the mounting bracket — so no crossbar is required.

Aesthetically, the Nighthawk emulates the clean, sleek look of the Sterling All-Terrain tow bar, with which it shares many performance and convenience features, including a military-grade aluminum alloy shell.

- Non-binding Freedom Latch[™] disconnects first time, every time.
- The Nighthawk has the longest tow bar arms ever produced, for maximum stability while towing
- · Solid stainless steel inner arms for smooth, troublefree operation and easy maintenance.
- Built-in channel guides support and protect the included safety cables and power cord.

Tow Bar Adapters

The 031 adapts the following tow bars to Blue Ox brackets: Falcon; Falcon All-Terrain; BlackHawk; BlackHawk All-Terrain (with serial numbers up to 16,500); Sterling (with serial numbers up to 14,500). 031

The 031-5 adapts all Sterling tow bars (with serial numbers above 14,500) and BlackHawk All-Terrain tow bars (with serial numbers above 16,500) and Nighthawk tow bars to Blue Ox brackets (includes collar). 031-5

The **034** adapts the following tow bars to Demco brackets: Falcon; Falcon All-Terrain; BlackHawk; BlackHawk All-Terrain (with serial numbers up to 16,500); Sterling (with serial numbers up to 14,500). 034

SIX ROBBLEES



TOWING



A row of LEDs along each tow bar arm illuminates with the motorhome's lights. The 300-lumen LEDs add safety and convenience to nighttime towing — what was the darkest portion of the towing system is now easily visible to other drivers, and also visible when it comes time to disconnect.

676 Nighthawk tow bar. 8,000-pound weight capacity aluminum motorhome-mounted tow bar — weighs 35 pounds Includes safety cables and power cord 677 Nighthawk for Blue Ox brackets.

The 034-5 adapts all Sterling tow bars (with serial numbers above 14,500) and BlackHawk All-Terrain tow bars (with serial numbers above 16,500) and Nighthawk tow bars to Demco brackets (includes collar). 034-5

Tow your Jeep on the cheap!

Connect any ROADMASTER motorhome-mounted tow bar directly to the bumper mounts on off-road vehicles.

035 — for bumper mounts that are 3/4" thick..... **035-1** — for bumper mounts that are 1" thick..... . 00.00 Note: before using these adapters, confirm that the bumper is approved for flat towing by the manufacturer.







Freedom Latch™ non-binding technology No more binding!

(or skinned knuckles, or "#%?#^@?*!!!")

A patented cam design inside the Freedom Latch transforms linear motion into rotary motion at a 400to-1 ratio — five pounds of force against the latch equals 2,000 pounds of force against the lock. So you'll never have to straighten and align your towed vehicle to release the tow bar — Freedom Latches release at any angle or bind. First time, every time.

After all, who's on vacation here — you, or your tow har?

Falcon All-Terrain

Falcon All-Terrain tow bar . 522 6,000-pound weight capacity motorhomemounted tow bar — weighs 38 pounds

Sterling[™] All-Terrain

Sterling All-Terrain tow bar. 576 8,000-pound weight capacity aluminum motorhome-mounted tow bar — weighs 35 pounds Includes safety cables and power cord

BlackHawk[™] 2 All-Terrain

BlackHawk 2 All-Terrain tow bar. 422 10,000-pound weight capacity motorhome mounted tow bar — weighs 42 pounds

Exclusive features • Patented one-step storage latch

Fold the tow bar toward the motorhome and it will "click," automatically locking in place.

- **Built-in channel guides**
- Both the safety cables and the power cord are routed through the built-in channel guides for protection against damage or dragging, and for a clean, uncluttered look.
- Solid stainless steel inner arms For smooth, trouble-free operation and easy maintenance. Stainless steel looks better, lasts longer and prevents corrosion that binds.
- Largest hook-up radius

No wasted time lining up your towed vehicle! You can't say this about many things in life but connecting ROAD-MASTER tow bars is just like horseshoes — "close" is good enough.

Metal-flake powder-coat finish

Exceeds all 500-hour salt spray, extreme weather and high-impact standards.

World's Strongest Aluminum Tow Bar!

The Sterling All-Terrain weighs just 35 pounds, yet pulls up to four tons. Comes with safety cables, the power cord and a stainless steel powder-coat finish.







6,000 pound weight capacity motorhome-mounted tow bar

- Stainless steel in virtually every moving component for smooth, trouble-free operation.
- drive away, the arms self-center and automatically lock.
- A patented latching mechanism ensures secure, easy storage on the back of your motorhome.
- nect or disconnect the Falcon 2 in seconds.
- Full-length, steel crossbar for maximum support
- A lustrous powder coat finish for maximum durability
- 520 Falcon 2 tow bar — weighs 37 pounds 525 Falcon 2 tow bar (fits Blue Ox brackets)

'Hidden' tow bar baseplates





Now you see 'em... ...now you don't!

Why our baseplates are the strongest, safest and easiest to use...

- A better design Our baseplates are integrated into the frame and undercarriage of the vehicle, connecting to existing holes and fasteners wherever possible, for a quick, easy installation by your local professional.
- Easier installation Our baseplates are 30 percent quicker to install, on average, than other brands there are fewer components to unbolt or remove and fewer holes to drill.
- Computer-tested every baseplate design is subjected to computer-simulated "Finite Element Analysis." ROADMASTER was the first towing products manufacturer to use computerized stress testing — as well as "real world" physical testing — to ensure structural integrity and maximum strength.
- Custom fit every baseplate is custom-made to fit a specific vehicle or range of vehicles.
- We have the bracket for your car ROADMASTER has more than 1,200 different baseplates available (far more than any other company) — which fit nearly every vehicle made over the last 25 years.
- Baked-on finish every baseplate is powder coated. In this process, charged particles of pigment are baked into the surface of the baseplate. They fuse to the metal to form a lustrous, uniform and extremely durable finish.



Page 102

TOWING





Time Tested Time Proven

Falcon 2 stowed

In the folded position, the Falcon 2 conveniently stores out of the way on the back of your motorhome. A tow bar cover (sold separately) keeps your tow bar clean.

• Autowlok[™] locking mechanism — allows both tow bar arms to extend or retract for a quick connection. Then, as you

One-person quick connect and disconnect — thanks to self-supporting "quick-disconnects," one person can easily con-





What is InvisiBrake? The world's best towed car supplemental braking system.

Why is InvisiBrake better?

- NOTHING to put in or take out to tow or drive.
- CHARGES the battery while towing. Never drains the towed car's battery.
- EASY operation. Works intuitively. No fuss, no hassle. It just works.
- MONITORS the towed vehicle's braking condition with audio and visual alerts.
- SAFETY is standard. Includes break away system and alarm for safety.

InvisiBrake braking system

8700

Page 104

All components for a 2nd motorhome kit

All components for a reinstall on a new car. Uses your InvisiBrake controller and air cylinder. 98700



What is BrakeMaster?

BrakeMaster is ROADMASTER's 'direct' proportional braking system. It connects directly to the motorhome's air or hydraulic braking system for rock-solid, reliable braking — brake line pressure in the motorhome controls the brakes in the towed vehicle. Because it connects directly to what powers your motorhome's brakes, BrakeMaster is a truly proportional, truly synchronized braking system however you brake the motorhome, BrakeMaster automatically applies the same pressure. Every time. Connects and disconnects

from the towed vehicle in under a minute, without any tools, adjustments or settings — attach the brake pedal clamp, secure to the floor or seat adapter, quick-connect the air hose, and you're ready to tow. Weighs just 3¾ pounds and measures 17 inches in length — stores almost anywhere.

- There's a BrakeMaster for all three types of motorhome brakes...
- 9100 BrakeMaster for motorhomes with air or air over hydraulic brakes.
- 9160 BrakeMaster with BrakeAway for motorhomes with air or air over hydraulic brakes...
- 9060 BrakeMaster with BrakeAway for motorhomes with hydraulic brakes...
- 8600 BrakeAway kit (included with 9060 and 9160).
- Air cylinder storage bag.. 104

900002 Brake Pressure Reducer for installing BrakeMaster in vehicle with active braking system.

Seat adapters — Provide a vehicle-specific mounting location to pin the BrakeMaster. Available for most vehicles; required on some applications. Check online at www.fitmaster.roadmasterinc.com to see if one is required for your vehicle.



BRAKEAWAY'

MERGENCY BRAKING

Included with BrakeMaster 9160 and 9060, the BrakeAway system works in conjunction with your BrakeMaster to bring your towed vehicle to a controlled

stop should it ever separate from your

Hitch Accessories

Note: longer safety cables or safety cable extensions may be necessary for any accessory which extends the length of the towing system.

High-Low Hitch Receiver Adapters

Use a High-Low Hitch to level the RV hitch to the tow bar. The shanks can be turned up or down as needed to level the towing system.

Only for towing a car behind a motorhome — not for use with any type of trailer.



Flip up or down as needed to level the towing system.



For 2-inch receiver hitches The 07 series High-Low Hitches have a 6,000-pound

GVWR and a maximum tongue weight of 200 pounds. The 048 series hitches have a solid-steel shank, allowing a 10,000-pound capacity and 400-pound tongue weight. Fit nearly all two-inch receiver hitches. Available in two-, four-, six-, eightand 10-inch sizes.



	size	weight capacity in pounds	
048-2 072 048-4 070 048-6 076 048-8	2" 2" 4" 6" 8"	10,000 6,000 10,000 6,000 10,000 10,000 10,000 10,000	· · · · · · · · · · · ·
048-10	10"	10,000	

Stop sway and wander before it begins!



ries. 061 062



Time Tested • Time Proven

Dual Hitch Receiver

With this dual-purpose hitch receiver, you can add

a bike carrier or other hitch accessory to the rear of your motorhome. Solid-steel construction; 10,000pound capacity; 400-pound maximum tongue weight.



TOWING

077-2 2"/2" Dual Hitch Receiver Both receivers offset by two inches. 077-4 2"/4" Dual Hitch Receiver One receiver offset by two inches; the other by four 077-6 2"/6" Dual Hitch Receiver One receiver offset by two inches; the other by six ... 077-8 2"/8" Dual Hitch Receiver One receiver offset by two inches; the other by eight 077-10 2"/10" Dual Hitch Receiver One receiver offset by two inches; the other by 10

Anti-rattle Hitch Receiver Extension

This 7¹/₂" hitch extension has a solid steel shank, allowing a 10,000-pound capacity and a 400-pound tongue weight.

A threaded hitch pin hole and bolt eliminate the rattle, wander and sway associated with other hitch extensions.

071-1075



Hitch Receiver Extensions

The hitch receiver extensions provide $7\frac{1}{2}$ and 12 inches. for those towing systems which need a little more reach. Rated at 6,000-pound GVWR and 200-pound maximum tongue weight.

071-75 71/2" Hitch Receiver Extension 12" Hitch Receiver Extension 071

Quiet Hitch eliminates any free play between the receiver and the tow bar (or whatever you insert) for a solid, seamless connection. Consistent pressure keeps your towing combination tracking straight — all with considerably less effort on your part.

Also reduces tire wear, and wear and tear on the hitch and receiver. Especially effective on towing combinations with multiple hitch extensions; also reduces noisy rattle caused by hitch accesso-

Quiet Hitch for 2" hitch receivers...... Quiet Hitch for 21/2" hitch receivers 061-125 Quiet Hitch for 11/4" hitch receivers

Note: the receiver must have a ring or collar around it for Quiet Hitch to attach.



TOWING





A	F
AP Products Doors & Hardware	Fastway Ball Mounts 98 Coupler Lock 99 Sway Control 86 Firestone 61-63
B & W Adjustable Ball Mounts	G Go Power Batteries10 Portable Solar Kits9 Solar Inverter System8 H Hayes Brake Control Brake Controls93 Sway Controls92
Camco Battery Box11	J
Roof Vent Cover41Roof Vent Lids.42-43Classic AccessoriesRV Covers.40Tire Covers41Curt ManufacturingFifth Wheels.83-85Fifth Wheel Hitches.83-85Sway Controls.88Weight Distribution.88-89	JR Products Cabinet Hardware
D	К
Demco Connector	Kwikee Products Electric Steps
SMI Braking System100DicorRoof Coating24Roof Cleaning & Protection23Roof Repair26Roof Sealant25Roofing Systems21-22Wheels67-68Valve Extenders69	Lasalle BristolPipe Fittings.58RV Screen.43Step Pads.37Termination Valves.57LippertBrake Kits.71Holding Tank Vent.51Jacks.59
E	Kwik Lube Penetrating Fluid 19 Motors
Equalizer Weight Distributing Hitches87 Equalizer (E2) Weight Distributing Hitches87	Sewer Hose



SIX ROBBLEES

MANUFACTURERINDEX

Solenoid	Valv	e.							.70
Stabilizer	S								.71
Steps									.38

Marshall Excelsior

Auto Changeover Regulator44
Gas Adapter Tees45
Gas Hoses/ Pigtails 44-45
Gas Regulators
LP Accessories 44-45
10Rryde
Steps
Suspension

Ν

Norcold

Refrigerators																	. 4	ļ
---------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	-----	---

0

U	pt	ron	1	CS		
	1		÷	·	L 12.	


LED Lighting								6-7
Connectors								. 11

17 10

Phoenix Industries Dath Equato

Dalli Fauleis
Exterior Shower
Hoses46
Kitchen Faucets 46-47
Valves
Pollak Engineered Prod
Connectors
Prest-o-Fit
Steps & Mats
Protect All
Cleaning Products
Rubber Roof Care19

R



Safe-T-Alert
Smoke/Gas Alarms15
Sika
Sealants
Tapes
Southwire
Surge Protectors 16-17
Starlights Inc.
LED Lights 10-11

Т

Tectran
Connectors
Tekonsha
Brake Controls
Connectors 11-12
Thetford
Aqua-Kem Products55-56
Cleaning Products 18-19
Toilet Paper
Toilets
Portable Waste Tank55
Torklift
Sewage Hoses
Steps
Suspension
Tiedowns & Turnbuckles 66
Towing
0

V

Valterra
Adapters
Conductor Wire
Extension Cords 13-15
Pest Repellant
Vent Lid43
Valves54
Water Pressure Regulator 46
Water Hoses46
Sewer Hose
Sewage Valve and Fittings53
Sewage Accessories53
Wheel Chocks

Ζ

Zarpax



1									
Dehumidifier.	 							.19	

PRODUCT INDEX

Adapters

Electrical 12-13 Sewer Hose 51-54, 57 Adhesives / Rubber Roof 25-26 Adjustable Ball Mount 90, 95-98 Air / Helper Springs 60-63 Aluminum / Ball Mount98 Appliances / Refrigerator . . 4-5 Aqua-Magic Toilets 50-51 Aqua-Soft Toilet Tissue54 Automatic / Gas Regulator ...44 Awning В

А

ABS Fittings 53-54, 58

Ball

Ddll
Hitch
Stud
Sway Control
Ball Mount
Adjustable
Class III IV
Tri-Ball
Base
Bathroom Faucets 46-48
Battery
Batteries
Boxes
Black Streak Remover 18-19
Bladex Valves
Bluetooth45
Bracket
Ball Stud
Gas Regulator44
Brake
Accessories 70-71
Boxes 100, 104
Brakes
Connectors
Controls
Bravura Toilet
Bulb Light 10-11
Bumpers
Butyl Tape

Cabinet / Hinges 29-30
Cap / Tape
Changeover Regulator44
Chocks
Cleaner
All Purpose
Awning 18-19
Black Streak
Bug18
Protectant 18-20
Rubber Roof
Wheel
Coatings / Roof 18-22
Combo Kit 101-103
Connector
Sewer Hose 51-53
Trailer & Vehicle 11, 78, 81
Cord
Adapters 12-15
Connectors11
Extension 13-15
Power
Couplers
Gooseneck
Hardware
Lock99
Sewer Hose 51-54
Universal Lock
Couplings / ABS
Covers
Camper 40-41
Covers 40-43
Folding Tent Trailer40
Motorhome
Regulator
RV 40-41
Tire
Vent
Wheel
Crank Handle Leveling Jack 59
Curtains
D

С

D

Dehumidifier	19
Deodorants/Holding Tank 55-	56
Dogbone Adapter 12-	13



Door
Door Handles 28-29
Entrance
Hardware 27-31
Holder
Drain
Hose
Hose Support
Drinking Water
Hoses
Dry Deodorant
Dump Valves
E
Elastomeric Roof Coat23
Flectric
Lock
Step Repair Kits 38-39
Steps
Electrical
Adapters 12-13
Connectors
Cords 13-15
Electronic
Brake Controls 71, 91, 93, 104
Sway Control
Entrance Door / Lock 27-28
Equalizer W/D Hitches 86-87
Generator Cords
Extension Cord 13-14
EZ Couplers 53
F
Faucets
Bathroom 46-48
Kitchen 46-47
Shower
Single Lever
Fifth Wheel
Base Rails
Cover 40-41
Hitches
Wiring Harness
Fill Hose
FillFresh Water
Fittings
ABS 53-54, 58
Sewer Hose 51-54, 57

Folding Sewer Hose Support53

Fresh Water Fittings46 Friction Sway Control88

G

Gas
Detector
Hose45
Regulator
Struts
Generators
Adapter
Cord
Gooseneck
Accessories
Coupler
Gray Water Odor Control 55-56
Grips / TV
Gutter Spout
Н
Handle / Assist
Hardware
Cabinet Hardware 29-30
Curtain Hardware 30-31
Door Holders/Handles 28-29
Exterior Hardware
Heated Water Hose46
Hi-Rise Kitchen Faucet 46-47
Hinges / Cabinet 29-30
Hitch
Ball Mounts
Fifth Wheel 73-75, 78-82, 83-85
Locks99 Weight Distributing86-89
Holding Tank / Rinsers 54-55
Holding Tanks
Hose
Clamps
Coupler Sewer 51-54
Drain
Drinking Water46
LP Gas 44-45
Sewer 51-52
Support
Hydroflush

1

In The Wall Slide Control70

Insect / Repellent Insert Vinyl Trim

J

Κ

Т

Jacks Handle Tongue

Kitchen Sink Accessories Door Knob

Lap Sealant Lavatory Faucets 46-LED Legs Table Leveling Blocks Jacks Scissor Jacks Light Bulbs 6-7,10-LED.....6-7,10-Locking / Ball Mount Locks Coupler.... Entrance Door LP Gas Pigtails 44-45 Regulators44

Mat



PRODUCTINDEX

.18 .28	Mildew Stain Remover18-19Monitor Probes54Motors70Motor / Scissor Jack59Motorhome / Covers40-43Mounts31
.59	Mud Flaps106
.59	0
.59 .59	0
.97	Odor Control Gray Water 55-56 Outdoor
-47	Mats
.46	Shower
.27	Р
	Passage Door Lock
.25	Pigtail LP
-30	Pin / Sway Control 88, 92 Plug
-48	Adapters
6-7	Brackets
.31	Portable
	Toilets 50-51
.59	Waste Tank55
.59	Power 10.42
.59	Adapters 12-13
.59	Cords
	LP
-11	Water
-11	Propane
8-9	Pigtails
.99	Regulator
	5
.99	Protectant
.99 .27	5

PRODUCT INDEX

R

Refrigerator
Norcold
Vents
Registers
Regulator
Accessories 44-45
LP
Water
Repellent
Insect
Rivet

Μ

PRODUCT INDEX

$\mathbf{\Sigma}$
F
U
\square
6
Å
A

Roof

obating
Patch 23-24
Repair Kit 23-24
Sealant
Roof Vents
Cover
Refrigertor
Rubber
Install Kit
Roof Cleaner 18-19
Roof Coating
Roof Primer
Roof Repair
Roof Treatment
Roofing
RV "Y" Adapter

Cleaner 18-19, 23-24

Coating 23-24

S

Sanitation Valves54
Scissor Jacks
Sealant
Lap
Putty Tape
Silicon
Seals / Slide-Out
Sewer
Coupler 51-54
Fittings 51-53, 57-58
Hose Adapter 51-54, 57
Hose Support
Hose System 51-52
Hose Wye53
Shower / Faucet 47-48
Slide Out
Lube
Rubber Treatment19
Seal19
Slide Out Accessories71
Slide Out Motors 70-71
Slide Out Parts 70-71
Sliding Door Hardware 28-30
Slunky Hose Support53
Solenoid
Valve Accessories 70-71
Stabilizers
Jack59
Scissor Jack
Step
Electric
Folding

Struts Gas
Surge Protectors 16-17
Suspension Stabilizer 64-66, 71
Sway Control Parts &
Hardware
Т
Tank
Cleaners 55-56
Fittings
Таре
Butyl
Cap
Putty
Television
Temporary Adapter 12-13, 18
Tie Downs/ Turnbuckles 66
Tire
Covers
Tire Inflaters
Toilet
Chemicals55-56
Paper
Toilets
China 50-51
Plastic 50-51
Portable 50-51
Tongue
Jacks
Tow Bar / Braking .91, 100, 104
Toy Hauler / Covers 39-40
TPO Roof System
Trailer
Adapters 12-13
Connector
Couplers
Wiring Kit
Trim Insert
Triple Tow Ball Mount 95-98
Tub & Shower
Accessories
Faucet 46-48
TV Wall Mounts
U

Mats 35, 37-38

Universal Coupler Lock99



V

Vents
Ceiling
Covers 42-43
Floor
Holding Tank51
Lids
Shade41
Vinyl Insert Molding Trim 28
Volt Regulator
Voltage Monitor17

W

Wash-N-Wax
Waste Tank
Waste Valves54, 57
ABS Parts
Water
Hoses46
Pressure Regulator46
Pumps49
Wax Trailer

Weight Distributing

Hitches
Wheel
Accessories 67-68
Chocks
Cleaner
Covers 41, 66-67
Hub Covers67
Stops
Window
Window
Wire Harness70

Wires & Wiring15

NOTES







	\bigcirc	
	PIFES INC.	
Page 112	SIX ROBBLEES' INC.	